

Registration Extensions (REGEXT)  
Internet-Draft  
Intended status: Standards Track  
Expires: 2 October 2025

Z. Albanna  
S. Hollenbeck  
Verisign  
31 March 2025

RDAP Extension for DNS DELEG  
draft-albanna-regext-rdap-deleg-02

## Abstract

This document describes an extension of the Registration Data Access Protocol (RDAP) that includes DNS DELEG values in responses to RDAP domain object queries.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 2 October 2025.

## Copyright Notice

Copyright (c) 2025 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

## Table of Contents

1. Introduction . . . . .	2
2. Conventions used in this document . . . . .	2
3. RDAP Conformance . . . . .	2
4. RDAP Response Specification . . . . .	3
4.1. Examples of deleg_delegInfo . . . . .	3
4.2. Examples of full RDAP responses including deleg_delegInfo . . . . .	5
5. IANA Considerations . . . . .	8
6. Security Considerations . . . . .	8
7. Acknowledgments . . . . .	8
8. References . . . . .	8
8.1. Normative References . . . . .	8
8.2. Informative References . . . . .	9
Authors' Addresses . . . . .	9

## 1. Introduction

This document describes an extension of the Registration Data Access Protocol (RDAP) that includes DNS DELEG values in responses to RDAP domain object queries as described in section 5.3 of RFC 9083 [RFC9083]. The definition of DNS DELEG information is based on concepts described in Internet-Draft "Extensible Delegation for DNS" [DELEG] and Internet-Draft "Extensible Provisioning Protocol (EPP) mapping for DELEG records" [brown-epp-deleg]. This draft is subject to changes that may take place in [DELEG] and [brown-epp-deleg] as they are developed. This document describes how DNS DELEG record information can be included in RDAP responses that contain RDAP domain objects.

## 2. Conventions used in this document

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

## 3. RDAP Conformance

RDAP responses that contain values described in this document MUST indicate conformance with this specification by including an rdapConformance ([RFC9083]) value of "deleg". The information needed to register this value in the RDAP Extensions Registry is described in Section 5.

Example rdapConformance structure with extension specified:

```
"rdapConformance" :  
  [  
    "rdap_level_0",  
    "deleg"  
  ]
```

Figure 1

#### 4. RDAP Response Specification

This specification describes a new data structure that is used to return DNS DELEG information in a RDAP domain response. s described in Internet-Draft "Extensible Delegation for DNS" [DELEG], a DELEG record is a specialized form of a DNS SVCB [RFC9460] resource record. "deleg\_delegInfo" is a data structure that contains information that describes DNS DELEG record information associated with a registered domain name. The "deleg\_delegInfo" data structure is a list of objects. The list of objects contains the following members whose values and presentations are described in Section 2.1, and Appendix A of RFC 9460 [RFC9460]:

1. "priority": a number that represents the SvcPriority value of the record.
2. "target": a domain name that represents the TargetName of the record.
3. "params": an OPTIONAL object that contains SvcParam key-value pairs.

##### 4.1. Examples of deleg\_delegInfo

Example 1: single DELEG AliasMode record type from a single provider based on the example shown in section 2.2 of [DELEG]:

```
"deleg_delegInfo": [  
  {  
    "priority": 0,  
    "target": "config1.example.net"  
  }  
]
```

Example 2: multiple DELEG AliasMode records type from multiple providers based on the example shown in section 2.2.1 of [DELEG]:

```
"deleg_delegInfo": [  
  {  
    "priority": 0,  
    "target": "config1.example.net"  
  },  
  {  
    "priority": 0,  
    "target": "config1.example.org"  
  }  
]
```

Example 3: single DELEG ServiceMode record type from a single provider based on the example shown in section 2.1 of [DELEG]:

```
"deleg_delegInfo": [  
  {  
    "priority": 1,  
    "target": "config3.example.net",  
    "params": {  
      "ipv6hint": "2001:db8:2423::3"  
    }  
  }  
]
```

Example 4: multiple DELEG ServiceMode records type from multiple providers based on the example shown in section 5.1.1 of [brown-epp-deleg]:

```
"deleg_delegInfo": [  
  {  
    "priority": 1,  
    "target": "ns1.example.com",  
    "params": {  
      "ipv4hint": "192.0.2.1",  
      "ipv6hint": "2001:DB8::1"  
    }  
  },  
  {  
    "priority": 1,  
    "target": "ns2.example.net",  
    "params": {  
      "ipv4hint": "192.0.2.2",  
      "ipv6hint": "2001:DB8::2"  
    }  
  }  
]
```

#### 4.2. Examples of full RDAP responses including deleg\_delegInfo

Example 1: Domain object class with a single DELEG AliasMode record type:

```
{
  "objectClassName": "domain",
  "handle": "2336799_SomeHandle",
  "ldhName": "EXAMPLE.COM",
  "links": [
    ...
  ],
  "status": [
    "client delete prohibited",
    "client transfer prohibited",
    "client update prohibited"
  ],
  "entities": [
    ...
  ],
  "events": [
    ...
  ],
  "secureDNS": {
    ...
  },
  "deleg_delegInfo": [
    {
      "priority": 0,
      "target" : "config1.example.net",
    }
  ],
  "nameservers": [
    {
      "objectClassName": "nameserver",
      "ldhName": "ns1.example.net"
    },
    {
      "objectClassName": "nameserver",
      "ldhName": "ns2.example.net"
    }
  ],
  "rdapConformance": [
    "rdap_level_0",
    "deleg"
  ],
  "notices": [
    ...
  ]
}
```

Example 2: Domain object class with multiple DELEG ServiceMode records:

```
{
  "objectClassName": "domain",
  "handle": "2336799_SomeHandle",
  "ldhName": "EXAMPLE.COM",
  "links": [
    {
      ...
    }
  ],
  "status": [
    "client delete prohibited",
    "client transfer prohibited",
    "client update prohibited"
  ],
  "entities": [
    ...
  ],
  "events": [
    ...
  ],
  "securedNS": {
    ...
  },
  "deleg_delegInfo": [
    {
      "priority": 1,
      "target" : "ns1.example.com",
      "params": {
        "ipv4hint": "192.0.2.1",
        "ipv6hint": "2001:BE8::1"
      }
    },
    {
      "priority": 1,
      "target" : "ns2.example.net",
      "params": {
        "ipv4hint": "192.0.2.2",
        "ipv6hint": "2001:DB8::2"
      }
    }
  ],
  "nameservers": [
    {
      "objectClassName": "nameserver",
      "ldhName": "ns1.example.com"
    },
    {
      "objectClassName": "nameserver",
```

```
    "ldhName": "ns2.example.com"
  },
  "rdapConformance": [
    "rdap_level_0",
    "deleg"
  ],
  "notices": [
    ...
  ]
}
```

## 5. IANA Considerations

IANA is requested to register the following value in the RDAP Extensions Registry:

\*Extension identifier:\* deleg

\*Registry operator:\* Any

\*Published specification:\* this document

\*Contact:\* IETF <iesg@ietf.org (mailto:iesg@ietf.org)>

\*Intended usage:\* this extension describes how DNS DELEG records values can be included in RDAP responses.

## 6. Security Considerations

The Security Considerations described in RFC 9083 [RFC9083] are applicable to this extension.

## 7. Acknowledgments

The following individuals have provided feedback and contributions to the content and direction of this document: James Gould

## 8. References

### 8.1. Normative References

[RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.



- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC9083] Hollenbeck, S. and A. Newton, "JSON Responses for the Registration Data Access Protocol (RDAP)", STD 95, RFC 9083, DOI 10.17487/RFC9083, June 2021, <<https://www.rfc-editor.org/info/rfc9083>>.
- [RFC9460] Schwartz, B., Bishop, M., and E. Nygren, "Service Binding and Parameter Specification via the DNS (SVCB and HTTPS Resource Records)", BCP 78, RFC 9460, DOI 10.17487/RFC9460, November 2023, <<https://www.rfc-editor.org/info/rfc9460>>.

## 8.2. Informative References

- [DELEG] April, T., paek, P., Weber, R., and D. Lawrence, "Extensible Delegation for DNS", Work in Progress, Internet-Draft, draft-dnsop-deleg-00, January 2024, <<https://datatracker.ietf.org/doc/draft-dnsop-deleg/>>.
- [brown-epp-deleg] Brown, G. and P. Hoffman, "Extensible Provisioning Protocol (EPP) mapping for DELEG records", Work in Progress, Internet-Draft, draft-brown-epp-deleg, 26 January 2024, <<https://datatracker.ietf.org/doc/draft-brown-epp-deleg/>>.

## Authors' Addresses

Zaid Albanna  
Verisign  
12061 Bluemont Way  
Reston, VA 20190  
United States of America  
Email: [zalbanna@verisign.com](mailto:zalbanna@verisign.com)

Scott Hollenbeck  
Verisign  
12061 Bluemont Way  
Reston, VA 20190  
United States of America  
Email: [shollenbeck@verisign.com](mailto:shollenbeck@verisign.com)