

IDR Working Group  
Internet-Draft  
Intended status: Standards Track  
Expires: 23 October 2026

G. Van de Velde  
Nokia  
K. Patel  
Arrcus  
Z. Li  
S. Zhuang  
Huawei Technologies  
H. Chen  
Futurewei  
April 2026

Flowspec Indirection-id Redirect for SRv6  
draft-chen-idr-srv6-flowspec-path-redirect-00

## Abstract

This document defines extensions to "FlowSpec Redirect to indirection-id Extended Community" for SRv6. This extended community can trigger advanced redirection capabilities to flowspec clients for SRv6. When activated, this flowspec extended community is used by a flowspec client to retrieve the corresponding next-hop and encoding information within a localised indirection-id mapping table.

The functionality detailed in this document allows a network controller to decouple the BGP flowspec redirection instruction from the operation of the available paths.

## Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [2].

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 3 October 2026.

## Copyright Notice

Copyright (c) 2026 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

## Table of Contents

1. Introduction . . . . .	2
2. Redirect to indirection-id Community . . . . .	2
3. Security Considerations . . . . .	4
4. Acknowledgements . . . . .	4
5. Contributor Addresses . . . . .	4
6. IANA Considerations . . . . .	5
7. References . . . . .	5
7.1. Normative References . . . . .	5
7.2. Informative References . . . . .	6
Authors' Addresses . . . . .	6

## 1. Introduction

"FlowSpec Redirect to indirection-id Extended Community" for IPv4 is defined in [ietf-idr-flowspec-path-redirect](#) [1]. This draft specifies extensions to this community for SRv6.

## 2. Redirect to indirection-id Community

This document defines a new sub-type value for SRv6 in "FlowSpec Redirect to indirection-id Extended Community". The format of this extended community with the new sub-type value is show below:

```

 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1
+-----+-----+-----+-----+-----+-----+-----+-----+
| Type           | Sub-Type (TBD) | Flags(1 octet)| ID-Type        |
+-----+-----+-----+-----+-----+-----+-----+-----+
|               | Generalized indirection_id (16 octets) |
~
+-----+-----+-----+-----+-----+-----+-----+-----+

```

Where

Type: 1 octet, defined in `ietf-idr-flowspec-path-redirect` [1].

Sub-Type: 1 octet, its value (TBD) will be assigned by IANA.

Flags: Same as that defined in `ietf-idr-flowspec-path-redirect` [1].

ID-Type: 1 octet value. This draft defines following Context Types:

- \* 0 - Localised ID (The flowspec client uses the received indirection-id to lookup forwarding information within the localised indirection-id table. The allocation and programming of the localised indirection-id table is outside scope of the document)
- \* 1 - Node ID with SID/index in MPLS-based Segment Routing (This means the indirection-id is mapped to an MPLS label using the index as a global offset in the SID/label space)
- \* 2 - Node ID with SID/label in MPLS-based Segment Routing (This means the indirection-id is mapped to an MPLS label using the indirection-id as global label)
- \* 3 - Binding Segment ID with SID/index in MPLS-based Segment Routing (This means the indirection-id is mapped to an MPLS binding label using the indirection-id as index for global offset in the SID/label space).
- \* 4 - Binding Segment ID with SID/label in MPLS-based Segment Routing (This means indirection-id is mapped to an MPLS binding label using the indirection-id as global label).
- \* 5 - Tunnel ID (Tunnel ID is within a single administrative domain a globally unique tunnel identifier. The allocation and programming of the Tunnel ID within the localised indirection-id table is outside scope of the document)

- \* 6 - Node ID with SID/index in SRv6 (This means the indirection-id is mapped to an SRv6 SID using the indirection-id as global SRv6 SID or index)
- \* 7 - Binding Segment ID with SID/index in SRv6 (This means the indirection-id is mapped to an SRv6 binding SID using the indirection-id as index for global offset in the SID space).
- \* 8 - Binding Segment ID with SID/index in SRv6 (This means indirection-id is mapped to an SRv6 binding SID using the indirection-id as global SRv6 SID).

Generalized indirection\_id: 128-bit identifier used as indirection\_id

### 3. Security Considerations

A system using "Redirect to indirection-id" extended community can cause during the redirect mitigation of a DDoS attack overflow of traffic received by the mitigation infrastructure.

### 4. Acknowledgements

This document received valuable comments and input from IDR working group including Adam Simpson, Mustapha Aissaoui, Jan Mertens, Robert Raszuk, Jeff Haas, Susan Hares and Lucy Yong.

### 5. Contributor Addresses

Below is a list of other contributing authors in alphabetical order:

Arjun Sreekantiah  
Cisco Systems  
170 W. Tasman Drive  
San Jose, CA 95134  
USA

Email: asreekan@cisco.com

Nan Wu  
Huawei Technologies  
Huawei Bld., No. 156 Beiqing Rd  
Beijing 100095  
China

Email: eric.wu@huawei.com

Shunwan Zhuang  
Huawei Technologies  
Huawei Bld., No. 156 Beiqing Rd  
Beijing 100095  
China

Email: zhuangshunwan@huawei.com

Wim Henderickx  
Nokia  
Antwerp  
BE

Email: wim.henderickx@nokia.com

## 6. IANA Considerations

This document requests a new sub-type value under "FlowSpec Redirect to indirection-id Extended Community Sub-Type" registry.

Value	Code	Reference
0x01	Flowspec Redirect to 128-bit Path-id for SRv6	[RFC-To-Be]

## 7. References

### 7.1. Normative References

- [1] Van de Velde, G., Patel, K., and Z. Li, "Flowspec Indirection-id Redirect", Work in Progress, Internet-Draft, draft-ietf-idr-flowspec-path-redirect-12, 24 November 2022, <<https://datatracker.ietf.org/doc/html/draft-ietf-idr-flowspec-path-redirect-12>>.
- [2] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, March 1997, <<http://xml.resource.org/public/rfc/html/rfc2119.html>>.

## 7.2. Informative References

- [3] Uttaro, J., Filsfils, C., Alcaide, J., and P. Mohapatra, "Revised Validation Procedure for BGP Flow Specifications", January 2014.
- [4] Filsfils, C., Previdi, S., Aries, E., Ginsburg, D., and D. Afanasiev, "Segment Routing Centralized Egress Peer Engineering", October 2015.
- [5] Sreekantiah, A., Filsfils, C., Previdi, S., Sivabalan, S., Mattes, P., and S. Lin, "Segment Routing Traffic Engineering Policy using BGP", October 2015.
- [6] Filsfils, C., Previdi, S., Decraene, B., Litkowski, S., Shakir, R., Bashandy, A., Horneffer, M., Henderickx, W., Tantsura, J., Crabbe, E., Milojevic, I., and S. Ytti, "Segment Routing Architecture", December 2015.
- [7] Sivabalan, S., Medved, M., Filsfils, C., Litkowski, S., Raszuk, R., Bashandy, A., Lopez, V., Tantsura, J., Henderickx, W., Hardwick, J., Milojevic, I., and S. Ytti, "PCEP Extensions for Segment Routing", December 2015.

## Authors' Addresses

Gunter Van de Velde  
Nokia  
Antwerp  
Belgium  
Email: [gunter.van\\_de\\_velde@nokia.com](mailto:gunter.van_de_velde@nokia.com)

Keyur Patel  
Arrcus  
United States of America  
Email: [keyur@arrcus.com](mailto:keyur@arrcus.com)

Zhenbin Li  
Huawei Technologies  
Huawei Bld., No. 156 Beiquing Rd  
Beijing  
100095  
China  
Email: robinli314@163.com

Shunwan Zhuang  
Huawei Technologies  
Huawei Bld., No. 156 Beiquing Rd  
Beijing  
100095  
China  
Email: zhuangshunwan@huawei.com

Huaimo Chen  
Futurewei  
Boston, MA,  
United States of America  
Email: Huaimo.chen@futurewei.com