

Network Working Group  
Internet-Draft  
Updates: 4021 (if approved)  
Intended status: Standards Track  
Expires: 1 November 2026

B. Billon  
Splio  
J. Levine  
Standcore LLC  
30 April 2026

Updated Use of the Expires Message Header Field  
draft-ietf-mailmaint-expires-06

## Abstract

This document allows broader use of the Expires message header field for mail messages. Message creators can then indicate when a message expires, while recipients would use this information to handle an expired message differently.

## Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 1 November 2026.

## Copyright Notice

Copyright (c) 2026 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

## Table of Contents

|  |   |
|--|---|
| 1. Introduction . . . . .                    | 2 |
| 1.1. Requirements Language . . . . .         | 3 |
| 2. Defining Expiration . . . . .             | 3 |
| 3. Header Field definition . . . . .         | 3 |
| 4. Advice to Message Creators . . . . .      | 3 |
| 5. Advice to Message Readers . . . . .       | 4 |
| 6. Interoperability Considerations . . . . . | 4 |
| 7. Security considerations . . . . .         | 4 |
| 8. Acknowledgements . . . . .                | 5 |
| 9. IANA Considerations . . . . .             | 5 |
| 10. Implementation Status . . . . .          | 5 |
| 11. Normative References . . . . .           | 6 |
| 12. Informative References . . . . .         | 6 |
| Authors' Addresses . . . . .                 | 7 |

## 1. Introduction

[RFC2156] defined a mapping of header fields between X.400 format and [RFC822]. One of the mapped fields is the "Expires" header field, which provides a date and time at which a message is considered to lose its validity.

[RFC4021] registered the field with IANA but stated that it is "not for general use." This document extends the use of the "Expires" header field to Internet email in general, whether the message comes from an X.400 gateway or elsewhere.

Netnews articles [RFC5536] have an Expires header with a similar slightly more strict syntax and similar meaning.

The date and time of expiration can be used by the mailbox provider or the MUA (Mail User Agent) to de-emphasize certain messages, or not display them at all, to unclutter the user's mailbox.

A Message Creator is an agent that generates messages for delivery. In [RFC5598] parlance, this is an Author or Originator.

A Message Reader is either an agent consuming a message or an agent storing a message. In RFC 5598 parlance, this is a Message Store or a Message User Agent.

### 1.1. Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

## 2. Defining Expiration

[RFC2156] defined a field called "Expires", which replaced "Expiry-Date" introduced in [RFC1327]. It did not define the term further, except to say that no automatic handling past that date can be expected. [RFC5536] defined "Expires" for Netnews as a date and time beyond which the poster deems the article to be no longer relevant and could usefully be removed, but did not actually require such removal. The consensus definition used in this document is that beyond the stated expiration date, the message "loses its validity".

The header field's use in e-mail has been limited, with no formal semantic definition to date. No consensus exists to establish a more precise definition, in deference to existing implementations. Accordingly, no additional normative definition is provided here, nor is any requirement established for any particular handling by Message Readers.

## 3. Header Field definition

The header field definition remains the same as in [RFC2156] and [RFC4021]. It indicates the time at which a message loses its validity. Using the ABNF from [RFC5322], its syntax is:

```
expires = "Expires:" date-time CRLF
```

Example:

```
Expires: Wed, 3 Dec 2025 17:22:57 +0000
```

## 4. Advice to Message Creators

Message creators add the header field along with a relevant date and time when they know that the message loses its validity. This could apply to commercial newsletters that include time-limited offers, event announcements, social notifications, and periodic announcement messages.

Message creators **MUST NOT** include more than one Expires header field in a message.

## 5. Advice to Message Readers

Message readers, such as mailbox providers, web mail and MUAs could de-emphasize the display of expired messages or not display them. They could allow users to control the actions to take for expired messages.

The information provided in the header field is intended to be used as a signal to provide an improved experience to the end-user. For instance, systems might allow automatic rules to clean up expired email from specific message creators or with defined characteristics, or to provide a mode to quickly handle all expired email.

Mail software **MUST NOT** discard or reject a message based solely on the content of this header field, if present, and **SHOULD NOT** delete messages bearing an Expires field with a date and time in the past unless deliberately configured to do so by the mailbox owner.

## 6. Interoperability Considerations

As "Expires" has never been formally defined for Internet messages other than those translated from X.400, there might have been implementations that used this header field name in an incompatible way. Though the authors have never seen such a message, there is a theoretical risk of confusion.

## 7. Security considerations

A message creator can put any date in an Expires header field, including dates in the distant past or future. Without further knowledge about the message creator, recipient systems and message readers cannot assume that the contents of the header are accurate or benign.

For example, a malicious message creator might send spam mail that includes an expiry date in the past, in the hope that recipients will not see or report the mail, and then adaptive spam filters would use it as non-spam training material. A creator might include a date in the immediate future in the hope that a recipient would see and act on a message, but could not find it later to complain about it. Or a creator might include a date in the distant future in the hope that the message would stay in a recipient's inbox and would be more likely to be read.

While the header field can be useful to determine how to display a message to a user, it is unlikely to be useful to determine whether or not the message is wanted or is fraudulent.

## 8. Acknowledgements

This document was informed by discussions with and/or contributions from Barry Leiba, Alexey Melnikov, Jonathan Loriaux, Charles Sauthier and Simon Bressier.

## 9. IANA Considerations

IANA is requested to update an existing entry in the Permanent Message Headers Field Names registry (<https://www.iana.org/assignments/message-headers/message-headers.xhtml>)

Header field name: Expires

Applicable protocol: mail

Status: standard

Author/Change controller: IETF

Trace: no

Specification document: this document

## 10. Implementation Status

| Delete this section before publication

This section records the status of known implementations of the protocol defined by this specification at the time of posting of this Internet-Draft, and is based on a proposal described in RFC 7942. The description of implementations in this section is intended to assist the IETF in its decision processes in progressing drafts to RFCs. Please note that the listing of any individual implementation here does not imply endorsement by the IETF. Furthermore, no effort has been spent to verify the information presented here that was supplied by IETF contributors. This is not intended as, and must not be construed to be, a catalog of available implementations or their features. Readers are advised to note that other implementations may exist.

According to RFC 7942, "this will allow reviewers and working groups to assign due consideration to documents that have the benefit of running code, which may serve as evidence of valuable experimentation and feedback that have made the implemented protocols more mature. It is up to the individual working groups to use this information as they see fit".

The website at <https://www.zerocarbon.email/> (<https://www.zerocarbon.email/>) has a list of dozens of organizations that say they support use of the header, including mailbox providers, outgoing mail service providers, and bulk mail users.

Pierre-Yves Dubreucq has written an add-on for the Thunderbird MUA which can be configured to move or delete messages that have passed their expiration date. It has a GPLv3 license.

<https://addons.thunderbird.net/en-US/thunderbird/addon/email-expiration-manager/> (<https://addons.thunderbird.net/en-US/thunderbird/addon/email-expiration-manager/>)

## 11. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC2156] Kille, S., "MIXER (Mime Internet X.400 Enhanced Relay): Mapping between X.400 and RFC 822/MIME", RFC 2156, DOI 10.17487/RFC2156, January 1998, <<https://www.rfc-editor.org/info/rfc2156>>.
- [RFC4021] Klyne, G. and J. Palme, "Registration of Mail and MIME Header Fields", RFC 4021, DOI 10.17487/RFC4021, March 2005, <<https://www.rfc-editor.org/info/rfc4021>>.
- [RFC5322] Resnick, P., Ed., "Internet Message Format", RFC 5322, DOI 10.17487/RFC5322, October 2008, <<https://www.rfc-editor.org/info/rfc5322>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.

## 12. Informative References

- [RFC1327] Hardcastle-Kille, S., "Mapping between X.400(1988) / ISO 10021 and RFC 822", RFC 1327, DOI 10.17487/RFC1327, May 1992, <<https://www.rfc-editor.org/info/rfc1327>>.
- [RFC5536] Murchison, K., Ed., Lindsey, C., and D. Kohn, "Netnews Article Format", RFC 5536, DOI 10.17487/RFC5536, November 2009, <<https://www.rfc-editor.org/info/rfc5536>>.

- [RFC5598] Crocker, D., "Internet Mail Architecture", RFC 5598, DOI 10.17487/RFC5598, July 2009, <<https://www.rfc-editor.org/info/rfc5598>>.
- [RFC822] Crocker, D., "STANDARD FOR THE FORMAT OF ARPA INTERNET TEXT MESSAGES", STD 11, RFC 822, DOI 10.17487/RFC0822, August 1982, <<https://www.rfc-editor.org/info/rfc822>>.

## Authors' Addresses

Benjamin Billon  
Splio  
Email: [bbillon@splio.com](mailto:bbillon@splio.com)

John Levine  
Standcore LLC  
Email: [standards@standcore.com](mailto:standards@standcore.com)