

Mboned
Internet-Draft
Intended status: Standards Track
Expires: 20 April 2026

J. Holland
K. Rose
Akamai Technologies, Inc.
M. Franke
TU Berlin
17 October 2025

Discovery Of Restconf Metadata for Source-specific multicast
draft-ietf-mboned-dorms-08

Abstract

This document defines DORMS (Discovery Of Restconf Metadata for Source-specific multicast), a method to discover and retrieve extensible metadata about source-specific multicast channels using RESTCONF. The reverse IP DNS zone for a multicast sender's IP address is configured to use SRV resource records to advertise the hostname of a RESTCONF server that publishes metadata according to a new YANG module with support for extensions. A new service name and the new YANG module are defined.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 20 April 2026.

Copyright Notice

Copyright (c) 2025 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights

and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

Table of Contents

1. Introduction	3
1.1. Background	3
1.2. Terminology	4
1.3. Motivation and Use Cases	4
1.3.1. Provisioning and Oversubscription Protection	5
1.3.2. Authentication	5
1.3.3. Content Description	5
1.4. Notes for Contributors and Reviewers	5
1.4.1. Venues for Contribution and Discussion	6
2. Discovery and Metadata Retrieval	6
2.1. Channel Discovery	6
2.2. DNS Bootstrap	7
2.3. RESTCONF Bootstrap	8
2.3.1. Root Resource Discovery	8
2.3.2. YANG Library Version	9
2.3.3. YANG Library Contents	10
2.3.4. Metadata Retrieval	11
2.3.5. Cross Origin Resource Sharing (CORS)	12
3. YANG Model	12
3.1. YANG Tree	12
3.2. YANG Module	12
4. Security Considerations	12
4.1. YANG Model Considerations	12
4.2. Exposure of Metadata	14
4.3. Secure Communications	14
4.4. Record-Spoofing	15
4.5. CORS considerations	15
5. Privacy Considerations	16
5.1. Linking Content to Traffic Streams	16
5.2. Linking Multicast Subscribers to Unicast Connections	17
6. Operational Considerations	17
6.1. Provisioning	17
6.2. Data Scoping	18
6.3. Ignore List	18
7. IANA Considerations	19
7.1. The YANG Module Names Registry	19
7.2. The XML Registry	19
7.3. The Service Name and Transport Protocol Port Number Registry	19
8. Acknowledgements	20
9. References	20

9.1. Normative References	20
9.2. Informative References	21
Authors' Addresses	23

1. Introduction

This document defines DORMS (Discovery Of Restconf Metadata for Source-specific multicast).

A DORMS service is a RESTCONF [RFC8040] service that provides read access to data in the "ietf-dorms" YANG [RFC7950] model defined in Section 3. This model, along with optional extensions defined in other documents, provide an extensible set of information about multicast data streams. A review of some example use cases that can be enabled by this kind of metadata is given in Section 1.3.

This document does not prohibit the use of the "ietf-dorms" model with other protocols such as NETCONF [RFC6241], CORECONF [I-D.draft-ietf-core-comi], or gNMI [I-D.draft-openconfig-rtgwg-gnmi-spec], but the semantics of using the model over those protocols is out of scope for this document. This document only defines the discovery and use of the "ietf-dorms" YANG model in RESTCONF.

This document defines the "dorms" service name for use with the SRV DNS Resource Record (RR) type [RFC2782]. A sender using a DORMS service to publish metadata SHOULD configure at least one SRV RR for the "_dorms._tcp" subdomain in the reverse IP DNS zone for the source IP used by some active multicast traffic. The domain name in one of these SRV records provides a hostname corresponding to a DORMS server that can provide metadata for the sender's source-specific multicast traffic. Publishing such a RR enables DORMS clients to discover and query a DORMS server as described in Section 2.

1.1. Background

The reader is assumed to be familiar with the basic DNS concepts described in [RFC1034], [RFC1035], and the subsequent documents that update them, as well as the use of the SRV Resource Record type as described in [RFC2782].

The reader is also assumed to be familiar with the concepts and terminology regarding source-specific multicast as described in [RFC4607] and the use of IGMPv3 [RFC9776] and MLDv2 [RFC9777] for group management of source-specific multicast channels, as described in [RFC4604].

The reader is also assumed to be familiar with the concepts and terminology for RESTCONF [RFC8040] and YANG [RFC7950].

1.2. Terminology

Term	Definition
(S,G)	A source-specific multicast channel, as described in [RFC4607]. A pair of IP addresses with a source host IP and destination group IP.
DORMS client	An application or system that can communicate with DORMS servers to fetch metadata about (S,G)s.
DORMS server	A RESTCONF server that implements the ietf-dorms YANG model defined in this document.
RR	A DNS Resource Record, as described in [RFC1034]
RRTYPE	A DNS Resource Record Type, as described in [RFC1034]
SSM	Source-specific multicast, as described in [RFC4607]

Table 1

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in [RFC2119] and [RFC8174] when, and only when, they appear in all capitals, as shown here.

1.3. Motivation and Use Cases

DORMS provides a framework that can be extended to publish supplemental information about multicast traffic in a globally discoverable manner. This supplemental information may be needed by entities involved in the delivery or processing of the traffic to ensure it is handled in accordance with their operational or policy requirements.

Detailing the specifics of all known possible extensions is out of scope for this document except to note that a range of possible use cases are expected and they may be supported by a variety of different future extensions. But a few example use cases are provided below for illustration.

1.3.1. Provisioning and Oversubscription Protection

One use case for DORMS is when a network that is capable of forwarding multicast traffic may need to take provisioning actions or make admission control decisions based on the expected bitrate of the traffic in order to prevent oversubscription of constrained devices in the network. In such a case, the network in question could learn these bitrates from the metadata provided by DORMS. [I-D.draft-ietf-mboned-cbacc] defines some DORMS extensions to support this use case.

1.3.2. Authentication

Another use case for DORMS is providing information for use in authenticating the multicast traffic before accepting it for forwarding by a network device, or for processing by a receiving application. As DORMS metadata is transmitted over a secure and authenticated connection, it can act as a security anchor for data required to verify the authenticity of multicast packets. [I-D.draft-ietf-mboned-ambi] defines some DORMS extensions to support this use case.

1.3.3. Content Description

Another use case for DORMS is describing the contents carried by a multicast traffic channel. The content description could include information about the protocols or applications that can be used to consume the traffic, or information about the media carried (e.g. information based on the Dublin Core Metadata Element Set [RFC5013]), or could make assertions about the legal status of the traffic within specific contexts.

1.4. Notes for Contributors and Reviewers

Note to RFC Editor: Please remove this section and its subsections before publication.

This section is to provide references to make it easier to review the development and discussion on the draft so far.

1.4.1. Venues for Contribution and Discussion

This document is in the Github repository at:

<https://github.com/GrumpyOldTroll/ietf-dorms-cluster>

Readers are welcome to open issues and send pull requests for this document.

Please note that contributions may be merged and substantially edited, and as a reminder, please carefully consider the Note Well before contributing: <https://datatracker.ietf.org/submit/note-well/>

Substantial discussion of this document should take place on the MBONED working group mailing list (mboned@ietf.org).

* Join: <https://www.ietf.org/mailman/listinfo/mboned>

* Search: <https://mailarchive.ietf.org/arch/browse/mboned/>

2. Discovery and Metadata Retrieval

A client that needs metadata about an (S,G) MAY attempt to discover metadata for the (S,G) using the mechanisms defined here, and MAY use the metadata received to manage the forwarding or processing of the packets in the channel.

2.1. Channel Discovery

DORMS provides a method for clients to fetch metadata about (S,G)s that are already known to the clients. In general, a DORMS client might learn of an (S,G) by any means, so describing all possible methods a DORMS client might use to discover a set of (S,G)s for which it wants metadata is out of scope for this document.

But for example, a multicast receiver application that is a DORMS client might learn about an (S,G) by getting signals from inside the application logic, such as a selection made by a user, or a scheduled API call that reacts to updates in a library provided by a service operator.

As another example, an on-path router that's a DORMS client might instead learn about an (S,G) by receiving a PIM message or an IGMP or MLD membership report indicating a downstream client has tried to subscribe to an (S,G). Such a router might use information learned from the DORMS metadata to make an access control decision about whether to propagate the join further upstream in the network.

Other approaches for learning relevant (S,G)s could be driven by monitoring a route reflector to discover channels that are being actively forwarded, for a purpose such as monitoring network health.

2.2. DNS Bootstrap

The DNS Bootstrap step is how a client discovers an appropriate RESTCONF server, given the source address of an (S,G). Use of the DNS Bootstrap is OPTIONAL for clients with an alternate method of obtaining a hostname of a trusted DORMS server that has information about a target (S,G).

This mechanism only works for source-specific multicast (SSM) channels. The source address of the (S,G) is reversed and used as an index into one of the reverse mapping trees (in-addr.arpa for IPv4, as described in Section 3.5 of [RFC1035], or ip6.arpa for IPv6, as described in Section 2.5 of [RFC3596]).

When a DORMS client needs metadata for an (S,G), for example when handling a new join for that (S,G) and looking up the authentication methods that are available, the DORMS client can issue a DNS query for an SRV RR using the "dorms" service name with the domain from the reverse mapping tree, combining them as described in [RFC2782].

For example, a client looking for metadata about the channel with a source IP of 2001:db8::a and the group address of ff3e::8000:d, the client would start the DNS bootstrap step by performing a query for the SRV RRTYPE for the following domain (after removing the line break inserted for editorial reasons):

```
_dorms._tcp.a.0.0.0.0.0.0.0.0.0.0.0.0.0.0.  
          0.0.0.0.0.0.0.8.b.d.0.1.0.0.2.ip6.arpa.
```

Or for an IPv4 (S,G) with a source address of 203.0.113.4, the DORMS client would request the SRV record from the in-addr.arpa tree instead:

_dorms._tcp.4.113.0.203.in-addr.arpa.

In either case, the DNS response for this domain might return a record such as this:

SRV 0 1 443 dorms-restconf.example.com.

This response informs the client that a DORMS server should be reachable at `dorms-restconf.example.com` on port 443, and should contain metadata about multicast traffic from the given source IP. Multiple SRV records are handled as described by [RFC2782].

A sender providing DORMS discovery SHOULD publish at least one SRV record in the reverse DNS zone for each source address of the multicast channels it is sending in order to advertise the hostname of the DORMS server to DORMS clients. The DORMS servers advertised SHOULD be configured with metadata for all the groups sent from the same source IP address that have metadata published with DORMS.

When performing the SRV lookup, any CNAMEs or DNAMEs found MUST be followed. This is necessary to support zone delegation. Some examples outlining this need are described in [RFC2317].

2.3. RESTCONF Bootstrap

Once a DORMS server has been chosen (whether via an SRV RR from a DNS response or via some other method), RESTCONF provides all the information necessary to determine the versions and url paths for metadata from the server. A walkthrough is provided here for a sequence of example requests and responses between a DORMS client and a new DORMS server.

2.3.1. Root Resource Discovery

As described in Section 3.1 of [RFC8040] and [RFC6415], the RESTCONF server provides the link to the RESTCONF api entry point via the `"/.well-known/host-meta"` or `"/.well-known/host-meta.json"` resource.

Example:

The client might send:

```
GET /.well-known/host-meta.json HTTP/1.1
Host: dorms-restconf.example.com
Accept: application/json
```

The server might respond as follows:


```
HTTP/1.1 200 OK
Date: Tue, 09 Jul 2025 20:56:00 GMT
Server: example-server
Cache-Control: no-cache
Content-Type: application/json
```

```
{
  "links":[
    {
      "rel":"restconf",
      "href":"/top/restconf"
    }
  ]
}
```

2.3.2. YANG Library Version

As described in Section 3.3.3 of [RFC8040], the `yang-library-version` leaf is required by RESTCONF, and can be used to determine the schema of the `ietf-yang-library` module:

Example:

The client might send:

```
GET /top/restconf/yang-library-version HTTP/1.1
Host: dorms-restconf.example.com
Accept: application/yang-data+json
```

The server might respond as follows:

```
HTTP/1.1 200 OK
Date: Tue, 09 Jul 2025 20:56:01 GMT
Server: example-server
Cache-Control: no-cache
Content-Type: application/yang-data+json

{
  "ietf-restconf:yang-library-version": "2016-06-21"
}
```

If a DORMS client determines through examination of the `yang-library-version` that it may not understand the responses of the server due to a version mismatch, the server qualifies as a candidate for adding to an ignore list as described in Section 6.3.

2.3.3. YANG Library Contents

After checking that it supports the version of the yang-library module offered by the server, the client can check that the desired metadata modules are available on the DORMS server by fetching the module-state resource from the ietf-yang-library module.

Example:

The client might send:

```
GET /top/restconf/data/ietf-yang-library:modules-state/\
    module=ietf-dorms,2025-09-15
Host: dorms-restconf.example.com
Accept: application/yang-data+json
```

The server might respond as follows:

```
HTTP/1.1 200 OK
Date: Tue, 09 Jul 2025 20:56:02 GMT
Server: example-server
Cache-Control: no-cache
Content-Type: application/yang-data+json

{
  "ietf-yang-library:module": [
    {
      "conformance-type": "implement",
      "name": "ietf-dorms",
      "namespace": "urn:ietf:params:xml:ns:yang:ietf-dorms",
      "revision": "2025-09-15",
      "schema":
        "https://example.com/yang/ietf-dorms@2025-09-15.yang"
    }
  ]
}
```

Other modules required or desired by the client also can be checked in a similar way, or the full set of available modules can be retrieved by not providing a key for the "module" list. If a DORMS client that requires the presence of certain modules to perform its function discovers the required modules are not present on a server, that server qualifies for inclusion in an ignore list according to Section 6.3.

2.3.4. Metadata Retrieval

Once the expected DORMS version is confirmed, the client can retrieve the metadata specific to the desired (S,G).

Example:

The client might send:

```
GET /top/restconf/data/ietf-dorms:dorms/metadata/\
    sender=2001:db8::a/group=ff3e::8000:1
Host: dorms-restconf.example.com
Accept: application/yang-data+json
```

The server might respond as follows:

```
HTTP/1.1 200 OK
Date: Tue, 09 Jul 2025 20:56:02 GMT
Server: example-server
Cache-Control: no-cache
Content-Type: application/yang-data+json
```

```
{
  "ietf-dorms:group": [
    {
      "group-address": "ff3e::8000:1",
      "udp-stream": [
        {
          "port": "5001"
        }
      ]
    }
  ]
}
```

Note that when other modules are installed on the DORMS server that extend the ietf-dorms module, other fields MAY appear inside the response. This is the primary mechanism for providing extensible metadata for an (S,G), so clients SHOULD ignore fields they do not understand.

As mentioned in Section 6.2, most clients SHOULD use data resource identifiers in the request URI as in the above example, in order to retrieve metadata for only the targeted (S,G)s.

2.3.5. Cross Origin Resource Sharing (CORS)

It is RECOMMENDED that DORMS servers use the Access-Control-Allow-Origin header field, as specified by [whatwg-fetch], and that they respond appropriately to Preflight requests.

The use of '*' for allowed origins is NOT RECOMMENDED for publicly reachable DORMS servers. A review of some of the potential consequences of unrestricted CORS access is given in Section 4.5.

3. YANG Model

The primary purpose of the YANG model defined here is to serve as a scaffold for the more useful metadata that will extend it. See Section 1.3 for some example use cases that can be enabled by the use of DORMS extensions.

3.1. YANG Tree

The tree diagram below follows the notation defined in [RFC8340].

YANG-TREE ietf-dorms.yang

Figure 1: DORMS Tree Diagram

3.2. YANG Module

YANG-MODULE ietf-dorms.yang

4. Security Considerations

4.1. YANG Model Considerations

The YANG module specified in this document defines a schema for data that is designed to be accessed via RESTCONF [RFC8040]. The lowest RESTCONF layer is HTTPS, and the mandatory-to-implement secure transport is TLS [RFC8446].

There are a number of data nodes defined in this YANG module that are writable/creatable/deletable (i.e., config true, which is the default). These data nodes may be considered sensitive or vulnerable in some network environments. Write operations to these data nodes (e.g., via HTTP POST/PUT/PATCH/DELETE methods) without proper protection can have a negative effect on network operations. These are the subtrees and data nodes and their sensitivity/vulnerability:

Subtrees:

- * /dorms/metadata
- * /dorms/metadata/sender
- * /dorms/metadata/sender/group
- * /dorms/metadata/sender/group/udp-stream

Data nodes:

- * /dorms/metadata/sender/source-address
- * /dorms/metadata/sender/group/group-address
- * /dorms/metadata/sender/group/udp-stream/port

These data nodes refer to the characteristics of a stream of data packets being sent on a multicast channel. If an unauthorized or incorrect edit is made, receivers would no longer be able to associate the data stream to the correct metadata, resulting in a denial-of-service for end users that rely on the metadata to properly process the data packets. Therefore, DORMS servers MUST constrain write access to ensure that unauthorized users cannot edit the data published by the server.

The Network Configuration Access Control Model (NACM) [RFC8341] provides the means to restrict access for particular NETCONF or RESTCONF users to a preconfigured subset of all available NETCONF or RESTCONF protocol operations and content. DORMS servers SHOULD use NACM to constrain write accesses if NETCONF or RESTCONF are configured to offer any write access at all.

However, note that scalability considerations described in Section 6.1 might make the naive use of NACM intractable in many deployments, for a broadcast use case. So alternative methods to constrain write access to the metadata MAY be used instead of or in addition to NACM. For example, some deployments that use a CDN or caching layer of discoverable DORMS servers might uniformly provide read-only access through the caching layer, and require the trusted writers of configuration to use an alternate method for accessing the underlying database such as connecting directly to the origin, or requiring the use of a non-RESTCONF mechanism (such as an HTTPS API requiring some kind of client authentication) for editing the contents of the metadata.

The data nodes defined in this YANG module are writable because some deployments might manage the contents in the database by using normal RESTCONF editing operations with NACM, but in typical deployments it

is expected that DORMS clients will generally have read-only access. For the reasons and requirements described in Section 4.2, none of the data nodes in the DORMS module or its extensions contain sensitive data.

DORMS servers MAY provide read-only access to clients for publicly available metadata without authenticating the clients. That is, under the terms in Section 2.5 of [RFC8040] read-only access to publicly available data MAY be treated as unprotected resources.

4.2. Exposure of Metadata

Although some DORMS servers MAY restrict access based on client identity, as described in Section 2.5 of [RFC8040], many DORMS servers will use the ietf-dorms YANG model to publish information without restriction, and even DORMS servers requiring client authentication will inherently be providing the DORMS metadata to a multitude of multicast receivers acting as DORMS clients.

Accordingly, future YANG modules that augment data paths under "ietf-dorms:dorms" MUST NOT include any sensitive data unsuitable for public dissemination in those data paths.

Because of the possibility that scalable read-only access might be necessary to fulfill the scalability goals for a DORMS server, data under these paths MAY be cached or replicated by numerous external entities, so owners of such data SHOULD NOT assume such data can be kept secret when provided by DORMS servers anywhere under the "ietf-dorms:dorms" path even if access controls are used with authenticated clients unless additional operational procedures and restrictions are defined and implemented that can effectively control the dissemination of the secret data. DORMS alone does not provide any such mechanisms, and users of DORMS can be expected not to be following any such mechanisms in the absence of additional assurances.

4.3. Secure Communications

The provisions of Section 2 of [RFC8040] provide secure communication requirements that are already required of DORMS servers, since they are RESTCONF servers. All RESTCONF requirements and security considerations remain in force for DORMS servers.

It is intended that security-related metadata about the SSM channels such as public keys for use with cryptographic algorithms may be delivered over the RESTCONF connection, and that information available from this connection can be used as a trust anchor. The secure transport provided by these minimum requirements are relied upon to provide authenticated delivery of these trust anchors, once a connection with a trusted DORMS server has been established.

4.4. Record-Spoofing

When using the DNS Bootstrap method of discovery described in Section 2.2, the SRV resource record contains information that **MUST** be communicated to the DORMS client without being modified. The method used to ensure the result was unmodified is up to the client.

There must be a trust relationship between the end consumer of this resource record and the DNS server. This relationship may be end-to-end DNSSEC validation or a secure connection to a trusted resolver that itself makes use of mechanisms for ensuring RR integrity (e.g., by enforcing DNSSEC validation on recursive requests) to prevent record-spoofing of the response from the trusted server. The connection to this trusted resolver can use any secure channel, such as with a TSIG [RFC8945] or SIG(0) [RFC2931] channel, a secure local channel on the host, DNS over TLS [RFC7858], or DNS over HTTPS [RFC8484]. Any combination of mechanisms may be employed that together guarantee end-to-end integrity of the intended RR.

If a DORMS client accepts a maliciously crafted SRV record, the client could connect to a server controlled by the attacker, and use metadata provided by them. The consequences of trusting maliciously crafted metadata could range from attacks against the DORMS client's parser of the metadata (via malicious constructions of the formatting of the data) to arbitrary disruption of the decisions the DORMS client makes as a result of processing validly constructed metadata.

Clients **MAY** use other secure methods to explicitly associate an (S,G) with a set of DORMS server hostnames, such as a configured mapping or an alternative trusted lookup service.

4.5. CORS considerations

As described in Section 2.3.5, it is **RECOMMENDED** that DORMS servers provide appropriate restrictions to ensure only authorized web pages access metadata for their (S,G)s from the widely deployed base of secure browsers that use the CORS protocol according to [whatwg-fetch].

Providing '*' for the allowed origins exposes the DORMS-based metadata to access by scripts in all web pages, which opens the possibility of certain kinds of attacks against networks where browsers have support for joining multicast (S,G)s.

If the authentication for an (S,G) relies on DORMS-based metadata (for example, as defined in [I-D.draft-ietf-mboned-ambil]), an unauthorized web page that tries to join an (S,G) not permitted by the CORS headers for the DORMS server will be prevented from subscribing to the channels.

If an unauthorized site is not prevented from subscribing, code on the site (for example a malicious advertisement) could request subscriptions from many different (S,G)s, overflowing limits on the joining of (S,G)s and disrupting the delivery of multicast traffic for legitimate use.

Further, if the malicious script can be distributed to many different users within the same receiving network, the script could coordinate an attack against the network as a whole by joining disjoint sets of (S,G)s from different users within the receiving network. The distributed subscription requests across the receiving network could overflow limits for the receiving network as a whole, essentially causing the websites displaying the ad to participate in an overjoining attack (see Appendix A of [I-D.draft-ietf-mboned-cbacc]).

Even if network safety mechanisms protect the network from the worst effects of oversubscription, the population counts for the multicast subscriptions could be disrupted by this kind of attack, and therefore push out legitimately requested traffic that's being consumed by real users. For a legitimately popular event, this could cause a widespread disruption to the service if it is successfully pushed out.

A denial-of-service attack of this sort would be thwarted by restricting the access to (S,G)s to authorized websites through the use of properly restricted CORS headers.

5. Privacy Considerations

5.1. Linking Content to Traffic Streams

In the typical case, the mechanisms defined in this document provide a standardized way to discover information that is already available in other ways.

However, depending on the metadata provided by the server, observers may be able to more easily associate traffic from an (S,G) with the content contained within the (S,G). At the subscriber edge of a multicast-capable network, where the network operator has the capability to localize an IGMP [RFC9776] or MLD [RFC9777] channel subscription to a specific user or location, for example by MAC address or source IP address, the structured publishing of metadata may make it easier to automate collection of data about the content a receiver is consuming.

5.2. Linking Multicast Subscribers to Unicast Connections

Subscription to a multicast channel generally only exposes the IGMP or MLD membership report to others on the same LAN, and as the membership propagates through a multicast-capable network, it ordinarily gets aggregated with other end users.

However, a RESTCONF connection is a unicast connection, and exposes a different set of information to the operator of the RESTCONF server, including IP address and timing about the requests made. Where DORMS access becomes required for a successful multicast join (for example, as expected in a browser deployment), this can expose new information about end users relative to services based solely on multicast streams. The information disclosure occurs by giving the DORMS service operator information about the client's IP and the channels the client queried. Additionally, an on-path observer may infer multicast subscription intent by observing client traffic directed to a known DORMS server.

In some deployments it may be possible to use a proxy that aggregates many end users when the aggregate privacy characteristics are needed by end users.

6. Operational Considerations

6.1. Provisioning

In contrast to many common RESTCONF deployments that are intended to provide configuration management for a service to a narrow set of authenticated administrators, DORMS servers often provide read-only metadata for public access or for a very large set of end receivers, since it provides metadata in support of multicast data streams and multicast can scale to very large audiences.

Operators are advised to provision the DORMS service in a way that will scale appropriately to the size of the expected audience. Specific advice on such scaling is out of scope for this document, but some of the mechanisms outlined in [RFC3040] or other online resources might be useful, depending on the expected number of clients.

6.2. Data Scoping

Except as outlined below, clients SHOULD issue narrowed requests for DORMS resources by following the format from Section 3.5.3 of [RFC8040] to encode data resource identifiers in the request URI. This avoids downloading excessive data, since the DORMS server may provide metadata for many (S,G)s, possibly from many different senders.

However, clients that possess out-of-band knowledge about the expected content scope MAY issue (S,G) metadata requests that are filtered only by the source address, or that are unfiltered altogether. Depending on the request patterns and the contents of the data store, this may result in fewer round trips or less overhead, and can therefore be helpful behavior for scaling purposes in some scenarios. In general, engaging in this behavior requires some administrative configuration or some optimization heuristics that can recover from unexpected results.

Servers MAY restrict or throttle client access based on the client certificate presented (if any), or based on heuristics that take note of client request patterns.

A complete description of the heuristics for clients and servers to meet their scalability goals is out of scope for this document.

6.3. Ignore List

If a DORMS client reaches a DORMS server but determines through examination of responses from that DORMS server that it may not understand or be able to use the responses of the server (for example due to an issue like a version mismatch or modules that are missing but are required for the DORMS client's purposes), the client MAY add this server to an ignore list and reject servers in its ignore list during future discovery attempts.

A client using the DNS Bootstrap discovery method in Section 2.2 would treat servers in its ignore list as unreachable for the purposes of processing the SRV RR as described in [RFC2782]. (For example, a client might end up selecting a server with a less-preferred priority than servers in its ignore list, even if an HTTPS connection could have been formed successfully with some of those servers.)

If an ignore list is maintained, entries SHOULD time out and allow for re-checking after a configurable hold-down time that has a default value no shorter than 1 hour and no longer than 24 hours.

7. IANA Considerations

7.1. The YANG Module Names Registry

This document adds one YANG module to the "YANG Module Names" registry maintained at <<https://www.iana.org/assignments/yang-parameters>>. The following registrations are made, per the format in Section 14 of [RFC6020]:

```
name:      ietf-dorms
namespace: urn:ietf:params:xml:ns:yang:ietf-dorms
prefix:    dorms
reference: I-D.draft-ietf-mboned-dorms
```

7.2. The XML Registry

This document adds the following registration to the "ns" subregistry of the "IETF XML Registry" defined in [RFC3688], referencing this document.

```
URI: urn:ietf:params:xml:ns:yang:ietf-dorms
Registrant Contact: The IESG.
XML: N/A, the requested URI is an XML namespace.
```

7.3. The Service Name and Transport Protocol Port Number Registry

This document adds one service name to the "Service Name and Transport Protocol Port Number Registry" maintained at <<https://www.iana.org/assignments/service-names-port-numbers>>. The following registrations are made, per the format in Section 8.1.1 of [RFC6335]:

Service Name: dorms
Transport Protocol(s): TCP, UDP
Assignee: IESG <iesg@ietf.org>
Contact: IETF Chair <chair@ietf.org>
Description: The DORMS service (RESTCONF that includes ietf-dorms YANG model)
Reference: I-D.draft-ietf-mboned-dorms
Port Number: N/A
Service Code: N/A
Known Unauthorized Uses: N/A
Assignment Notes: N/A

8. Acknowledgements

Thanks to Christian Worm Mortensen, Dino Farinacci, Lenny Guiliano, and Reshad Rahman for their very helpful comments and reviews.

Part of this work was supported by the Federal Ministry of Research, Technology and Space in the programme of "Souvern. Digital. Vernetzt." Joint project 6G-RIC, project identification number: 16KISK030.

9. References

9.1. Normative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/rfc/rfc2119>>.
- [RFC2317] Eidnes, H., de Groot, G., and P. Vixie, "Classless IN-ADDR.ARPA delegation", BCP 20, RFC 2317, DOI 10.17487/RFC2317, March 1998, <<https://www.rfc-editor.org/rfc/rfc2317>>.
- [RFC2782] Gulbrandsen, A., Vixie, P., and L. Esibov, "A DNS RR for specifying the location of services (DNS SRV)", RFC 2782, DOI 10.17487/RFC2782, February 2000, <<https://www.rfc-editor.org/rfc/rfc2782>>.
- [RFC3596] Thomson, S., Huitema, C., Ksinant, V., and M. Souissi, "DNS Extensions to Support IP Version 6", STD 88, RFC 3596, DOI 10.17487/RFC3596, October 2003, <<https://www.rfc-editor.org/rfc/rfc3596>>.

- [RFC6020] Bjorklund, M., Ed., "YANG - A Data Modeling Language for the Network Configuration Protocol (NETCONF)", RFC 6020, DOI 10.17487/RFC6020, October 2010, <<https://www.rfc-editor.org/rfc/rfc6020>>.
- [RFC6241] Enns, R., Ed., Bjorklund, M., Ed., Schoenwaelder, J., Ed., and A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", RFC 6241, DOI 10.17487/RFC6241, June 2011, <<https://www.rfc-editor.org/rfc/rfc6241>>.
- [RFC7950] Bjorklund, M., Ed., "The YANG 1.1 Data Modeling Language", RFC 7950, DOI 10.17487/RFC7950, August 2016, <<https://www.rfc-editor.org/rfc/rfc7950>>.
- [RFC8040] Bierman, A., Bjorklund, M., and K. Watsen, "RESTCONF Protocol", RFC 8040, DOI 10.17487/RFC8040, January 2017, <<https://www.rfc-editor.org/rfc/rfc8040>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/rfc/rfc8174>>.
- [RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", BCP 215, RFC 8340, DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/rfc/rfc8340>>.
- [RFC8341] Bierman, A. and M. Bjorklund, "Network Configuration Access Control Model", STD 91, RFC 8341, DOI 10.17487/RFC8341, March 2018, <<https://www.rfc-editor.org/rfc/rfc8341>>.
- [RFC8446] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", RFC 8446, DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/rfc/rfc8446>>.
- [whatwg-fetch]
"WHATWG Fetch Living Standard", October 2020, <<https://fetch.spec.whatwg.org/>>.

9.2. Informative References

- [I-D.draft-ietf-core-comi]
Veillette, M., Van der Stok, P., Pelov, A., Bierman, A., and C. Bormann, "CoAP Management Interface (CORECONF)", Work in Progress, Internet-Draft, draft-ietf-core-comi-20, 6 May 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-core-comi-20>>.

[I-D.draft-ietf-mboned-ambi]

Holland, J., Rose, K., and M. Franke, "Asymmetric Manifest Based Integrity", Work in Progress, Internet-Draft, draft-ietf-mboned-ambi-05, 17 October 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-mboned-ambi-05>>.

[I-D.draft-ietf-mboned-cbacc]

Holland, J., Rose, K., and M. Franke, "Circuit Breaker Assisted Congestion Control", Work in Progress, Internet-Draft, draft-ietf-mboned-cbacc-06, 17 October 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-mboned-cbacc-06>>.

[I-D.draft-openconfig-rtgwg-gnmi-spec]

Shakir, R., Shaikh, A., Borman, P., Hines, M., Lebsack, C., and C. Morrow, "gRPC Network Management Interface (gNMI)", Work in Progress, Internet-Draft, draft-openconfig-rtgwg-gnmi-spec-01, 5 March 2018, <<https://datatracker.ietf.org/doc/html/draft-openconfig-rtgwg-gnmi-spec-01>>.

[RFC1034] Mockapetris, P., "Domain names - concepts and facilities", STD 13, RFC 1034, DOI 10.17487/RFC1034, November 1987, <<https://www.rfc-editor.org/rfc/rfc1034>>.

[RFC1035] Mockapetris, P., "Domain names - implementation and specification", STD 13, RFC 1035, DOI 10.17487/RFC1035, November 1987, <<https://www.rfc-editor.org/rfc/rfc1035>>.

[RFC2931] Eastlake 3rd, D., "DNS Request and Transaction Signatures (SIG(0)s)", RFC 2931, DOI 10.17487/RFC2931, September 2000, <<https://www.rfc-editor.org/rfc/rfc2931>>.

[RFC3040] Cooper, I., Melve, I., and G. Tomlinson, "Internet Web Replication and Caching Taxonomy", RFC 3040, DOI 10.17487/RFC3040, January 2001, <<https://www.rfc-editor.org/rfc/rfc3040>>.

[RFC3688] Mealling, M., "The IETF XML Registry", BCP 81, RFC 3688, DOI 10.17487/RFC3688, January 2004, <<https://www.rfc-editor.org/rfc/rfc3688>>.

[RFC4604] Holbrook, H., Cain, B., and B. Haberman, "Using Internet Group Management Protocol Version 3 (IGMPv3) and Multicast Listener Discovery Protocol Version 2 (MLDv2) for Source-Specific Multicast", RFC 4604, DOI 10.17487/RFC4604, August 2006, <<https://www.rfc-editor.org/rfc/rfc4604>>.

- [RFC4607] Holbrook, H. and B. Cain, "Source-Specific Multicast for IP", RFC 4607, DOI 10.17487/RFC4607, August 2006, <<https://www.rfc-editor.org/rfc/rfc4607>>.
- [RFC5013] Kunze, J. and T. Baker, "The Dublin Core Metadata Element Set", RFC 5013, DOI 10.17487/RFC5013, August 2007, <<https://www.rfc-editor.org/rfc/rfc5013>>.
- [RFC6335] Cotton, M., Eggert, L., Touch, J., Westerlund, M., and S. Cheshire, "Internet Assigned Numbers Authority (IANA) Procedures for the Management of the Service Name and Transport Protocol Port Number Registry", BCP 165, RFC 6335, DOI 10.17487/RFC6335, August 2011, <<https://www.rfc-editor.org/rfc/rfc6335>>.
- [RFC6415] Hammer-Lahav, E., Ed. and B. Cook, "Web Host Metadata", RFC 6415, DOI 10.17487/RFC6415, October 2011, <<https://www.rfc-editor.org/rfc/rfc6415>>.
- [RFC7858] Hu, Z., Zhu, L., Heidemann, J., Mankin, A., Wessels, D., and P. Hoffman, "Specification for DNS over Transport Layer Security (TLS)", RFC 7858, DOI 10.17487/RFC7858, May 2016, <<https://www.rfc-editor.org/rfc/rfc7858>>.
- [RFC8484] Hoffman, P. and P. McManus, "DNS Queries over HTTPS (DoH)", RFC 8484, DOI 10.17487/RFC8484, October 2018, <<https://www.rfc-editor.org/rfc/rfc8484>>.
- [RFC8945] Dupont, F., Morris, S., Vixie, P., Eastlake 3rd, D., Gudmundsson, O., and B. Wellington, "Secret Key Transaction Authentication for DNS (TSIG)", STD 93, RFC 8945, DOI 10.17487/RFC8945, November 2020, <<https://www.rfc-editor.org/rfc/rfc8945>>.
- [RFC9776] Haberman, B., Ed., "Internet Group Management Protocol, Version 3", STD 100, RFC 9776, DOI 10.17487/RFC9776, March 2025, <<https://www.rfc-editor.org/rfc/rfc9776>>.
- [RFC9777] Haberman, B., Ed., "Multicast Listener Discovery Version 2 (MLDv2) for IPv6", STD 101, RFC 9777, DOI 10.17487/RFC9777, March 2025, <<https://www.rfc-editor.org/rfc/rfc9777>>.

Authors' Addresses

Jake Holland
Akamai Technologies, Inc.
145 Broadway
Cambridge, MA 02144,
United States of America
Email: jakeholland.net@gmail.com

Kyle Rose
Akamai Technologies, Inc.
145 Broadway
Cambridge, MA 02144,
United States of America
Email: krose@krose.org

Max Franke
TU Berlin
Germany
Email: mfranke@inet.tu-berlin.de