

Network Working Group
Internet-Draft
Intended status: Standards Track
Expires: 28 May 2026

T. Graf
Swisscom
B. Claise
Huawei
A. Huang-Feng
INSA-Lyon
24 November 2025

Support of Versioning in YANG Notifications Subscription
draft-ietf-netconf-yang-notifications-versioning-10

Abstract

This document extends the YANG notifications subscription mechanism to specify the YANG module semantic version at the subscription. Then, a new extension with the revision and the semantic version of the YANG-Push subscription state change notification is proposed.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 28 May 2026.

Copyright Notice

Copyright (c) 2025 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

Table of Contents

1. Introduction	2
1.1. Terminology	4
2. Extend the Datastore Selection	4
3. Extend the Subscription State Change Notifications	6
4. Discovering "ietf-yang-push-revision" Support	8
5. The "ietf-yang-push-revision" Module	9
5.1. Data Model Overview	10
5.2. YANG Module	20
6. IANA Considerations	27
6.1. IETF XML Registry	27
6.2. YANG Module Name	27
7. Operational Considerations	27
8. Implementation Status	27
8.1. Huawei VRP	27
8.2. 6WIND VSR	27
8.3. Cisco IOS XR	28
9. Security Considerations	28
10. Acknowledgements	28
11. References	28
11.1. Normative References	28
11.2. Informative References	29
Authors' Addresses	30

1. Introduction

In order to process the newly received YANG-Push notification messages described in Section 3.7 of [RFC8641] without querying the Publisher IETF-YANG-LIBRARY each time to understand whether the YANG module(s) semantic has changed at the YANG-Push receiver, a semantic reference to the YANG module and the XPath or subtree is needed to determine the data types for each field and which part of the YANG module the metrics are expose from.

This specification applies to the YANG-Push configured subscriptions defined in Section 2.5 of [RFC8639], where a publisher is configured to stream notification out of band, as opposed to dynamic subscriptions defined in Section 2.4 of [RFC8639], where the

subscriber can initiate and modify the subscription dynamically in-band. In the latter case, the subscriber knows already all the subscriber YANG-related information, which it has to know in order to configure the subscription.

This semantic reference is available when the subscription is established as described in Section 3.6 of [RFC8641] and being streamed from the publisher to receiver with the subscription state change notifications described in Section 2.7 of [RFC8639] where for each subscription a locally unique subscription ID described in Section 4.3.2 of [RFC8641] is being issued and streamed as metadata with the notification message in the YANG-Push message header.

The semantics can change between different YANG module revisions. The YANG module version statement is specified in Section 7.1.2 of [RFC6020] and states that the newer revision needs to be backward compatible to the previous revision. Section 3.1 of [I-D.ietf-netmod-yang-module-versioning] specifies that newer semantic versions introduced in [I-D.ietf-netmod-yang-semver] MAY not be backward compatible to the previous version when indicated with non-backwards-compatible keyword.

The YANG notifications subscription mechanism defined in [RFC8641] does not allow to specify the YANG module revision. When a network node is upgraded, the subscribed YANG module revision MAY have updated and might, consequently, break the data processing pipeline since the YANG-Push receiver may not be aware of this change.

This document extends the current YANG notifications subscription mechanism to allow to subscribe to a specific revision or latest YANG module semantic version to which the YANG module version needs to be backward compatible to.

The subscription state change "subscription-started" and "subscription-modified" notification messages are also extended to include the YANG module revision, version, and YANG library content-id. Changes in the revision and version fields allow a YANG-Push receiver to detect whenever the subscribed YANG module has changed. Changes in the yang-library-content-id that YANG module(s) on the network management server of the YANG-Push publisher has/have changed.

1.1. Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

The terms "YANG library" and "YANG library content identifier" are used as defined in [RFC8525].

2. Extend the Datastore Selection

The YANG notifications subscription OPTIONALLY can be restricted to the following YANG module revision for future capabilities:

module: Restricts the subscription to one or more YANG module names with revision and version together for the related streamed content.

revision: Restricts the subscription to a specific YANG module revision. Example: "2014-05-08".

version: Restricts the subscription to the latest compatible YANG module semantic version referenced to. Example: "2.0.0".

When the NETCONF client creates or modifies the subscription using the RPCs establish-subscription and modify-subscription and the NETCONF server does not support the revision, the version or the combination of revision and version specified in the RPC request, the NETCONF server MUST return an RPC reply including an <rpc-error> element as defined in Section 4.3 of [RFC6241] with the error information populated as follows:

- * an "error-type" node of "application".
- * an "error-tag" node whose value is a string that corresponds to an identity associated with the error.

Error identity	Uses "error-tag"
revision-unsupported	invalid-value
version-unsupported	invalid-value
incompatible-revision-and-version	invalid-value

Table 1: General Subscription Error Identities and Associated "error-tag" Use

Figure 1 provides an example of a "establish-subscription" RPC call with YANG revision and datastore-xpath-filter for periodical subscription. Figure 2 shows the response when the RPC has been accepted by the NETCONF server and Figure 3 the error sent by the NETCONF server when the revision is not supported.

```
<rpc message-id="101"
  xmlns:netconf="urn:ietf:params:xml:ns:netconf:base:1.0">
  <establish-subscription
    xmlns="urn:ietf:params:xml:ns:yang:ietf-subscribed-notifications"
    xmlns:yp="urn:ietf:params:xml:ns:yang:ietf-yang-push">
    xmlns:ypr="urn:ietf:params:xml:ns:yang:ietf-yang-push-revision">
    <yp:datastore
      xmlns:ds="urn:ietf:params:xml:ns:yang:ietf-datastores">
      ds:operational
    </yp:datastore>
    <yp:datastore-xpath-filter
      xmlns:ex="https://example.com/sample-data/1.0">
      /ex:foo
    </yp:datastore-xpath-filter>
    <ypr:module-version>
      <ypr:name>ex:foo</ypr:name>
      <ypr:revision>2023-09-17</ypr:revision>
    </ypr:module-version>
    <yp:periodic>
      <yp:period>500</yp:period>
    </yp:periodic>
  </establish-subscription>
</rpc>
```

Figure 1: RPC Example for an establish-subscription

```

<rpc-reply message-id="101"
  xmlns="urn:ietf:params:xml:ns:netconf:base:1.0">
  <id
    xmlns="urn:ietf:params:xml:ns:yang:ietf-subscribed-notifications">
    52
  </id>
</rpc-reply>

```

Figure 2: RPC Example for a positive establish-subscription response

```

<rpc-reply message-id="101"
  xmlns="urn:ietf:params:xml:ns:netconf:base:1.0"
  xmlns:yp="urn:ietf:params:xml:ns:yang:ietf-subscribed-notifications">
  <rpc-error>
    <error-type>application</error-type>
    <error-tag>operation-failed</error-tag>
    <error-severity>error</error-severity>
    <error-path xmlns:ypr="urn:ietf:params:xml:ns:yang:ietf-yang-push-revision">
    <error-info>
      <yp:establish-subscription-error-datastore>
        <yp:reason xmlns:ypr="urn:ietf:params:xml:ns:yang:ietf-yang-push-revision">
          ypr:revision-unsupported
        </yp:reason>
      </yp:establish-subscription-error-datastore>
    </error-info>
  </rpc-error>
</rpc-reply>

```

Figure 3: RPC Example for an error establish-subscription response

3. Extend the Subscription State Change Notifications

Besides the Subscription ID and the xpath or subtree filter reference as described in Section 2.7 of [RFC8639], the following metadata objects are part of a "subscription-started" or "subscription-modified" subscription state change notification.

module: Describes the YANG module names for the related streamed content.

revision: Describes the YANG module revision as specified in Section 7.1.9 of [RFC6020] for the related streamed content.

version: Describes the YANG module semantic version as specified in [I-D.ietf-netmod-yang-semver] for the related streamed content.

yang-library-content-id: Contains the YANG library content

identifier [RFC8525] which is an implementation-specific identifier representing the current information in the YANG library on a specific server.

Figure 4 provides an example of a "subscription-modified" subscription state change notification message with the YANG module name, revision, version and datastore-xpath-filter for tracking the operational status of a single Ethernet interface (per [RFC8343]). This subscription state change notification message is encoded in XML [W3C.REC-xml-20081126] over the Network Configuration Protocol (NETCONF) as per [RFC8640].

```
<notification xmlns="urn:ietf:params:xml:ns:netconf:notification:1.0">
  <eventTime>2023-01-03T10:00:00Z</eventTime>
  <subscription-modified
    xmlns="urn:ietf:params:xml:ns:yang:ietf-subscribed-notifications">
    <id>101</id>
    <stream-xpath-filter
      xmlns:int="urn:ietf:params:xml:ns:yang:ietf-interfaces">
      /int:interfaces
    </stream-xpath-filter>
    <stream>NETCONF</stream>
    <module-version
      xmlns="urn:ietf:params:xml:ns:yang:ietf-yang-push-revision">
      <name>ietf-interfaces</name>
      <revision>2018-02-20</revision>
      <version>2.0.0</version>
      <yang-library-content-id>1</yang-library-content-id>
    </module-version>
  </subscription-modified>
</notification>
```

Figure 4: XML Push Example for a subscription-modified notification message

Figure 5 provides an example of a JSON encoded, [RFC8259], subscription state change notification message over HTTPS-based [I-D.ietf-netconf-https-notif] or UDP-based [I-D.ietf-netconf-udp-notif] transport for the same subscription.

```
{
  "ietf-restconf:notification" : {
    "eventTime": "2023-01-03T10:00:00Z",
    "ietf-subscribed-notifications:subscription-modified": {
      "id": 101,
      "stream-xpath-filter": "/ietf-interfaces:interfaces",
      "stream": "NETCONF",
      "ietf-yang-push-revision:module-version": [
        {
          "name": "ietf-interfaces",
          "revision": "2018-02-20",
          "version": "2.0.0",
        }
      ],
      "ietf-yang-push-revision:yang-library-content-id": "1",
    }
  }
}
```

Figure 5: JSON Push Example for a subscription-modified notification message

4. Discovering "ietf-yang-push-revision" Support

A client can discover whether the server supports the 'ietf-yang-push-revision' model through the capabilities model defined in [RFC9196]. This document extends the 'ietf-notification-capabilities' model with:

- * A leaf 'yang-push-module-revision-supported', stating that the YANG-Push subscription state change notifications are extended with 'revision', 'version' and 'yang-library-content-id' extensions.

The YANG models defined in Section 5.2 augments the 'ietf-notification-capabilities' model with the leaf listed above.


```

module: ietf-system-capabilities
  +--ro system-capabilities
    +--ro datastore-capabilities* [datastore]
      +--ro datastore
      |   -> /yanglib:yang-library/datastore/name
      +--ro per-node-capabilities* []
        +--ro (node-selection)?
        |   +--:(node-selector)
        |   |   +--ro node-selector?
        |   |   |   nacm:node-instance-identifier
        +--ro notc:subscription-capabilities
          +--ro notc:max-nodes-per-update?          uint32
          +--ro notc:periodic-notifications-supported?
          |   notification-support
          +--ro (notc:update-period)?
          |   +--:(notc:minimum-update-period)
          |   |   +--ro notc:minimum-update-period?          uint32
          |   |   +--:(notc:supported-update-period)
          |   |   |   +--ro notc:supported-update-period*      uint32
          +--ro notc:on-change-supported?
          |   notification-support {yp:on-change}?
          +--ro notc:minimum-dampening-period?      uint32
          |   {yp:on-change}?
          +--ro notc:supported-excluded-change-type*  union
          |   {yp:on-change}?
        +--ro notc:subscription-capabilities
          +--ro notc:max-nodes-per-update?          uint32
          +--ro notc:periodic-notifications-supported?
          |   notification-support
          +--ro (notc:update-period)?
          |   +--:(notc:minimum-update-period)
          |   |   +--ro notc:minimum-update-period?          uint32
          |   |   +--:(notc:supported-update-period)
          |   |   |   +--ro notc:supported-update-period*      uint32
          +--ro notc:on-change-supported?
          |   notification-support {yp:on-change}?
          +--ro notc:minimum-dampening-period?      uint32
          |   {yp:on-change}?
          +--ro notc:supported-excluded-change-type*  union
          |   {yp:on-change}?
          +--ro ypr:yang-push-module-revision-supported?  boolean

```

This model can be retrieved via a NETCONF <get> RPC.

5. The "ietf-yang-push-revision" Module

5.1. Data Model Overview

This YANG module augments the "ietf-yang-push" module with the 'name', 'revision', 'version' and 'yang-library-content-id' in the 'subscription-started' and 'subscription-modified' subscription state change notifications and the ability to define the 'revision' and 'version' in the 'establish-subscription' and 'modify-subscription' RPCs in the datastore push subscription.

5.1.1. Tree View

The following is the YANG tree diagram [RFC8340] for the 'ietf-yang-push-revision' YANG module

```

module: ietf-yang-push-revision

augment /sn:establish-subscription/sn:input:
  +---w module-version-config* [name]
    {yang-push-revision-supported}?
  +---w name          yang:yang-identifier
  +---w revision?     rev:revision-date
  +---w version?      ysver:version
augment /sn:modify-subscription/sn:input:
  +---w module-version-config* [name]
    {yang-push-revision-supported}?
  +---w name          yang:yang-identifier
  +---w revision?     rev:revision-date
  +---w version?      ysver:version
augment /sn:subscription-started:
  +--ro module-version* [name] {yang-push-revision-supported}?
  | +--ro name          yang:yang-identifier
  | +--ro revision      rev:revision-date
  | +--ro version?      ysver:version
  +--ro yang-library-content-id?
    -> /yanglib:yang-library/content-id
    {yang-push-revision-supported}?
augment /sn:subscription-modified:
  +--ro module-version* [name] {yang-push-revision-supported}?
  | +--ro name          yang:yang-identifier
  | +--ro revision      rev:revision-date
  | +--ro version?      ysver:version
  +--ro yang-library-content-id?
    -> /yanglib:yang-library/content-id
    {yang-push-revision-supported}?
augment /sn:subscriptions/sn:subscription:
  +--rw module-version-config* [name]
    {yang-push-revision-supported}?
  +--rw name          yang:yang-identifier
  +--rw revision?     rev:revision-date
  +--rw version?      ysver:version
augment /sysc:system-capabilities/notc:subscription-capabilities:
  +--ro yang-push-module-revision-supported?  boolean

```

5.1.2. Full Tree View

The following is the YANG tree diagram [RFC8340] for the 'ietf-yang-push-revision' augmentation within the 'ietf-subscribed-notifications', including the RPCs and notifications.

```
module: ietf-yang-push-revision
```

```
  augment /sysc:system-capabilities/notc:subscription-capabilities:
    +--ro yang-push-module-revision-supported?  boolean
```

```
module: ietf-yang-push
```

```
  rpcs:
```

```
    +---x resync-subscription {on-change}?
      +---w input
        +---w id      sn:subscription-id
```

```
  notifications:
```

```
    +---n push-update
      | +--ro id?          sn:subscription-id
      | +--ro datastore-contents?  <anydata>
      | +--ro incomplete-update?    empty
      +---n push-change-update {on-change}?
        +--ro id?          sn:subscription-id
        +--ro datastore-changes
          +--ro yang-patch
            +--ro patch-id      string
            +--ro comment?      string
            +--ro edit* [edit-id]
              +--ro edit-id      string
              +--ro operation    enumeration
              +--ro target       target-resource-offset
              +--ro point?       target-resource-offset
              +--ro where?       enumeration
              +--ro value?       <anydata>
          +--ro incomplete-update?  empty
```

```
module: ietf-subscribed-notifications
```

```
  +--ro streams
    | +--ro stream* [name]
    |   +--ro name          string
    |   +--ro description?  string
    |   +--ro replay-support?  empty {replay}?
    |   +--ro replay-log-creation-time  yang:date-and-time
    |   | {replay}?
    |   +--ro replay-log-aged-time?    yang:date-and-time
    |   | {replay}?
    +--rw filters
      +--rw stream-filter* [name]
        | +--rw name          string
        | +--rw (filter-spec)?
        |   +--:(stream-subtree-filter)
        |   | +--rw stream-subtree-filter?  <anydata> {subtree}?
```

```

| |      +---:(stream-xpath-filter)
| |      |      +--rw stream-xpath-filter?      yang:xpath1.0 {xpath}?
+--rw yp:selection-filter* [filter-id]
|      +--rw yp:filter-id                        string
|      +--rw (yp:filter-spec)?
|      |      +---:(yp:datastore-subtree-filter)
|      |      |      +--rw yp:datastore-subtree-filter?  <anydata>
|      |      |      |      {sn:subtree}?
|      |      +---:(yp:datastore-xpath-filter)
|      |      |      +--rw yp:datastore-xpath-filter?    yang:xpath1.0
|      |      |      |      {sn:xpath}?
+--rw subscriptions
|      +--rw subscription* [id]
|      |      +--rw id
|      |      |      subscription-id
+--rw (target)
|      +---:(stream)
|      |      +--rw (stream-filter)?
|      |      |      +---:(by-reference)
|      |      |      |      +--rw stream-filter-name
|      |      |      |      |      stream-filter-ref
|      |      |      +---:(within-subscription)
|      |      |      |      +--rw (filter-spec)?
|      |      |      |      |      +---:(stream-subtree-filter)
|      |      |      |      |      |      +--rw stream-subtree-filter?
|      |      |      |      |      |      |      <anydata> {subtree}?
|      |      |      |      |      +---:(stream-xpath-filter)
|      |      |      |      |      |      +--rw stream-xpath-filter?
|      |      |      |      |      |      |      yang:xpath1.0 {xpath}?
|      |      +--rw stream
|      |      |      stream-ref
+--ro replay-start-time?
|      |      yang:date-and-time {replay}?
+--rw configured-replay?                                empty
|      |      {configured,replay}?
+---:(yp:datastore)
+--rw yp:datastore
|      identityref
+--rw (yp:selection-filter)?
|      +---:(yp:by-reference)
|      |      +--rw yp:selection-filter-ref
|      |      |      selection-filter-ref
+---:(yp:within-subscription)
+--rw (yp:filter-spec)?
|      +---:(yp:datastore-subtree-filter)
|      |      +--rw yp:datastore-subtree-filter?
|      |      |      <anydata> {sn:subtree}?
+---:(yp:datastore-xpath-filter)

```

```

|               +--rw yp:datastore-xpath-filter?
|               yang:xpath1.0 {sn:xpath}?
+--rw stop-time?
|   yang:date-and-time
+--rw dscp?
|   inet:dscp {dscp}?
+--rw weighting?                               uint8
|   {qos}?
+--rw dependency?
|   subscription-id {qos}?
+--rw transport?
|   transport {configured}?
+--rw encoding?
|   encoding
+--rw purpose?                                string
|   {configured}?
+--rw (notification-message-origin)? {configured}?
|   +--:(interface-originated)
|   |   +--rw source-interface?
|   |   |   if:interface-ref {interface-designation}?
|   |   +--:(address-originated)
|   |   |   +--rw source-vrf?
|   |   |   |   -> /ni:network-instances/network-instance/name
|   |   |   |   {supports-vrf}?
|   |   |   +--rw source-address?
|   |   |   |   inet:ip-address-no-zone
|   |   +--ro configured-subscription-state?
|   |   |   enumeration {configured}?
|   +--rw receivers
|   |   +--rw receiver* [name]
|   |   |   +--rw name                               string
|   |   |   +--ro sent-event-records?
|   |   |   |   yang:zero-based-counter64
|   |   |   +--ro excluded-event-records?
|   |   |   |   yang:zero-based-counter64
|   |   |   +--ro state                               enumeration
|   |   |   +---x reset {configured}?
|   |   |   |   +--ro output
|   |   |   |   +--ro time      yang:date-and-time
|   +--rw (yp:update-trigger)?
|   |   +--:(yp:periodic)
|   |   |   +--rw yp:periodic!
|   |   |   |   +--rw yp:period      centiseconds
|   |   |   |   +--rw yp:anchor-time? yang:date-and-time
|   |   +--:(yp:on-change) {on-change}?
|   |   |   +--rw yp:on-change!
|   |   |   |   +--rw yp:dampening-period?    centiseconds
|   |   |   |   +--rw yp:sync-on-start?      boolean

```

```

|         +---rw yp:excluded-change*      change-type
+---rw ypr:module-version-config* [name]
|         {yang-push-revision-supported}?
|         +---rw ypr:name                yang:yang-identifier
|         +---rw ypr:revision?           rev:revision-date
|         +---rw ypr:version?            ysver:version

rpcs:
+---x establish-subscription
|   +---w input
|   |   +---w (target)
|   |   |   +---:(stream)
|   |   |   |   +---w (stream-filter)?
|   |   |   |   |   +---:(by-reference)
|   |   |   |   |   |   +---w stream-filter-name
|   |   |   |   |   |   |   stream-filter-ref
|   |   |   |   |   +---:(within-subscription)
|   |   |   |   |   |   +---w (filter-spec)?
|   |   |   |   |   |   |   +---:(stream-subtree-filter)
|   |   |   |   |   |   |   |   +---w stream-subtree-filter?
|   |   |   |   |   |   |   |   |   <anydata> {subtree}?
|   |   |   |   |   |   |   +---:(stream-xpath-filter)
|   |   |   |   |   |   |   |   +---w stream-xpath-filter?
|   |   |   |   |   |   |   |   |   yang:xpath1.0 {xpath}?
|   |   |   |   +---w stream
|   |   |   |   |   stream-ref
|   |   |   +---w replay-start-time?
|   |   |   |   yang:date-and-time {replay}?
|   |   +---:(yp:datastore)
|   |   |   +---w yp:datastore
|   |   |   |   identityref
|   |   |   +---w (yp:selection-filter)?
|   |   |   |   +---:(yp:by-reference)
|   |   |   |   |   +---w yp:selection-filter-ref
|   |   |   |   |   |   selection-filter-ref
|   |   |   +---:(yp:within-subscription)
|   |   |   |   +---w (yp:filter-spec)?
|   |   |   |   |   +---:(yp:datastore-subtree-filter)
|   |   |   |   |   |   +---w yp:datastore-subtree-filter?
|   |   |   |   |   |   |   <anydata> {sn:subtree}?
|   |   |   |   |   +---:(yp:datastore-xpath-filter)
|   |   |   |   |   |   +---w yp:datastore-xpath-filter?
|   |   |   |   |   |   |   yang:xpath1.0 {sn:xpath}?
|   |   +---w stop-time?
|   |   |   yang:date-and-time
|   |   +---w dscp?
|   |   |   inet:dscp {dscp}?
|   |   +---w weighting?

```

```

|         uint8 {qos}?
+---w dependency?
|         subscription-id {qos}?
+---w encoding?
|         encoding
+---w (yp:update-trigger)?
|         +---:(yp:periodic)
|         |         +---w yp:periodic!
|         |         |         +---w yp:period          centiseconds
|         |         |         +---w yp:anchor-time?    yang:date-and-time
|         +---:(yp:on-change) {on-change}?
|         |         +---w yp:on-change!
|         |         |         +---w yp:dampening-period? centiseconds
|         |         |         +---w yp:sync-on-start?   boolean
|         |         +---w yp:excluded-change*          change-type
+---w ypr:module-version-config* [name]
|         {yang-push-revision-supported}?
+---w ypr:name          yang:yang-identifier
+---w ypr:revision?     rev:revision-date
+---w ypr:version?      ysver:version
+--ro output
+--ro id                subscription-id
+--ro replay-start-time-revision? yang:date-and-time
|         {replay}?
+---x modify-subscription
+---w input
+---w id
|         subscription-id
+---w (target)
|         +---:(stream)
|         |         +---w (stream-filter)?
|         |         |         +---:(by-reference)
|         |         |         |         +---w stream-filter-name
|         |         |         |         stream-filter-ref
|         |         +---:(within-subscription)
|         |         |         +---w (filter-spec)?
|         |         |         |         +---:(stream-subtree-filter)
|         |         |         |         |         +---w stream-subtree-filter?
|         |         |         |         |         <anydata> {subtree}?
|         |         |         +---:(stream-xpath-filter)
|         |         |         |         +---w stream-xpath-filter?
|         |         |         |         yang:xpath1.0 {xpath}?
+---:(yp:datastore)
+---w yp:datastore
|         identityref
+---w (yp:selection-filter)?
+---:(yp:by-reference)
|         +---w yp:selection-filter-ref

```



```

|         selection-filter-ref
|         +---:(yp:within-subscription)
|         |         +---w (yp:filter-spec)?
|         |         |         +---:(yp:datastore-subtree-filter)
|         |         |         |         +---w yp:datastore-subtree-filter
|         |         |         |         |         <anydata> {sn:subtree}?
|         |         |         +---:(yp:datastore-xpath-filter)
|         |         |         +---w yp:datastore-xpath-filter?
|         |         |         yang:xpath1.0 {sn:xpath}?
|         +---w stop-time?
|         |         yang:date-and-time
|         +---w (yp:update-trigger)?
|         |         +---:(yp:periodic)
|         |         |         +---w yp:periodic!
|         |         |         |         +---w yp:period                centiseconds
|         |         |         |         +---w yp:anchor-time?        yang:date-and-time
|         |         |         +---:(yp:on-change) {on-change}?
|         |         |         +---w yp:on-change!
|         |         |         +---w yp:dampening-period?    centiseconds
|         +---w ypr:module-version-config* [name]
|         |         {yang-push-revision-supported}?
|         |         +---w ypr:name                yang:yang-identifier
|         |         +---w ypr:revision?            rev:revision-date
|         |         +---w ypr:version?             ysver:version
+---x delete-subscription
|   +---w input
|   |   +---w id        subscription-id
+---x kill-subscription
|   +---w input
|   |   +---w id        subscription-id

notifications:
+---n replay-completed {replay}?
|   +---ro id        subscription-id
+---n subscription-completed {configured}?
|   +---ro id        subscription-id
+---n subscription-modified
|   +---ro id
|   |   subscription-id
|   +---ro (target)
|   |   +---:(stream)
|   |   |   +---ro (stream-filter)?
|   |   |   |   +---:(by-reference)
|   |   |   |   |   +---ro stream-filter-name
|   |   |   |   |   |   stream-filter-ref
|   |   |   +---:(within-subscription)
|   |   |   +---ro (filter-spec)?
|   |   |   +---:(stream-subtree-filter)

```

```

|         |       +---ro stream-subtree-filter?
|         |           <anydata> {subtree}?
|         |     +---:(stream-xpath-filter)
|         |         +---ro stream-xpath-filter?
|         |             yang:xpath1.0 {xpath}?
+---ro stream
|   stream-ref
+---ro replay-start-time?
    yang:date-and-time {replay}?
+---:(yp:datastore)
    +---ro yp:datastore
        identityref
    +---ro (yp:selected-filter)?
        +---:(yp:by-reference)
            +---ro yp:selected-filter-ref
                selection-filter-ref
        +---:(yp:within-subscription)
            +---ro (yp:filter-spec)?
                +---:(yp:datastore-subtree-filter)
                    +---ro yp:datastore-subtree-filter?
                        <anydata> {sn: subtree}?
                +---:(yp:datastore-xpath-filter)
                    +---ro yp:datastore-xpath-filter?
                        yang:xpath1.0 {sn: xpath}?
+---ro stop-time?
    yang:date-and-time
+---ro dscp?
    inet:dscp {dscp}?
+---ro weighting?                                uint8
    {qos}?
+---ro dependency?
    subscription-id {qos}?
+---ro transport?
    transport {configured}?
+---ro encoding?
    encoding
+---ro purpose?                                  string
    {configured}?
+---ro (yp:update-trigger)?
    +---:(yp:periodic)
        +---ro yp:periodic!
            +---ro yp:period          centiseconds
            +---ro yp:anchor-time?    yang:date-and-time
    +---:(yp:on-change) {on-change}?
        +---ro yp:on-change!
            +---ro yp:dampening-period?      centiseconds
            +---ro yp"sync-on-start?         boolean
            +---ro yp'excluded-change*       change-type

```

```

|   +--ro ypr:module-version* [name]
|   |   {yang-push-revision-supported}?
|   |   +--ro ypr:name          yang:yang-identifier
|   |   +--ro ypr:revision      rev:revision-date
|   |   +--ro ypr:version?      ysver:version
|   +--ro ypr:yang-library-content-id?
|   |   -> /yanglib:yang-library/content-id
|   |   {yang-push-revision-supported}?
+---n subscription-resumed
|   +--ro id      subscription-id
+---n subscription-started {configured}?
|   +--ro id
|   |   subscription-id
+--ro (target)
|   +--:(stream)
|   |   +--ro (stream-filter)?
|   |   |   +--:(by-reference)
|   |   |   |   +--ro stream-filter-name
|   |   |   |   |   stream-filter-ref
|   |   |   +--:(within-subscription)
|   |   |   |   +--ro (filter-spec)?
|   |   |   |   |   +--:(stream-subtree-filter)
|   |   |   |   |   |   +--ro stream-subtree-filter?
|   |   |   |   |   |   |   <anydata> {subtree}?
|   |   |   |   |   +--:(stream-xpath-filter)
|   |   |   |   |   |   +--ro stream-xpath-filter?
|   |   |   |   |   |   |   yang:xpath1.0 {xpath}?
|   |   +--ro stream
|   |   |   stream-ref
|   |   +--ro replay-start-time?
|   |   |   yang:date-and-time {replay}?
|   |   +--ro replay-previous-event-time?
|   |   |   yang:date-and-time {replay}?
+--:(yp:datastore)
|   +--ro yp:datastore
|   |   identityref
+--ro (yp:selection-filter)?
|   +--:(yp:by-reference)
|   |   +--ro yp:selection-filter-ref
|   |   |   selection-filter-ref
+--:(yp:within-subscription)
|   +--ro (yp:filter-spec)?
|   |   +--:(yp:datastore-subtree-filter)
|   |   |   +--ro yp:datastore-subtree-filter?
|   |   |   |   <anydata> {sn:subtree}?
|   |   +--:(yp:datastore-xpath-filter)
|   |   |   +--ro yp:datastore-xpath-filter?
|   |   |   |   yang:xpath1.0 {sn:xpath}?

```

```

|   +--ro stop-time?
|   |   yang:date-and-time
|   +--ro dscp?
|   |   inet:dscp {dscp}?
|   +--ro weighting?                               uint8
|   |   {qos}?
|   +--ro dependency?
|   |   subscription-id {qos}?
|   +--ro transport?
|   |   transport {configured}?
|   +--ro encoding?
|   |   encoding
|   +--ro purpose?                                   string
|   |   {configured}?
|   +--ro (yp:update-trigger)?
|   |   +--:(yp:periodic)
|   |   |   +--ro yp:periodic!
|   |   |   |   +--ro yp:period          centiseconds
|   |   |   |   +--ro yp:anchor-time?    yang:date-and-time
|   |   +--:(yp:on-change) {on-change}?
|   |   |   +--ro yp:on-change!
|   |   |   |   +--ro yp:dampening-period? centiseconds
|   |   |   |   +--ro yp:sync-on-start?   boolean
|   |   |   |   +--ro yp:excluded-change* change-type
|   +--ro ypr:module-version* [name]
|   |   {yang-push-revision-supported}?
|   |   +--ro ypr:name          yang:yang-identifier
|   |   +--ro ypr:revision      rev:revision-date
|   |   +--ro ypr:version?      ysver:version
|   +--ro ypr:yang-library-content-id?
|   |   -> /yanglib:yang-library/content-id
|   |   {yang-push-revision-supported}?
+---n subscription-suspended
|   +--ro id          subscription-id
|   +--ro reason      identityref
+---n subscription-terminated
|   +--ro id          subscription-id
|   +--ro reason      identityref

```

5.2. YANG Module

The YANG module has two leaves augmenting the model of Subscription to YANG Notifications [RFC8639].

```
<CODE BEGINS> file "ietf-yang-push-revision@2025-08-29.yang"
module ietf-yang-push-revision {
  yang-version 1.1;
  namespace
    "urn:ietf:params:xml:ns:yang:ietf-yang-push-revision";
  prefix ypr;
  import ietf-subscribed-notifications {
    prefix sn;
    reference
      "RFC 8639: Subscription to YANG Notifications";
  }
  import ietf-yang-revisions {
    prefix rev;
    reference
      "RFC YYYY: draft-ietf-netmod-yang-module-versioning-13,
      Updated YANG Module Revision Handling";
  }
  import ietf-yang-types {
    prefix yang;
    rev:recommended-min-date "2013-07-15";
    reference
      "RFC 6991: Common YANG Data Types.";
  }
  import ietf-yang-semver {
    prefix ysver;
    reference
      "RFC ZZZZ: draft-ietf-netmod-yang-semver-23, YANG Semantic
      Versioning";
  }
  import ietf-yang-library {
    prefix yanglib;
    reference
      "RFC 8525: YANG Library";
  }
  import ietf-system-capabilities {
    prefix sysc;
    reference
      "RFC 9196: YANG Modules Describing Capabilities for
      Systems and Datastore Update Notifications";
  }
  import ietf-notification-capabilities {
    prefix notc;
    reference
      "RFC 9196: YANG Modules Describing Capabilities for
      Systems and Datastore Update Notifications";
  }

  organization "IETF NETCONF (Network Configuration) Working Group";
```

contact

"WG Web: <<http://tools.ietf.org/wg/netconf/>>
WG List: <<mailto:netconf@ietf.org>>

Authors: Thomas Graf
<<mailto:thomas.graf@swisscom.com>>
Benoit Claise
<<mailto:benoit.claise@huawei.com>>
Alex Huang Feng
<<mailto:alex.huang-feng@insa-lyon.fr>>;

description

"Defines YANG-Push event notification header with the revision and the version. Adds the support of the revision and version selection in the YANG-Push subscription RPCs.

Copyright (c) 2025 IETF Trust and the persons identified as authors of the code. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, is permitted pursuant to, and subject to the license terms contained in, the Revised BSD License set forth in Section 4.c of the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>).

All revisions of IETF and IANA published modules can be found at the YANG Parameters registry (<https://www.iana.org/assignments/yang-parameters>).

This version of this YANG module is part of RFC XXXX; see the RFC itself for full legal notices.

The key words 'MUST', 'MUST NOT', 'REQUIRED', 'SHALL', 'SHALL NOT', 'SHOULD', 'SHOULD NOT', 'RECOMMENDED', 'NOT RECOMMENDED', 'MAY', and 'OPTIONAL' in this document are to be interpreted as described in BCP 14 (RFC 2119) (RFC 8174) when, and only when, they appear in all capitals, as shown here.";

revision 2025-08-29 {

description

"First revision";

reference

"RFC XXXX: Support of Versioning in YANG Notifications Subscription";

}

feature yang-push-revision-supported {

```
    description
      "This feature indicates the YANG Subscription Notifications
      support specifying the list of modules, revisions and
      versions in the YANG subscription.";
  }

// Identities
identity revision-unsupported {
  base sn:establish-subscription-error;
  base sn:modify-subscription-error;
  description
    "Revision not supported. This failure can be due to
    subscribing to a specific revision not supported by the
    publisher.";
}

identity version-unsupported {
  base sn:establish-subscription-error;
  base sn:modify-subscription-error;
  description
    "Version not supported. This failure can be due to
    subscribing to a specific version not supported by the
    publisher.";
}

identity incompatible-revision-and-version {
  base sn:establish-subscription-error;
  base sn:modify-subscription-error;
  description
    "The combination of revision and version are
    incompatible. This failure happens when the revision and the
    version are both specified in the RPC and the YANG
    module supported by the publisher does not support one of them.";
}

grouping yang-push-module-version-config {
  description
    "This grouping combines the module name, the revision and
    version leaves. This grouping is to be used for
    configuration and the leaves are not mandatory.";
  leaf name {
    type yang:yang-identifier;
    description
      "This references the YANG module name.";
  }
  leaf revision {
    type rev:revision-date;
    description
```

```
        "This references the YANG module revision to be sent in the
        subscription.";
    }
    leaf version {
        type ysver:version;
        description
            "This references the YANG module semantic version to be sent
            in the subscription.";
    }
}

grouping yang-push-module-version {
    description
        "This grouping combines the module name, the revision and
        version leaves. This grouping is to be used for
        read-only cases such as the content of YANG-Push Notifications.
        The name and revision are mandatory and MUST be present
        in the data.";
    leaf name {
        type yang:yang-identifier;
        config false;
        mandatory true;
        description
            "This references the YANG module name.";
    }
    leaf revision {
        type rev:revision-date;
        config false;
        mandatory true;
        description
            "This references the YANG module revision of the sent
            notification message.";
    }
    leaf version {
        type ysver:version;
        description
            "This references the YANG module semantic version of the
            sent notification message.";
    }
}

grouping yang-push-module-version-list {
    description
        "This grouping defines a list of yang-push-module-version
        grouping.";
    list module-version {
        key "name";
        config false;
    }
}
```



```
    description
      "List of yang-push-module-version grouping. The revision is
      not configurable.";
    uses ypr:yang-push-module-version;
  }
  leaf yang-library-content-id {
    type leafref {
      path "/yanglib:yang-library/yanglib:content-id";
    }
    config false;
    description
      "Contains the YANG library content identifier RFC 8525
      information.";
  }
}

grouping yang-push-module-version-config-list {
  description
    "This grouping defines a list of yang-push-module-version-config
    grouping.";
  list module-version-config {
    key "name";
    description
      "List of yang-push-module-version-config grouping. The
      revision is configurable.";
    uses ypr:yang-push-module-version-config;
  }
}

// Subscription parameters
augment "/sn:establish-subscription/sn:input" {
  if-feature "yang-push-revision-supported";
  description
    "Augment the establish-subscription RPC from the
    ietf-subscribed-notifications YANG module with the
    yang-push-module-version-config-list grouping.";
  uses ypr:yang-push-module-version-config-list;
}
augment "/sn:modify-subscription/sn:input" {
  if-feature "yang-push-revision-supported";
  description
    "Augment the modify-subscription RPC from the
    ietf-subscribed-notifications YANG module with the
    yang-push-module-version-config-list grouping.";
  uses ypr:yang-push-module-version-config-list;
}

// Subscription notifications
```

```
augment "/sn:subscription-started" {
  if-feature "yang-push-revision-supported";
  description
    "Augment the subscription-started notification from the
     ietf-subscribed-notifications YANG module with the
     yang-push-module-version-list grouping.";
  uses ypr:yang-push-module-version-list;
}
augment "/sn:subscription-modified" {
  if-feature "yang-push-revision-supported";
  description
    "Augment the subscription-modified notification from the
     ietf-subscribed-notifications YANG module with the
     yang-push-module-version-list grouping.";
  uses ypr:yang-push-module-version-list;
}

// Subscription container
augment "/sn:subscriptions/sn:subscription" {
  if-feature "yang-push-revision-supported";
  description
    "Augment the subscriptions RPC container from the
     ietf-subscribed-notifications YANG module with the
     yang-push-module-version-config-list grouping.";
  uses ypr:yang-push-module-version-config-list;
}

// Event capabilities
augment "/sysc:system-capabilities/notc:subscription-capabilities" {
  description
    "Add system level capabilities";
  leaf yang-push-module-revision-supported {
    type boolean;
    description
      "Specifies whether the publisher supports exporting
       revision and version in YANG-Push subscription state change
       notifications.";
    reference
      "RFC XXXX: Support of Versioning in YANG Notifications
       Subscription";
  }
}
}
}
<CODE ENDS>
```

6. IANA Considerations

6.1. IETF XML Registry

This document registers the following URIs in the "IETF XML Registry" [RFC3688]:

URI: urn:ietf:params:xml:ns:yang:ietf-yang-push-revision
Registrant Contact: The IESG.
XML: N/A; the requested URI is an XML namespace.

6.2. YANG Module Name

This document registers the following YANG modules in the 'YANG Module Names' registry [RFC6020]:

name: ietf-yang-push-revision
namespace: urn:ietf:params:xml:ns:yang:ietf-yang-push-revision
prefix: ypr
reference: RFC-to-be

7. Operational Considerations

A YANG package [I-D.ietf-netmod-yang-packages], specifies a versioned organizational structure used to manage a set of YANG modules that collectively defines a package schema. For example, a YANG package could contain a set of YANG modules required to implement a L3VPN service on a network node. It offers therefore a complementary information to the solution in this draft by describing how one specific YANG module revision is part of a set of YANG modules.

8. Implementation Status

Note to the RFC-Editor: Please remove this section before publishing.

8.1. Huawei VRP

Huawei implemented in notification the 'module', 'revision' and 'version' extension as described in Section 3 for a YANG-Push publisher on UDP-based Transport for Configured Subscriptions [I-D.ietf-netconf-udp-notif] in their VRP platform.

8.2. 6WIND VSR

6WIND implemented in notification 'module', 'revision' and 'library-content-id' extension as described in Section 3 for a YANG-Push publisher on UDP-based Transport for Configured Subscriptions [I-D.ietf-netconf-udp-notif] in their VSR platform.

8.3. Cisco IOS XR

Cisco implemented in notification 'module', 'revision' and 'library-content-id' extension as described in Section 3 and 'module' and 'revision' in subscription as described in Section 2 for a YANG-Push publisher on UDP-based Transport for Configured Subscriptions [I-D.ietf-netconf-udp-notif] in their IOS XR platform.

9. Security Considerations

The security considerations for the YANG notifications subscription mechanism are described in [RFC8641]. This documents adds no additional security considerations.

10. Acknowledgements

The authors would like to thank Qiufang Ma, Robert Wilton, Jian Ping Zhang and Robert Wills for their review and valuable comments.

11. References

11.1. Normative References

- [I-D.ietf-netmod-yang-module-versioning]
Wilton, R., Rahman, R., Lengyel, B., Clarke, J., and J. Sterne, "Updated YANG Module Revision Handling", Work in Progress, Internet-Draft, draft-ietf-netmod-yang-module-versioning-15, 18 October 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-netmod-yang-module-versioning-15>>.
- [I-D.ietf-netmod-yang-semver]
Clarke, J., Wilton, R., Rahman, R., Lengyel, B., Sterne, J., and B. Claise, "YANG Semantic Versioning", Work in Progress, Internet-Draft, draft-ietf-netmod-yang-semver-24, 29 September 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-netmod-yang-semver-24>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC3688] Mealling, M., "The IETF XML Registry", BCP 81, RFC 3688, DOI 10.17487/RFC3688, January 2004, <<https://www.rfc-editor.org/info/rfc3688>>.

- [RFC6020] Bjorklund, M., Ed., "YANG - A Data Modeling Language for the Network Configuration Protocol (NETCONF)", RFC 6020, DOI 10.17487/RFC6020, October 2010, <<https://www.rfc-editor.org/info/rfc6020>>.
- [RFC6241] Enns, R., Ed., Bjorklund, M., Ed., Schoenwaelder, J., Ed., and A. Bierman, Ed., "Network Configuration Protocol (NETCONF)", RFC 6241, DOI 10.17487/RFC6241, June 2011, <<https://www.rfc-editor.org/info/rfc6241>>.
- [RFC6991] Schoenwaelder, J., Ed., "Common YANG Data Types", RFC 6991, DOI 10.17487/RFC6991, July 2013, <<https://www.rfc-editor.org/info/rfc6991>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC8525] Bierman, A., Bjorklund, M., Schoenwaelder, J., Watsen, K., and R. Wilton, "YANG Library", RFC 8525, DOI 10.17487/RFC8525, March 2019, <<https://www.rfc-editor.org/info/rfc8525>>.
- [RFC8639] Voit, E., Clemm, A., Gonzalez Prieto, A., Nilsen-Nygaard, E., and A. Tripathy, "Subscription to YANG Notifications", RFC 8639, DOI 10.17487/RFC8639, September 2019, <<https://www.rfc-editor.org/info/rfc8639>>.
- [RFC8641] Clemm, A. and E. Voit, "Subscription to YANG Notifications for Datastore Updates", RFC 8641, DOI 10.17487/RFC8641, September 2019, <<https://www.rfc-editor.org/info/rfc8641>>.
- [RFC9196] Lengyel, B., Clemm, A., and B. Claise, "YANG Modules Describing Capabilities for Systems and Datastore Update Notifications", RFC 9196, DOI 10.17487/RFC9196, February 2022, <<https://www.rfc-editor.org/info/rfc9196>>.

11.2. Informative References

- [I-D.ietf-netconf-https-notif] Jethanandani, M. and K. Watsen, "An HTTPS-based Transport for YANG Notifications", Work in Progress, Internet-Draft, draft-ietf-netconf-https-notif-15, 1 February 2024, <<https://datatracker.ietf.org/doc/html/draft-ietf-netconf-https-notif-15>>.

[I-D.ietf-netconf-udp-notif]

Feng, A. H., Francois, P., Zhou, T., Graf, T., and P. Lucente, "UDP-based Transport for Configured Subscriptions", Work in Progress, Internet-Draft, draft-ietf-netconf-udp-notif-24, 20 November 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-netconf-udp-notif-24>>.

[I-D.ietf-netmod-yang-packages]

Wilton, R., Rahman, R., Clarke, J., and J. Sterne, "YANG Packages", Work in Progress, Internet-Draft, draft-ietf-netmod-yang-packages-06, 7 July 2025, <<https://datatracker.ietf.org/doc/html/draft-ietf-netmod-yang-packages-06>>.

[RFC8259] Bray, T., Ed., "The JavaScript Object Notation (JSON) Data Interchange Format", STD 90, RFC 8259, DOI 10.17487/RFC8259, December 2017, <<https://www.rfc-editor.org/info/rfc8259>>.

[RFC8340] Bjorklund, M. and L. Berger, Ed., "YANG Tree Diagrams", BCP 215, RFC 8340, DOI 10.17487/RFC8340, March 2018, <<https://www.rfc-editor.org/info/rfc8340>>.

[RFC8343] Bjorklund, M., "A YANG Data Model for Interface Management", RFC 8343, DOI 10.17487/RFC8343, March 2018, <<https://www.rfc-editor.org/info/rfc8343>>.

[RFC8640] Voit, E., Clemm, A., Gonzalez Prieto, A., Nilsen-Nygaard, E., and A. Tripathy, "Dynamic Subscription to YANG Events and Datastores over NETCONF", RFC 8640, DOI 10.17487/RFC8640, September 2019, <<https://www.rfc-editor.org/info/rfc8640>>.

[W3C.REC-xml-20081126]

Bray, T., Paoli, J., Sperberg-McQueen, M., Maler, E., and F. Yergeau, "Extensible Markup Language (XML) 1.0 (Fifth Edition)", World Wide Web Consortium Recommendation REC-xml-20081126, November 2008, <<https://www.w3.org/TR/2008/REC-xml-20081126>>.

Authors' Addresses

Thomas Graf
Swisscom
Binzring 17
CH-8045 Zurich
Switzerland

Email: thomas.graf@swisscom.com

Benoit Claise

Huawei

Email: benoit.claise@huawei.com

Alex Huang-Feng

INSA-Lyon

Lyon

France

Email: alex.huang-feng@insa-lyon.fr