

Internet Engineering Task Force
Internet-Draft
Intended status: Informational
Expires: 26 September 2026

ssw. Whited, Ed.
25 March 2026

Ogg Stem Files
draft-swhited-ogg-stems-04

Abstract

This document defines a multi-track profile of the Ogg container format for storing stems for use by DJ applications while remaining backwards compatible with existing media players.

Status of This Memo

This Internet-Draft is submitted in full conformance with the provisions of BCP 78 and BCP 79.

Internet-Drafts are working documents of the Internet Engineering Task Force (IETF). Note that other groups may also distribute working documents as Internet-Drafts. The list of current Internet-Drafts is at <https://datatracker.ietf.org/drafts/current/>.

Internet-Drafts are draft documents valid for a maximum of six months and may be updated, replaced, or obsoleted by other documents at any time. It is inappropriate to use Internet-Drafts as reference material or to cite them other than as "work in progress."

This Internet-Draft will expire on 26 September 2026.

Copyright Notice

Copyright (c) 2026 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document.

Table of Contents

1. Introduction	2
1.1. Requirements Language	2
2. Requirements	2
3. Bitstream Layout	3
3.1. Audio Streams	3
3.2. Stem Metadata	3
3.3. DSP Metadata	4
4. Mixing	5
5. Mastering	5
5.1. Compressor Metadata	6
5.2. Limiter Metadata	6
6. Use with Ogg Skeleton	7
7. IANA Considerations	7
8. Security Considerations	7
9. Normative References	7
10. Informative References	7
Author's Address	8

1. Introduction

Stem are recordings of individual instruments, or clusters of instruments, used by DJs and music producers for live mixing of music. Historically stem files have been stored as individual audio files, or using patent-encumbered or vendor specific proprietary container formats. The Ogg file format developed by the Xiph.Org Foundation was formally specified in [RFC3533] and [RFC5334] and is ideally situated as a container for stems. This specification documents a profile for the Ogg container format that allows it to store lossless or lossy stems as well as metadata about the stems in a single file for use in DJ applications.

1.1. Requirements Language

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

2. Requirements

STEM files have a few basic requirements:

- * Backwards compatibility with existing media players
- * The ability to store multiple audio track

- * The ability to synchronize playback of multiple audio tracks
- * The ability to store file-level or bitstream-level metadata and per-stem metadata
- * Backwards compatibility when additional tracks have unknown formats that cannot be decoded

3. Bitstream Layout

3.1. Audio Streams

Each stem file may contain an arbitrary number of logical bitstreams containing audio and MUST include at least three audio streams (the original audio and at least two stems). Each stream SHOULD be encoded using the same codec with the same parameters including bitrate, channel number, channel layout, and sample rate.

The first logical bitstream containing audio data MUST be the final, post-mix, audio. This helps preserve backwards compatibility in media players which do not support this format (which typically play the first audio stream found). The remaining audio logical bitstreams will be individual stems and SHOULD have the same effective audio length (after calculating offsets from the granule position) as the first logical bitstream such that playing each stem stream from the beginning would result in the same audio (excluding mastering) as the final mix present in the first logical bitstream.

For example, if the original logical bitstream is three minutes long and the stem file includes a percussion track but the percussion does not start until minute two the percussion stem would still be three minutes long but would contain a minute of silence at the start of the track, or, depending on the codec in use, would contain a two minute track with a granule position set to the equivalent of one minute.

3.2. Stem Metadata

The following tags MUST be stored in the Vorbis comment block encapsulated in the individual FLAC or Opus audio stream representing each stem. Keys for these tags are case insensitive.

Tag	Description	Example
STEM:TITLE	Free text, used for the stem name	Percussion
STEM:COLOR	Color representing this track in RGB hex format	#145374

Table 1: Stem metadata tags

3.3. DSP Metadata

For metadata that applies to all the stems it is not desirable to include it in the individual stream metadata blocks for several reasons:

1. In the absence of a standard many applications only store information on the first stream, but in the case of stems this is the one stream to which none of this metadata applies
2. Applications meant for writing general metadata may remove unknown values in the first streams metadata
3. Some stem metadata should be associated with all stem streams, but not the main mix stream and storing it on every stream is not ideal

To work around these limitations stem files store metadata that applies to all stems (notably information about configuring a basic Digital Signal Processor or DSP) in a separate logical bitstream, the first packet of which is structured according to the following table:

Data	Description
8 bytes	0x53 0x74 0x65 0x6d 0x4d 0x65 0x74 0x61 ("StemMeta")
2 bytes	Version number of the metadata logical bitstream (notably this is not the version of the metadata stored in the mapping). These bytes are 0x01 0x00, meaning version 1.0 of the mapping.

Table 2: Vorbis comment logical bitstream layout

The remainder of the logical bitstream comprises a Vorbis comment metadata block containing human-readable information coded in UTF-8. The name "Vorbis comment" points to the fact that the Vorbis codec stores such metadata in almost the same way (see [Vorbis]). A stem file MUST NOT contain more than one Vorbis comment metadata block. The Vorbis comment metadata block is defined to be identical to the Vorbis comment metadata block defined in [RFC9639] section 8.6, "Vorbis Comment".

The Vorbis comment metadata block SHOULD NOT be used for arbitrary metadata that is unrelated to stems (ie. a track title or author). Vendor specific tags MAY be included in the metadata block. Vendor specific tags in the block SHOULD use a vendor specific namespace and MUST NOT prefix their tags with "STEM:". Specific keys for the Vorbis comment metadata block are defined in Section 5.

4. Mixing

The stem tracks SHOULD NOT have any gain normalization applied. Instead they should retain the same levels as they would have in the final mix present in the first track so that if all stems were played at unity gain the levels would be equivalent to the final mix.

5. Mastering

Because mastering happens post-mix and the stems are pre-mix audio the stem tracks SHOULD NOT have any mastering steps applied. Instead, metadata for configuring a compressor and limiter SHOULD be included in the previously defined Vorbis comment metadata block. After mixing, playback applications MAY choose to feed the mix through a Digital Signal Processor (DSP) configured with the limiter and compressor settings read from the metadata.

Each setting for the DSP is stored as a floating-point number with a minimum value of 0.0 and a maximum value of 1.0. These numbers are stored as strings and MUST use the "." mark instead of the "," mark as a decimal separator. Only ASCII numbers "0" to "9" and the "." character MUST be used. Digit grouping delimiters MUST NOT be used. Both integer and decimal parts are in base 10.

It is RECOMMENDED that applications displaying the compressor or limiter settings support replacement of the "." with locale specific separators. Locale specific digit grouping MAY be used by applications displaying the settings.

Because different DSPs may use different ranges or scales for each value the playback software SHOULD interpret the 0-1 values as a linear scale and map them to the range and scale required by the DSP

when configuring the DSP for playback. This may result in a loss of fidelity on some DSPs, but this is deemed an acceptable trade off for stem playback which would not normally be able to have a mastering step at all.

5.1. Compressor Metadata

Tag	Requirement Level	Values
STEM:COMPRESSOR:ENABLED	REQUIRED	"TRUE" or "FALSE"
STEM:COMPRESSOR:RATIO	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:OUTPUT_GAIN	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:THRESHOLD	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:ATTACK	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:INPUT_GAIN	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:RELEASE	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:HP_CUTOFF	OPTIONAL	0.0-1.0
STEM:COMPRESSOR:HP_DRY_WET	OPTIONAL	0.0-1.0

Table 3: Compressor metadata tags

5.2. Limiter Metadata

Tag	Requirement Level	Values
STEM:LIMITER:ENABLED	REQUIRED	"TRUE" or "FALSE"
STEM:LIMITER:RELEASE	OPTIONAL	0.0-1.0
STEM:LIMITER:THRESHOLD	OPTIONAL	0.0-1.0
STEM:LIMITER:CEILING	OPTIONAL	0.0-1.0

Table 4: Limiter metadata tags

6. Use with Ogg Skeleton

Ogg Skeleton [I-D.swhited-ogg-skeleton] is a format designed to provide structuring information for multi-track Ogg files. Its use is not required for stem files, however, if a Skeleton logical bitstream is present each fisbone secondary header packet describing a logical bitstream containing a stem track SHOULD set the role header to the value audio/stem. Similarly, the fisbone secondary header packet describing the first logical bitstream containing the main audio SHOULD set the role header to audio/main.

7. IANA Considerations

This memo includes no request to IANA.

8. Security Considerations

This document should not affect the security of the Internet.

9. Normative References

- [RFC3533] Pfeiffer, S., "The Ogg Encapsulation Format Version 0", RFC 3533, DOI 10.17487/RFC3533, May 2003, <<https://www.rfc-editor.org/info/rfc3533>>.
- [RFC5334] Goncalves, I., Pfeiffer, S., and C. Montgomery, "Ogg Media Types", RFC 5334, DOI 10.17487/RFC5334, September 2008, <<https://www.rfc-editor.org/info/rfc5334>>.
- [RFC9639] van Beurden, M.Q.C. and A. Weaver, "Free Lossless Audio Codec (FLAC)", RFC 9639, DOI 10.17487/RFC9639, December 2024, <<https://www.rfc-editor.org/info/rfc9639>>.

10. Informative References

- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.

[I-D.swhited-ogg-skeleton]

Whited, S., "Ogg Skeleton", Work in Progress, Internet-Draft, draft-swhited-ogg-skeleton-00, 23 March 2026, <<https://datatracker.ietf.org/doc/html/draft-swhited-ogg-skeleton-00>>.

[Vorbis] Xiph.Org Foundation, "Vorbis I specification", 4 July 2020, <https://xiph.org/vorbis/doc/Vorbis_I_spec.html>.

Author's Address

Sam Whited (editor)
Email: sam@samwhited.com
URI: <https://blog.samwhited.com>