

Internet Research Task Force (IRTF)
Request for Comments: 9382
Category: Informational
ISSN: 2070-1721

W. Ladd
Akamai
September 2023

SPAKE2, a Password-Authenticated Key Exchange

Abstract

This document describes SPAKE2, which is a protocol for two parties that share a password to derive a strong shared key without disclosing the password. This method is compatible with any group, is computationally efficient, and has a security proof. This document predated the Crypto Forum Research Group (CFRG) password-authenticated key exchange (PAKE) competition, and it was not selected; however, given existing use of variants in Kerberos and other applications, it was felt that publication was beneficial. Applications that need a symmetric PAKE, but are unable to hash onto an elliptic curve at execution time, can use SPAKE2. This document is a product of the Crypto Forum Research Group in the Internet Research Task Force (IRTF).

Status of This Memo

This document is not an Internet Standards Track specification; it is published for informational purposes.

This document is a product of the Internet Research Task Force (IRTF). The IRTF publishes the results of Internet-related research and development activities. These results might not be suitable for deployment. This RFC represents the individual opinion(s) of one or more members of the Crypto Forum Research Group of the Internet Research Task Force (IRTF). Documents approved for publication by the IRSG are not candidates for any level of Internet Standard; see Section 2 of RFC 7841.

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at <https://www.rfc-editor.org/info/rfc9382>.

Copyright Notice

Copyright (c) 2023 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document.

Table of Contents

1. Introduction
2. Requirements Notation
3. Definition of SPAKE2
 - 3.1. Protocol Flow
 - 3.2. Setup
 - 3.3. SPAKE2
4. Key Schedule and Key Confirmation

5.	Per-User M and N and M=N
6.	Ciphersuites
7.	Security Considerations
8.	IANA Considerations
9.	References
9.1.	Normative References
9.2.	Informative References
	Appendix A. Algorithm Used for Point Generation
	Appendix B. SPAKE2 Test Vectors
	Acknowledgements
	Contributors
	Author's Address

1. Introduction

This document describes SPAKE2, which is a means for two parties that share a password to derive a strong shared key without disclosing the password. This password-based key exchange protocol is compatible with any group (requiring only a scheme to map a random input of a fixed length per group to a random group element), is computationally efficient, and has a security proof. Predetermined parameters for a selection of commonly used groups are also provided for use by other protocols.

SPAKE2 was not selected as the result of the CFRG PAKE selection competition. However, given existing use of variants in Kerberos and other applications, it was felt that publication was beneficial. This RFC represents the individual opinion(s) of one or more members of the Crypto Forum Research Group of the IRTF.

Many of these applications predated methods to hash to elliptic curves being available or predated the publication of the PAKEs that were chosen as an outcome of the PAKE selection competition. In cases where a symmetric PAKE is needed and hashing onto an elliptic curve at protocol execution time is not available, SPAKE2 is useful.

2. Requirements Notation

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.


3. Definition of SPAKE2

3.1. Protocol Flow

SPAKE2 is a two-round protocol, wherein the first round establishes a shared secret between A and B, and the second round serves as key confirmation. Prior to invocation, A and B are provisioned with information, such as the input password needed to run the protocol. We assume that the roles of A and B are agreed upon by both sides: A goes first and uses M, and B goes second and uses N. If this assignment of roles is not possible, a symmetric variant MUST be used, as described later Section 5. For instance, A may be the client when using TCP or TLS as an underlying protocol, and B may be the server. Most protocols have such a distinction. During the first round, A sends a public value pA to B, and B responds with its own public value pB. Both A and B then derive a shared secret used to produce encryption and authentication keys. The latter are used during the second round for key confirmation. (Section 4 details the key derivation and confirmation steps.) In particular, A sends a key confirmation message cA to B, and B responds with its own key confirmation message cB. A MUST NOT consider the protocol complete until it receives and verifies cB. Likewise, B MUST NOT consider the

protocol complete until it receives and verifies cA.

This sample flow is shown below.



3.2. Setup

Let G be a group in which the gap Diffie-Hellman (GDH) problem is hard. Suppose G has order $p \cdot h$, where p is a large prime and h will be called the cofactor. Let I be the unit element in G , e.g., the point at infinity if G is an elliptic curve group. We denote the operations in the group additively. We assume there is a representation of elements of G as byte strings: common choices would be SEC1 [SEC1] uncompressed or compressed for elliptic curve groups or big-endian integers of a fixed (per-group) length for prime field DH. Applications MUST specify this encoding, typically by referring to the document defining the group. We fix two elements, M and N , in the prime-order subgroup of G , as defined in Table 1 of this document for common groups, as well as generator P of the (large) prime-order subgroup of G . In the case of a composite order group, we will work in the quotient group. For common groups used in this document, P is specified in the document defining the group, so we do not repeat it here.

For elliptic curves other than the ones in this document, the methods described in [RFC9380] SHOULD be used to generate M and N , e.g., via $M = \text{hash_to_curve}(\text{"M SPAKE2 seed OID x"})$ and $N = \text{hash_to_curve}(\text{"N SPAKE2 seed OID x"})$, where x is an OID for the curve. Applications MAY include a domain separation tag (DST) in this step, as specified in [RFC9380], though this is not required.

$||$ denotes concatenation of byte strings. We also let $\text{len}(S)$ denote the length of a string in bytes, represented as an eight-byte little-endian number. Finally, let nil represent an empty string, i.e., $\text{len}(\text{nil}) = 0$. Text strings in double quotes are treated as their ASCII encodings throughout this document.

$\text{KDF}(\text{ikm}, \text{salt}, \text{info}, L)$ is a key-derivation function that takes as input a salt, input keying material (IKM), an info string, and derived key length L to derive a cryptographic key of length L . $\text{MAC}(\text{key}, \text{message})$ is a Message Authentication Code algorithm that takes a secret key and message as input to produce an output. Let Hash be a hash function from arbitrary strings to bit strings of a fixed length that is at least 256 bits long. Common choices for Hash are SHA-256 or SHA-512 [RFC6234]. Let MHF be a memory-hard hash function designed to slow down brute-force attackers. Script [RFC7914] is a common example of this function. The output length of MHF matches that of Hash . Parameter selection for MHF is out of scope for this document. Section 6 specifies variants of KDF , MAC , and Hash that are suitable for use with the protocols contained

herein.

Let A and B be two parties. A and B may also have digital representations of the parties' identities, such as Media Access Control addresses or other names (hostnames, usernames, etc.). A and B may share additional authenticated data (AAD) of a length that is at most $2^{16} - 128$ bits and separate from their identities, which they may want to include in the protocol execution. One example of AAD is a list of supported protocol versions if SPAKE2 were used in a higher-level protocol that negotiates use of a particular PAKE. Including this list would ensure that both parties agree upon the same set of supported protocols and therefore prevents downgrade attacks. We also assume A and B share integer w ; typically, $w = \text{MHF}(\text{pw}) \bmod p$ for a user-supplied password, pw . Standards, such as [NIST.SP.800-56Ar3], suggest taking $\bmod p$ of a hash value that is 64 bits longer than that needed to represent p to remove statistical bias introduced by the modulation. Protocols using this specification MUST define the method used to compute w . In some cases, it may be necessary to carry out various forms of normalization of the password before hashing [RFC8265]. The hashing algorithm SHOULD be an MHF so as to slow down brute-force attackers.

3.3. SPAKE2

To begin, A picks x randomly and uniformly from the integers in $[0, p)$ and calculates $X = x * P$ and $pA = w * M + X$. Then, it transmits pA to B.

B selects y randomly and uniformly from the integers in $[0, p)$ and calculates $Y = y * P$ and $pB = w * N + Y$. Then, it transmits pB to A.

Both A and B calculate group element K . A calculates it as $h * x * (pB - w * N)$, while B calculates it as $h * y * (pA - w * M)$. A knows pB because it has received it, and likewise B knows pA . The multiplication by h prevents small subgroup confinement attacks by computing a unique value in the quotient group.

K is a shared value, though it MUST NOT be used or output as a shared secret from the protocol. Both A and B must derive two additional shared secrets from the protocol transcript, which includes K . This use of the transcript ensures any manipulation of the messages sent is reflected in the keys. The transcript TT is encoded as follows:

TT = len(A)		A
len(B)		B
len(pA)		pA
len(pB)		pB
len(K)		K
len(w)		w

Here, w is encoded as a big-endian number padded to the length of p . This representation prevents timing attacks that otherwise would reveal the length of w . $\text{len}(w)$ is thus a constant for a given group. We include it for consistency.

If an identity is absent, it is encoded as a zero-length string. This MUST only be done for applications in which identities are implicit. Otherwise, the protocol risks unknown key-share attacks, where both sides of a connection disagree over who is authenticated.

Upon completion of this protocol, A and B compute shared secrets K_e , K_cA , and K_cB , as specified in Section 4. A MUST send B a key confirmation message so that both parties agree upon these shared secrets. The confirmation message cA is computed as a MAC over the protocol transcript TT , using K_cA as follows: $cA = \text{MAC}(K_cA, TT)$. Similarly, B MUST send A a confirmation message using a MAC that is computed equivalently, except with the use of K_cB . Key confirmation

verification requires computing c_A (or c_B , respectively) and checking for equality against that which was received.

4. Key Schedule and Key Confirmation

The protocol transcript TT , as defined in Section 3.3, is unique and secret to A and B (though it contains some substrings that are not secret). Both parties use TT to derive shared symmetric secrets K_e and K_a as $K_e || K_a = \text{Hash}(TT)$, with $|K_e| = |K_a|$. The length of each key is equal to half of the digest output, e.g., 128 bits for SHA-256. Keys MUST be at least 128 bits in length.

Both endpoints use K_a to derive subsequent MAC keys for key confirmation messages. Specifically, K_{cA} and K_{cB} are the MAC keys used by A and B , respectively. A and B compute them as $K_{cA} || K_{cB} = \text{KDF}(K_a, \text{nil}, \text{"ConfirmationKeys"} || \text{AAD}, L)$, where AAD is the associated data given to each endpoint or AAD is nil if none was provided. The length of each of K_{cA} and K_{cB} is equal to half of the underlying hash output length, e.g., $|K_{cA}| = |K_{cB}| = 128$ bits for $\text{HKDF}(\text{SHA256})$, with $L=256$ bits.

The resulting key schedule for this protocol, given transcript TT and AAD , is as follows.

```
TT -> Hash(TT) = Ke || Ka
AAD -> KDF(Ka, nil, "ConfirmationKeys" || AAD) = KcA || KcB
```

A and B output K_e as the shared secret from the protocol. K_a and its derived keys are not used for anything except key confirmation.

5. Per-User M and N and $M=N$

To avoid concerns that an attacker needs to solve a single Elliptic Curve Diffie-Hellman (ECDH) instance to break the authentication of SPAKE2, it is possible to vary M and N using [RFC9380] as follows:

```
M = hash_to_curve(Hash("M SPAKE2" || len(A) || A || len(B) || B))
N = hash_to_curve(Hash("N SPAKE2" || len(A) || A || len(B) || B))
```

There is also a symmetric variant where $M=N$. For this variant, we set:

```
M = hash_to_curve(Hash("M AND N SPAKE2"))
```

This variant MUST be used when it is not possible to determine whether A or B should use M (or N), due to asymmetries in the protocol flows or the desire to use only a single shared secret with nil identities for authentication. The security of these variants is examined in [MNVAR]. The variant with per-user M and N may not be suitable for protocols that require the initial messages to be generated by each party at the same time and that do not know the exact identity of the parties before the flow begins.

6. Ciphersuites

This section documents SPAKE2 ciphersuite configurations. A ciphersuite indicates a group, cryptographic hash function, and pair of KDF and MAC functions, e.g., SPAKE2-P256-SHA256-HKDF-HMAC. This ciphersuite indicates a SPAKE2 protocol instance over P-256 that uses SHA-256, along with HMAC-based Key Derivation Function (HKDF) [RFC5869] and Hashed Message Authentication Code (HMAC) [RFC2104] for G , Hash , KDF , and MAC functions, respectively. For Ed25519, the compressed encoding is used [RFC8032]; all others use the uncompressed SEC1 encoding.

+++++

G	Hash	KDF	MAC
P-256	SHA256 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
P-256	SHA512 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
P-384	SHA256 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
P-384	SHA512 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
P-521	SHA512 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
edwards25519 [RFC8032]	SHA256 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
edwards448 [RFC8032]	SHA512 [RFC6234]	HKDF [RFC5869]	HMAC [RFC2104]
P-256	SHA256 [RFC6234]	HKDF [RFC5869]	CMAC-AES-128 [RFC4493]
P-256	SHA512 [RFC6234]	HKDF [RFC5869]	CMAC-AES-128 [RFC4493]

Table 1: SPAKE2 Ciphersuites

The following points represent permissible point generation seeds for the groups listed in Table 1, using the algorithm presented in Appendix A. These byte strings are compressed points, as in [SEC1], for curves from [SEC1].

For P-256:

M =
02886e2f97ace46e55ba9dd7242579f2993b64e16ef3dcab95afd497333d8fa12f
seed: 1.2.840.10045.3.1.7 point generation seed (M)

N =
03d8bbd6c639c62937b04d997f38c3770719c629d7014d49a24b4f98baa1292b49
seed: 1.2.840.10045.3.1.7 point generation seed (N)

For P-384:

M =
030ff0895ae5ebf6187080a82d82b42e2765e3b2f8749c7e05eba366434b363d3dc
36f15314739074d2eb8613fceed2853
seed: 1.3.132.0.34 point generation seed (M)

N =
02c72cf2e390853a1c1c4ad816a62fd15824f56078918f43f922ca21518f9c543bb
252c5490214cf9aa3f0baab4b665c10
seed: 1.3.132.0.34 point generation seed (N)

For P-521:

M =
02003f06f38131b2ba2600791e82488e8d20ab889af753a41806c5db18d37d85608
cfae06b82e4a72cd744c719193562a653ealf119eef9356907edc9b56979962d7aa
seed: 1.3.132.0.35 point generation seed (M)

N =
0200c7924b9ec017f3094562894336a53c50167ba8c5963876880542bc669e494b25
32d76c5b53dfb349fdf69154b9e0048c58a42e8ed04cef052a3bc349d95575cd25
seed: 1.3.132.0.35 point generation seed (N)

For edwards25519:

M =
d048032c6ea0b6d697ddc2e86bda85a33adac920f1bf18e1b0c6d166a5cecdaf
seed: edwards25519 point generation seed (M)

N =
d3bfb518f44f3430f29d0c92af503865aled3281dc69b35dd868ba85f886c4ab
seed: edwards25519 point generation seed (N)

For edwards448:

M =
b6221038a775ecd007a4e4dde39fd76ae91d3cf0cc92be8f0c2fa6d6b66f9a12
942f5a92646109152292464f3e63d354701c7848d9fc3b8880
seed: edwards448 point generation seed (M)

N =
6034c65b66e4cd7a49b0edec3e3c9ccc4588afd8cf324e29f0a84a072531c4db
f97ff9af195ed714a689251f08f8e06e2d1f24a0ffc0146600
seed: edwards448 point generation seed (N)

7. Security Considerations

A security proof of SPAKE2 for prime order groups is found in [REF], reducing the security of SPAKE2 to the GDH assumption. Note that the choice of M and N is critical for the security proof. The generation methods specified in this document are designed to eliminate concerns related to knowing discrete logs of M and N.

Elements received from a peer MUST be checked for group membership. Failure to properly deserialize and validate group elements can lead to attacks. An endpoint MUST abort the protocol if any received public value is not a member of G.

The choices of random numbers MUST be uniform. Randomly generated values, e.g., x and y, MUST NOT be reused; such reuse violates the security assumptions of the protocol and results in significant insecurity. It is RECOMMENDED to generate these uniform numbers using rejection sampling.

Some implementations of elliptic curve multiplication may leak information about the length of the scalar. These MUST NOT be used. All operations on elliptic curve points must take time independent of the inputs. Hashing of the transcript may take time depending only on the length of the transcript but not the contents.

SPAKE2 does not support augmentation. As a result, the server has to store a password equivalent. This is considered a significant drawback in some use cases. Applications that need augmented PAKEs should use [CFRG-OPAQUE].

The HMAC keys in this document are shorter than recommended in [RFC8032]. This is appropriate, as the difficulty of the discrete logarithm problem is comparable with the difficulty of brute forcing the keys.

8. IANA Considerations

This document has no IANA actions.

9. References

9.1. Normative References

- [RFC2104] Krawczyk, H., Bellare, M., and R. Canetti, "HMAC: Keyed-Hashing for Message Authentication", RFC 2104, DOI 10.17487/RFC2104, February 1997, <<https://www.rfc-editor.org/info/rfc2104>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC4493] Song, JH., Poovendran, R., Lee, J., and T. Iwata, "The AES-CMAC Algorithm", RFC 4493, DOI 10.17487/RFC4493, June 2006, <<https://www.rfc-editor.org/info/rfc4493>>.
- [RFC5480] Turner, S., Brown, D., Yiu, K., Housley, R., and T. Polk, "Elliptic Curve Cryptography Subject Public Key Information", RFC 5480, DOI 10.17487/RFC5480, March 2009, <<https://www.rfc-editor.org/info/rfc5480>>.
- [RFC5869] Krawczyk, H. and P. Eronen, "HMAC-based Extract-and-Expand Key Derivation Function (HKDF)", RFC 5869, DOI 10.17487/RFC5869, May 2010, <<https://www.rfc-editor.org/info/rfc5869>>.
- [RFC6234] Eastlake 3rd, D. and T. Hansen, "US Secure Hash Algorithms (SHA and SHA-based HMAC and HKDF)", RFC 6234, DOI 10.17487/RFC6234, May 2011, <<https://www.rfc-editor.org/info/rfc6234>>.
- [RFC7914] Percival, C. and S. Josefsson, "The scrypt Password-Based Key Derivation Function", RFC 7914, DOI 10.17487/RFC7914, August 2016, <<https://www.rfc-editor.org/info/rfc7914>>.
- [RFC8032] Josefsson, S. and I. Liusvaara, "Edwards-Curve Digital Signature Algorithm (EdDSA)", RFC 8032, DOI 10.17487/RFC8032, January 2017, <<https://www.rfc-editor.org/info/rfc8032>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC9380] Faz-Hernandez, A., Scott, S., Sullivan, N., Wahby, R. S., and C. A. Wood, "Hashing to Elliptic Curves", RFC 9380, DOI 10.17487/RFC9380, August 2023, <<https://www.rfc-editor.org/info/rfc9380>>.

9.2. Informative References

- [CFRG-OPAQUE] Bourdrez, D., Krawczyk, H., Lewi, K., and C. A. Wood, "The OPAQUE Asymmetric PAKE Protocol", Work in Progress, Internet-Draft, draft-irtf-cfrg-opaque-11, 8 June 2023, <<https://datatracker.ietf.org/doc/html/draft-irtf-cfrg-opaque-11>>.
- [MNVAR] Abdalla, M., Barbosa, M., Bradley, T., Jarecki, S., Katz, J., and J. Xu, "Universally Composable Relaxed Password Authenticated Key Exchange", in Advances in Cryptology - CRYPTO 2020, Lecture Notes in Computer Science, Volume 12170, Springer, DOI 10.1007/978-3-030-56784-2_10, August 2020, <https://doi.org/10.1007/978-3-030-56784-2_10>.

- [NIST.SP.800-56Ar3] National Institute of Standards and Technology, "Recommendation for Pair-Wise Key-Establishment Schemes Using Discrete Logarithm Cryptography", Revision 3, NIST Special Publication 800-56A, DOI 10.6028/NIST.SP.800-56Ar3, April 2018, <<https://doi.org/10.6028/NIST.SP.800-56Ar3>>.
- [REF] Abdalla, M. and D. Pointcheval, "Simple Password-Based Encrypted Key Exchange Protocols", Cryptography-CT-RSA 2005, Lecture Notes in Computer Science, Volume 3376, pages 191-208, Springer, DOI 10.1007/978-3-540-30574-3_14, February 2005, <https://doi.org/10.1007/978-3-540-30574-3_14>.
- [RFC8265] Saint-Andre, P. and A. Melnikov, "Preparation, Enforcement, and Comparison of Internationalized Strings Representing Usernames and Passwords", RFC 8265, DOI 10.17487/RFC8265, October 2017, <<https://www.rfc-editor.org/info/rfc8265>>.
- [SEC1] Standards for Efficient Cryptography Group, "SEC 1: Elliptic Curve Cryptography", May 2009.

Appendix A. Algorithm Used for Point Generation

This section describes the algorithm that was used to generate points M and N in Table 1.

For each curve in Table 1, we construct a string using the curve OID from [RFC5480] (as an ASCII string) or its name, combined with the needed constant, e.g., "1.3.132.0.35 point generation seed (M)" for P-521. This string is turned into a series of blocks by hashing with SHA-256 and hashing that output again to generate the next 32 bytes and so on. This pattern is repeated for each group and value, with the string modified appropriately.

A byte string of a length equal to that of an encoded group element is constructed by concatenating as many blocks as are required, starting from the first block and truncating to the desired length. The byte string is then formatted as required for the group. In the case of Weierstrass curves, we take the desired length as the length for representing a compressed point (Section 2.3.4 of [SEC1]) and use the low-order bit of the first byte as the sign bit. In order to obtain the correct format, the value of the first byte is set to 0x02 or 0x03 (clearing the first six bits and setting the seventh bit), leaving the sign bit as it was in the byte string constructed by concatenating hash blocks. For the curves in [RFC8032], a different procedure is used. For edwards448, the 57-byte input has the least-significant 7 bits of the last byte set to zero, and for edwards25519, the 32-byte input is not modified. For both the curves in [RFC8032], the (modified) input is then interpreted as the representation of the group element. If this interpretation yields a valid group element with the correct order (p), the (modified) byte string is the output. Otherwise, the initial hash block is discarded and a new byte string is constructed from the remaining hash blocks. The procedure of constructing a byte string of the appropriate length, formatting it as required for the curve, and checking if it is a valid point of the correct order is repeated until a valid element is found.

The following Python snippet generates the above points, assuming an elliptic curve implementation follows the interface of `Edwards25519Point.stdbase()` and `Edwards448Point.stdbase()` in Appendix A of [RFC8032]:

```

def iterated_hash(seed, n):
    h = seed
    for i in range(n):
        h = hashlib.sha256(h).digest()
    return h

def bighash(seed, start, sz):
    n = -(-sz // 32)
    hashes = [iterated_hash(seed, i)
               for i in range(start, start + n)]
    return b''.join(hashes)[:sz]

def canon_pointstr(ecname, s):
    if ecname == 'edwards25519':
        return s
    elif ecname == 'edwards448':
        return s[:-1] + bytes([s[-1] & 0x80])
    else:
        return bytes([(s[0] & 1) | 2]) + s[1:]

def gen_point(seed, ecname, ec):
    for i in range(1, 1000):
        hval = bighash(seed, i, len(ec.encode()))
        pointstr = canon_pointstr(ecname, hval)
        try:
            p = ec.decode(pointstr)
            if p != ec.zero_elem() and p * p.l() == ec.zero_elem():
                return pointstr, i
        except Exception:
            pass

```

Appendix B. SPAKE2 Test Vectors

This section contains test vectors for SPAKE2, using the P256-SHA256-HKDF-HMAC ciphersuite. (The choice of MHF is omitted, and the values for w , x , and y are provided directly.) All points are encoded using the uncompressed format, i.e., with a 0x04 octet prefix, specified in [SEC1]. A and B identity strings are provided in the protocol invocation.

Line breaks have been added due to line-length limitations.

```

spake2: A='server', B='client'
w = 0x2ee57912099d31560b3a44b1184b9b4866e904c49d12ac5042c97dca461b1a5f
x = 0x43dd0fd7215bdc482879fca3220c6a968e66d70b1356cac18bb26c84a78d729
pA = 0x04a56fa807caaa53a4d28dbb9853b9815c61a411118a6fe516a8798434751470f9010153ac33d0d5f2047ffdb1a3e42c9b4e6be662766e1eeb4116988ede5f912c4
y = 0xdcb60106f276b02606d8ef0a328c02e4b629f84f89786af5befb0bc75b6e66be
pB = 0x0406557e482bd03097ad0cbaa5df82115460d951e3451962f1eaf4367a420676d09857ccbc522686c83d1852abfa8ed6e4a1155cf8f1543ceca528afb591a1e0b7
K = 0x0412af7e89717850671913e6b469ace67bd90a4df8ce45c2af19010175e37eed69f75897996d539356e2fa6a406d528501f907e04d97515fbe83db277b715d3325
TT = 0x0600000000000000073657276657206000000000000000636c69656e744100000000000004a56fa807caaa53a4d28dbb9853b9815c61a411118a6fe516a8798434751470f9010153ac33d0d5f2047ffdb1a3e42c9b4e6be662766e1eeb4116988ede5f912c4100000000000000406557e482bd03097ad0cbaa5df82115460d951e3451962f1eaf4367a420676d09857ccbc522686c83d1852abfa8ed6e4a1155cf8f1543ceca528afb591a1e0b741000000000000000412af7e89717850671913e6b469ace67bd90a4df8ce45c2af19010175e37eed69f75897996d539356e2fa6a406d528501f907e04d97515fbe83db277b715d3325200000000000000002ee57912099d31560b3a44b1184b9b4866e904c49d12ac5042c97dca461b1a5f
HASH(TT) = 0x0e0672dc86f8e45565d338b0540abe6915bdf72e2b35b5c9e5663168e960a91b
Ke = 0x0e0672dc86f8e45565d338b0540abe69
Ka = 0x15bdf72e2b35b5c9e5663168e960a91b

```

KcA = 0x00c12546835755c86d8c0db7851ae86f
KcB = 0xa9fa3406c3b781b93d804485430ca27a
A conf = 0x58ad4aa88e0b60d5061eb6b5dd93e80d9c4f00d127c65b3b35b1b5281f
ee38f0
B conf = 0xd3e2e547f1ae04f2dbdbf0fc4b79f8ecff2dff314b5d32fe9fcef2fb26
dc459b

spake2: A='', B='client'
w = 0x0548d8729f730589e579b0475a582c1608138ddf7054b73b5381c7e883e2efae
x = 0x403abbe3b1b4b9ba17e3032849759d723939a27a27b9d921c500edde18ed654b
pA = 0x04a897b769e681c62ac1c2357319a3d363f610839c4477720d24cbe32f5fd8
5f44fb92ba966578c1b712be6962498834078262caa5b441ecfa9d4a9485720e918a
y = 0x903023b6598908936ea7c929bd761af6039577a9c3f9581064187c3049d87065
pB = 0x04e0f816fd1c35e22065d5556215c097e799390d16661c386e0ecc84593974
a61b881a8c82327687d0501862970c64565560cb5671f696048050ca66ca5f8cc7fc
K = 0x048f83ec9f6e4f87cc6f9dc740bdc2769725f923364f01c84148c049a39a735e
bda82eac03e00112fd6a5710682767cff5361f7e819e53d8d3c3a2922e0d837aa6
TT = 0x000000000000000006000000000000000636c69656e7441000000000000004a
897b769e681c62ac1c2357319a3d363f610839c4477720d24cbe32f5fd85f44fb92ba9
66578c1b712be6962498834078262caa5b441ecfa9d4a9485720e918a410000000000
00004e0f816fd1c35e22065d5556215c097e799390d16661c386e0ecc84593974a61b8
81a8c82327687d0501862970c64565560cb5671f696048050ca66ca5f8cc7fc410000
000000000048f83ec9f6e4f87cc6f9dc740bdc2769725f923364f01c84148c049a39a7
35ebda82eac03e00112fd6a5710682767cff5361f7e819e53d8d3c3a2922e0d837aa62
000000000000000548d8729f730589e579b0475a582c1608138ddf7054b73b5381c7e
883e2efae
Hash(TT) = 0x642f05c473c2cd79909f9a841e2f30a70bf89b18180af97353ba198789
c2b963
Ke = 0x642f05c473c2cd79909f9a841e2f30a7
Ka = 0x0bf89b18180af97353ba198789c2b963
KcA = 0xc6be376fc7cd1301fd0a13adf3e7bffd
KcB = 0xb7243f4ae60440a49b3f8cab3c1fba07
A conf = 0x47d29e6666af1b7dd450d571233085d7a9866e4d49d2645e2df9754895
21232b
B conf = 0x3313c5cefc361d27fb16847a91c2a73b766ffa90a4839122a9b70a2f6b
d1d6df

spake2: A='server', B=''
w = 0x626e0cdc7b14c9db3e52a0b1b3a768c98e37852d5db30febe0497b14eae8c254
x = 0x07adb3db6bc623d3399726bfdbfd3d15a58ea776ab8a308b00392621291f9633
pA = 0x04f88fb71c99bffaef370966b7eb99cd4be0ffa7d335caac4211c4afd855e2
e15a873b298503ad8ba1d9cbb9a392d2ba309b48bfd7879aefd0f2cea6009763b0
y = 0xb6a4fc8dbb629d4ba51d6f91ed1532cf87adec98f25dd153a75accafafedec16
pB = 0x040c269d6be017dccb15182ac6bfcd9e2a14de019dd587eaf4bdfd353f031101
e7cca177f8eb362a6e83e7d5e729c0732e1b528879c086f39ba0f31a9661bd34db
K = 0x0445ee233b8ecb51ebd6e7da3f307e88a1616bae2166121221fdc0dadb986afa
f3ec8a988dc9c626fa3b99f58a7ca7c9b844bb3e8dd9554aafc5b53813504c1cbe2
TT = 0x060000000000000007365727665720000000000000004100000000000004f
88fb71c99bffaef370966b7eb99cd4be0ffa7d335caac4211c4afd855e2e15a873b2
98503ad8ba1d9cbb9a392d2ba309b48bfd7879aefd0f2cea6009763b0410000000000
000040c269d6be017dccb15182ac6bfcd9e2a14de019dd587eaf4bdfd353f031101e7c
ca177f8eb362a6e83e7d5e729c0732e1b528879c086f39ba0f31a9661bd34db410000
0000000000445ee233b8ecb51ebd6e7da3f307e88a1616bae2166121221fdc0dadb986
afaf3ec8a988dc9c626fa3b99f58a7ca7c9b844bb3e8dd9554aafc5b53813504c1cbe2
000000000000000626e0cdc7b14c9db3e52a0b1b3a768c98e37852d5db30febe0497b1
4eae8c254
Hash(TT) = 0x005184ff460da2ce59062c87733c299c3521297d736598fc0a1127600e
falafb
Ke = 0x005184ff460da2ce59062c87733c299c
Ka = 0x3521297d736598fc0a1127600efalafb
KcA = 0xf3da53604f0aecea5a33be7bddf6edf
KcB = 0x9e3f86848736f159bd92b6e107ec6799
A conf = 0xbc9f9bbe99f26d0b2260e6456e05a86196a3307ec6663a18bf6ac8257365
33b2
B conf = 0xc2370e1bf813b086dff0d834e74425a06e6390f48f5411900276dcccc5a2
97ec

