

Internet Engineering Task Force (IETF)  
Request for Comments: 9578  
Category: Standards Track  
ISSN: 2070-1721

S. Celi  
Brave Software  
A. Davidson  
NOVA LINCS, Universidade NOVA de Lisboa  
S. Valdez  
Google LLC  
C. A. Wood  
Cloudflare  
June 2024

## Privacy Pass Issuance Protocols

### Abstract

This document specifies two variants of the two-message issuance protocol for Privacy Pass tokens: one that produces tokens that are privately verifiable using the Issuer Private Key and one that produces tokens that are publicly verifiable using the Issuer Public Key. Instances of "issuance protocol" and "issuance protocols" in the text of this document are used interchangeably to refer to the two variants of the Privacy Pass issuance protocol.

### Status of This Memo

This is an Internet Standards Track document.

This document is a product of the Internet Engineering Task Force (IETF). It represents the consensus of the IETF community. It has received public review and has been approved for publication by the Internet Engineering Steering Group (IESG). Further information on Internet Standards is available in Section 2 of RFC 7841.

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at <https://www.rfc-editor.org/info/rfc9578>.

### Copyright Notice

Copyright (c) 2024 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code Components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

### Table of Contents

1. Introduction
2. Terminology
3. Protocol Overview
4. Configuration
5. Issuance Protocol for Privately Verifiable Tokens
  - 5.1. Client-to-Issuer Request
  - 5.2. Issuer-to-Client Response
  - 5.3. Finalization

- 5.4. Token Verification
- 5.5. Issuer Configuration
- 6. Issuance Protocol for Publicly Verifiable Tokens
  - 6.1. Client-to-Issuer Request
  - 6.2. Issuer-to-Client Response
  - 6.3. Finalization
  - 6.4. Token Verification
  - 6.5. Issuer Configuration
- 7. Security Considerations
- 8. IANA Considerations
  - 8.1. Well-Known "private-token-issuer-directory" URI
  - 8.2. Privacy Pass Token Types
    - 8.2.1. Token Type VOPRF(P-384, SHA-384)
    - 8.2.2. Token Type Blind RSA (2048-bit)
  - 8.3. Media Types
    - 8.3.1. "application/private-token-issuer-directory" Media Type
    - 8.3.2. "application/private-token-request" Media Type
    - 8.3.3. "application/private-token-response" Media Type
- 9. References
  - 9.1. Normative References
  - 9.2. Informative References
- Appendix A. Test Vectors
  - A.1. Issuance Protocol 1 - VOPRF(P-384, SHA-384)
  - A.2. Issuance Protocol 2 - Blind RSA (2048-bit)
- Acknowledgements
- Authors' Addresses

## 1. Introduction

The Privacy Pass protocol provides a privacy-preserving authorization mechanism. In essence, the protocol allows Clients to provide cryptographic tokens that prove nothing other than that they have been created by a given server in the past [ARCHITECTURE].

This document describes two issuance protocols for Privacy Pass, each of which is built on [HTTP]. It specifies two variants: one that is privately verifiable using the Issuer Private Key based on the Oblivious Pseudorandom Function (OPRF) as defined in [OPRF] and one that is publicly verifiable using the Issuer Public Key based on the blind RSA signature scheme [BLINDRSA]. Instances of "issuance protocol" and "issuance protocols" in the text of this document are used interchangeably to refer to the two variants of the Privacy Pass issuance protocol.

This document does not cover the Privacy Pass architecture, which includes (1) choices that are necessary for deployment and (2) application-specific choices for protecting Client privacy. This information is covered in [ARCHITECTURE].

## 2. Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

This document uses the terms "Origin", "Client", "Issuer", and "Token" as defined in Section 2 of [ARCHITECTURE]. Moreover, the following additional terms are used throughout this document.

**Issuer Public Key:** The public key (from a private-public key pair) used by the Issuer for issuing and verifying tokens.

**Issuer Private Key:** The private key (from a private-public key pair) used by the Issuer for issuing and verifying tokens.

Unless otherwise specified, this document encodes protocol messages in TLS notation ([TLS13], Section 3). Moreover, all constants are in network byte order.

### 3. Protocol Overview

The issuance protocols defined in this document embody the core of Privacy Pass. Clients receive TokenChallenge inputs from the redemption protocol ([AUTHSCHEME], Section 2.1) and use the issuance protocols to produce corresponding token values ([AUTHSCHEME], Section 2.2). The issuance protocol describes how Clients and Issuers interact to compute a token using a one-round protocol consisting of a TokenRequest from the Client and a TokenResponse from the Issuer. This interaction is shown below.




Figure 1: Issuance Overview

The TokenChallenge inputs to the issuance protocols described in this document can be interactive or non-interactive and can be per Origin or across Origins.

The issuance protocols defined in this document are compatible with any deployment model defined in Section 4 of [ARCHITECTURE]. The details of attestation are outside the scope of the issuance protocol; see Section 4 of [ARCHITECTURE] for information about how attestation can be implemented in each of the relevant deployment models.

This document describes two variants of the issuance protocol: one that is privately verifiable (Section 5) using the Issuer Private Key based on the OPRF [OPRF] and one that is publicly verifiable (Section 6) using the Issuer Public Key based on the blind RSA signature scheme [BLINDRSA].

### 4. Configuration

Issuers MUST provide two parameters for configuration:

Issuer Request URL: A token request URL for generating access tokens. For example, an Issuer Request URL might be <https://issuer.example.net/request>.

Issuer Public Key values: A list of Issuer Public Keys for the issuance protocol.

The Issuer parameters can be obtained from an Issuer via a directory object, which is a JSON object ([RFC8259], Section 4) whose values are other JSON values ([RFC8259], Section 3) for the parameters. The contents of this JSON object are defined in Table 1.

Field Name	Value
------------	-------

issuer-request-uri	Issuer Request URL value (as an absolute URL or as a URL relative to the directory object) as a percent-encoded URL string, represented as a JSON string ([RFC8259], Section 7)
token-keys	List of Issuer Public Key values, each represented as JSON objects ([RFC8259], Section 4)

Table 1: Issuer Directory Object Description

Each "token-keys" JSON object contains the fields and corresponding raw values defined in Table 2.

Field Name	Value
token-type	Integer value of the token type, as defined in Section 8.2, represented as a JSON number ([RFC8259], Section 6)
token-key	The base64url public key, encoded per [RFC4648], for use with the issuance protocol as determined by the token-type field, including padding, represented as a JSON string ([RFC8259], Section 7)

Table 2: Issuer "token-keys" Object Description

Each "token-keys" JSON object may also contain the optional field "not-before". The value of this field is the UNIX timestamp (number of seconds since January 1, 1970, UTC -- see Section 4.2.1 of [TIMESTAMP]) at which the key can be used. If this field is present, Clients SHOULD NOT use a token key before this timestamp, as doing so can lead to issuance failures. The purpose of this field is to assist in scheduled key rotations.

Beyond staging keys with the "not-before" value, Issuers MAY advertise multiple "token-keys" for the same token-type to facilitate key rotation. In this case, Issuers indicate their preference for which token key to use based on the order of keys in the list, with preference given to keys earlier in the list. Clients SHOULD use the first key in the "token-keys" list that either does not have a "not-before" value or has a "not-before" value in the past, since the first such key is the most likely to be valid in the given time window. Origins can attempt to use any key in the "token-keys" list to verify tokens, starting with the most preferred key in the list. Trial verifications like this can help deal with Client clock skew.

Altogether, the Issuer's directory could look like the following (with the "token-key" fields abbreviated):

```
{
  "issuer-request-uri": "https://issuer.example.net/request",
  "token-keys": [
    {
      "token-type": 2,
      "token-key": "MI...AB",
      "not-before": 1686913811,
    },
    {
      "token-type": 2,
      "token-key": "MI...AQ",
    }
  ]
}
```

```

    }
  ]
}

```

Clients that use this directory resource before 1686913811 in UNIX time would use the second key in the "token-keys" list, whereas Clients that use this directory after 1686913811 in UNIX time would use the first key in the "token-keys" list.

A complete "token-key" value, encoded as it would be in the Issuer directory, would look like the following (line breaks are inserted to fit within the per-line character limits):

```

$ echo MIIBUjA9BgqhkiG9w0BAQowMKANMA5GCWCGSAFlAwQCAqEaMBGCSqGSib3DQE \
BCDALBglghkgBZQMEAgKiAwIBMAOCAQ8AMIIBCgKCAQEAmKHGAMyeoJtlpj3n7xTtqAPr \
_DhZAPhJM7Pc8ENR2BzdZwPTTF7KFKms5wt-mL0lat0SC-cdBuIj6WYK8Ovz0AyaBuvTv \
W6SKCh7ZPXEqCGRsq5I0nthREtrYkGol13oMVPVp3sy4VHPgzd8KdzTLGzOrjiUOsSFWb \
jf2liaVjXJ2VdwdS-8O-430wkucYjGeOJwi8rWx_ZkcHtav0S67Q_SlExJel6nyRzpuuI \
D9OQmInxfs1Z4PhWBzt93T2ozTnda3Ok1F5n0pIXD6bttmTekIw_8Xx2LMis0jfJ1QL99 \
aA-muXRFN4ZUwORrF7cAccUD_-56_6fh9s34FmqBGwIDAQAB \
| sed s/-/+/g | sed s/_/\//g | openssl base64 -d \
| openssl asn1parse -dump -inform DER
  0:d=0  hl=4 l= 338 cons: SEQUENCE
  4:d=1  hl=2 l=  61 cons: SEQUENCE
  6:d=2  hl=2 l=   9 prim: OBJECT           :rsassaPss
 17:d=2  hl=2 l=  48 cons: SEQUENCE
 19:d=3  hl=2 l=  13 cons: cont [ 0 ]
 21:d=4  hl=2 l=  11 cons: SEQUENCE
 23:d=5  hl=2 l=   9 prim: OBJECT           :sha384
 34:d=3  hl=2 l=  26 cons: cont [ 1 ]
 36:d=4  hl=2 l=  24 cons: SEQUENCE
 38:d=5  hl=2 l=   9 prim: OBJECT           :mgf1
 49:d=5  hl=2 l=  11 cons: SEQUENCE
 51:d=6  hl=2 l=   9 prim: OBJECT           :sha384
 62:d=3  hl=2 l=   3 cons: cont [ 2 ]
 64:d=4  hl=2 l=   1 prim: INTEGER          :30
 67:d=1  hl=4 l= 271 prim: BIT STRING
... truncated public key bytes ...

```

Issuer directory resources have the media type "application/private-token-issuer-directory" and are located at the well-known location /.well-known/private-token-issuer-directory; see Section 8.1 for the registration information for this well-known URI. This resource is located at a well-known URI because Issuers are defined by an Origin name in TokenChallenge structures; see Section 2.1 of [AUTHSCHEME].

The Issuer directory and Issuer resources SHOULD be available on the same Origin. If an Issuer wants to service multiple different Issuer directories, they MUST create unique subdomains for each directory so the TokenChallenge defined in Section 2.1 of [AUTHSCHEME] can be differentiated correctly.

Issuers SHOULD use HTTP cache directives to permit caching of this resource [RFC5861]. The cache lifetime depends on the Issuer's key rotation schedule. Regular rotation of token keys is recommended to minimize the risk of key compromise and any harmful effects that happen due to key compromise.

Issuers can control the cache lifetime with the Cache-Control header, as follows:

```
Cache-Control: max-age=86400
```

Consumers of the Issuer directory resource SHOULD follow the usual HTTP caching semantics [RFC9111] when processing this resource. Long cache lifetimes may result in the use of stale Issuer configuration

information, whereas short lifetimes may result in decreased performance. When the use of an Issuer configuration results in token issuance failures, e.g., because the Issuer has invalidated its directory resource before its expiration time and issuance requests using this configuration are unsuccessful, the directory SHOULD be fetched and revalidated. Issuance will continue to fail until the Issuer configuration is updated.

## 5. Issuance Protocol for Privately Verifiable Tokens

The privately verifiable issuance protocol allows Clients to produce token values that verify using the Issuer Private Key. This protocol is based on the OPRF [OPRF].

Issuers provide an Issuer Private Key and Public Key, denoted  $sk_I$  and  $pk_I$ , respectively, used to produce tokens as input to the protocol. See Section 5.5 for information about how these keys are generated.

Clients provide the following as input to the issuance protocol:

**Issuer Request URL:** A URL identifying the location to which issuance requests are sent. This can be a URL derived from the "issuer-request-uri" value in the Issuer's directory resource, or it can be another Client-configured URL. The value of this parameter depends on the Client configuration and deployment model. For example, in the "Joint Origin and Issuer" deployment model ([ARCHITECTURE], Section 4.3), the Issuer Request URL might correspond to the Client's configured Attester, and the Attester is configured to relay requests to the Issuer.

**Issuer name:** An identifier for the Issuer. This is typically a hostname that can be used to construct HTTP requests to the Issuer.

**Issuer Public Key:**  $pk_I$ , with a key identifier `token_key_id` computed as described in Section 5.5.

**Challenge value:** `challenge` -- an opaque byte string. For example, this might be provided by the redemption protocol described in [AUTHSCHEME].

Given this configuration and these inputs, the two messages exchanged in this protocol are described below. This section uses notation described in [OPRF], Section 4, including `SerializeElement` and `DeserializeElement`, `SerializeScalar` and `DeserializeScalar`, and `DeriveKeyPair`.

The constants  $N_e$  and  $N_s$  are as defined in Section 4.4 ("OPRF(P-384, SHA-384)") of [OPRF]. For this protocol, the constant  $N_k$ , which is also equal to  $N_h$  as defined in Section 4.4 of [OPRF], is defined by Section 8.2.1.

### 5.1. Client-to-Issuer Request

The Client first creates a context as follows:

```
client_context = SetupVOPRFClient("P384-SHA384", pkI)
```

Here, "P384-SHA384" is the identifier corresponding to the OPRF(P-384, SHA-384) ciphersuite defined in [OPRF]. `SetupVOPRFClient` is defined in [OPRF], Section 3.2.

The Client then creates an issuance request message for a random 32-byte nonce with the input challenge and Issuer key identifier as described below:

```

nonce = random(32)
challenge_digest = SHA256(challenge)
token_input = concat(0x0001, // token-type field is 2 bytes long
                    nonce,
                    challenge_digest,
                    token_key_id)
blind, blinded_element = client_context.Blind(token_input)

```

The Blind function is discussed in Sections 3.3.1 and 3.3.2 of [OPRF]. If the Blind function fails, the Client aborts the protocol. The Client stores the nonce and challenge\_digest values locally for use when finalizing the issuance protocol to produce a token (as described in Section 5.3).

The Client then creates a TokenRequest structured as follows:

```

struct {
    uint16_t token_type = 0x0001; /* Type VOPRF(P-384, SHA-384) */
    uint8_t truncated_token_key_id;
    uint8_t blinded_msg[Ne];
} TokenRequest;

```

The structure fields are defined as follows:

- \* "token\_type" is a 2-octet integer, which matches the type in the challenge.
- \* "truncated\_token\_key\_id" is the least significant byte of the token\_key\_id (Section 5.5) in network byte order (in other words, the last 8 bits of token\_key\_id). This value is truncated so that Issuers cannot use token\_key\_id as a way of uniquely identifying Clients; see referenced information from Section 7 for more details.
- \* "blinded\_msg" is the Ne-octet blinded message defined above, computed as SerializeElement(blinded\_element).

The values token\_input and blinded\_element are stored locally for use when finalizing the issuance protocol to produce a token (as described in Section 5.3). The Client then generates an HTTP POST request to send to the Issuer Request URL, with the TokenRequest as the content. The media type for this request is "application/private-token-request". An example request for the Issuer Request URL "https://issuer.example.net/request" is shown below.

```

POST /request HTTP/1.1
Host: issuer.example.net
Accept: application/private-token-response
Content-Type: application/private-token-request
Content-Length: <Length of TokenRequest>

```

<Bytes containing the TokenRequest>

## 5.2. Issuer-to-Client Response

Upon receipt of the request, the Issuer validates the following conditions:

- \* The TokenRequest contains a supported token\_type.
- \* The TokenRequest.truncated\_token\_key\_id corresponds to the truncated key ID of a public key owned by the Issuer.
- \* The TokenRequest.blinded\_msg is of the correct size.

If any of these conditions are not met, the Issuer MUST return an

HTTP 422 (Unprocessable Content) error to the Client.

If these conditions are met, the Issuer then tries to deserialize `TokenRequest.blinded_msg` using `DeserializeElement ([OPRF], Section 2.1)`, yielding `blinded_element`. If this fails, the Issuer MUST return an HTTP 422 (Unprocessable Content) error to the Client. Otherwise, if the Issuer is willing to produce a token to the Client, the Issuer completes the issuance flow by computing a blinded response as follows:

```
server_context = SetupVOPRFServer("P384-SHA384", skI)
evaluate_element, proof =
    server_context.BlindEvaluate(skI, pkI, blinded_element)
```

`SetupVOPRFServer` is defined in [OPRF], Section 3.2, and `BlindEvaluate` is defined in [OPRF], Section 3.3.2. The Issuer then creates a `TokenResponse` structured as follows:

```
struct {
    uint8_t evaluate_msg[Ne];
    uint8_t evaluate_proof[Ns+Ns];
} TokenResponse;
```

The structure fields are defined as follows:

- \* "evaluate\_msg" is the Ne-octet evaluated message, computed as `SerializeElement(evaluate_element)`.
- \* "evaluate\_proof" is the (Ns+Ns)-octet serialized proof, which is a pair of Scalar values, computed as `concat(SerializeScalar(proof[0]), SerializeScalar(proof[1]))`.

The Issuer generates an HTTP response with status code 200 whose content consists of `TokenResponse`, with the content type set as "application/private-token-response".

```
HTTP/1.1 200 OK
Content-Type: application/private-token-response
Content-Length: <Length of TokenResponse>
```

<Bytes containing the TokenResponse>

### 5.3. Finalization

Upon receipt, the Client handles the response and, if successful, deserializes the content values `TokenResponse.evaluate_msg` and `TokenResponse.evaluate_proof`, yielding `evaluated_element` and `proof`. If deserialization of either value fails, the Client aborts the protocol. Otherwise, the Client processes the response as follows:

```
authenticator = client_context.Finalize(token_input, blind,
                                         evaluated_element,
                                         blinded_element,
                                         proof)
```

The `Finalize` function is defined in [OPRF], Section 3.3.2. If this succeeds, the Client then constructs a token as follows:

```
struct {
    uint16_t token_type = 0x0001; /* Type VOPRF(P-384, SHA-384) */
    uint8_t nonce[32];
    uint8_t challenge_digest[32];
    uint8_t token_key_id[32];
    uint8_t authenticator[Nk];
} Token;
```



The Token.nonce value is the value that was created according to Section 5.4. If the Finalize function fails, the Client aborts the protocol.

#### 5.4. Token Verification

Verifying a token requires creating a Verifiable Oblivious Pseudorandom Function (VOPRF) context using the Issuer Private Key and Public Key, evaluating the token contents, and comparing the result against the token authenticator value:

```
server_context = SetupVOPRFServer("P384-SHA384", skI)
token_authenticator_input =
    concat(Token.token_type,
           Token.nonce,
           Token.challenge_digest,
           Token.token_key_id)
token_authenticator =
    server_context.Evaluate(token_authenticator_input)
valid = (token_authenticator == Token.authenticator)
```

#### 5.5. Issuer Configuration

Issuers are configured with Issuer Private Keys and Public Keys, each denoted skI and pkI, respectively, used to produce tokens. These keys MUST NOT be reused in other protocols. A RECOMMENDED method for generating keys is as follows:

```
seed = random(Ns)
(skI, pkI) = DeriveKeyPair(seed, "PrivacyPass")
```

The DeriveKeyPair function is defined in [OPRF], Section 3.2.1. The key identifier for a public key pkI, denoted token\_key\_id, is computed as follows:

```
token_key_id = SHA256(SerializeElement(pkI))
```

Since Clients truncate token\_key\_id in each TokenRequest, Issuers SHOULD ensure that the truncated forms of new key IDs do not collide with other truncated key IDs in rotation. Collisions can cause the Issuer to use the wrong Issuer Private Key for issuance, which will in turn cause the resulting tokens to be invalid. There is no known security consequence of using the wrong Issuer Private Key. A possible exception to this constraint would be a colliding key that is still in use but is in the process of being rotated out, in which case the collision cannot reasonably be avoided; however, this situation is expected to be transient.

### 6. Issuance Protocol for Publicly Verifiable Tokens

This section describes a variant of the issuance protocol discussed in Section 5 for producing publicly verifiable tokens using the protocol defined in [BLINDRSA]. In particular, this variant of the issuance protocol works for the RSABSSA-SHA384-PSS-Deterministic and RSABSSA-SHA384-PSSZERO-Deterministic blind RSA protocol variants described in Section 5 of [BLINDRSA].

The publicly verifiable issuance protocol differs from the protocol defined in Section 5 in that the output tokens are publicly verifiable by anyone with the Issuer Public Key. This means any Origin can select a given Issuer to produce tokens, as long as the Origin has the Issuer Public Key, without explicit coordination or permission from the Issuer. This is because the Issuer does not learn the Origin that requested the token during the issuance protocol.

Beyond this difference, the publicly verifiable issuance protocol variant is nearly identical to the privately verifiable issuance protocol variant. In particular, Issuers provide an Issuer Private Key and Public Key, denoted `skI` and `pkI`, respectively, used to produce tokens as input to the protocol. See Section 6.5 for information about how these keys are generated.

Clients provide the following as input to the issuance protocol:

**Issuer Request URL:** A URL identifying the location to which issuance requests are sent. This can be a URL derived from the "issuer-request-uri" value in the Issuer's directory resource, or it can be another Client-configured URL. The value of this parameter depends on the Client configuration and deployment model. For example, in the "Split Origin, Attester, Issuer" deployment model ([ARCHITECTURE], Section 4.4), the Issuer Request URL might correspond to the Client's configured Attester, and the Attester is configured to relay requests to the Issuer.

**Issuer name:** An identifier for the Issuer. This is typically a hostname that can be used to construct HTTP requests to the Issuer.

**Issuer Public Key:** `pkI`, with a key identifier `token_key_id` computed as described in Section 6.5.

**Challenge value:** `challenge` -- an opaque byte string. For example, this might be provided by the redemption protocol described in [AUTHSCHEME].

Given this configuration and these inputs, the two messages exchanged in this protocol are described below. For this protocol, the constant `Nk` is defined by Section 8.2.2.

### 6.1. Client-to-Issuer Request

The Client first creates an issuance request message for a random 32-byte nonce using the input challenge and Issuer key identifier as follows:

```
nonce = random(32)
challenge_digest = SHA256(challenge)
token_input = concat(0x0002, // token-type field is 2 bytes long
                    nonce,
                    challenge_digest,
                    token_key_id)
blinded_msg, blind_inv =
    Blind(pkI, PrepareIdentity(token_input))
```

The `PrepareIdentity` and `Blind` functions are defined in Sections 4.1 and 4.2 of [BLINDRSA], respectively. The Client stores the nonce and `challenge_digest` values locally for use when finalizing the issuance protocol to produce a token (as described in Section 6.3).

The Client then creates a `TokenRequest` structured as follows:

```
struct {
    uint16_t token_type = 0x0002; /* Type Blind RSA (2048-bit) */
    uint8_t truncated_token_key_id;
    uint8_t blinded_msg[Nk];
} TokenRequest;
```

The structure fields are defined as follows:

\* "token\_type" is a 2-octet integer, which matches the type in the challenge.

- \* "truncated\_token\_key\_id" is the least significant byte of the token\_key\_id (Section 6.5) in network byte order (in other words, the last 8 bits of token\_key\_id). This value is truncated so that Issuers cannot use token\_key\_id as a way of uniquely identifying Clients; see referenced information from Section 7 for more details.
- \* "blinded\_msg" is the Nk-octet request defined above.

The Client then generates an HTTP POST request to send to the Issuer Request URL, with the TokenRequest as the content. The media type for this request is "application/private-token-request". An example request for the Issuer Request URL "https://issuer.example.net/request" is shown below.

```
POST /request HTTP/1.1
Host: issuer.example.net
Accept: application/private-token-response
Content-Type: application/private-token-request
Content-Length: <Length of TokenRequest>
```

<Bytes containing the TokenRequest>

## 6.2. Issuer-to-Client Response

Upon receipt of the request, the Issuer validates the following conditions:

- \* The TokenRequest contains a supported token\_type.
- \* The TokenRequest.truncated\_token\_key\_id corresponds to the truncated key ID of an Issuer Public Key.
- \* The TokenRequest.blinded\_msg is of the correct size.

If any of these conditions are not met, the Issuer MUST return an HTTP 422 (Unprocessable Content) error to the Client. Otherwise, if the Issuer is willing to produce a token to the Client, the Issuer completes the issuance flow by computing a blinded response as follows:

```
blind_sig = BlindSign(skI, TokenRequest.blinded_msg)
```

The BlindSign function is defined in Section 4.3 of [BLINDRSA]. The result is encoded and transmitted to the Client in the following TokenResponse structure:

```
struct {
    uint8_t blind_sig[Nk];
} TokenResponse;
```

The Issuer generates an HTTP response with status code 200 whose content consists of TokenResponse, with the content type set as "application/private-token-response".

```
HTTP/1.1 200 OK
Content-Type: application/private-token-response
Content-Length: <Length of TokenResponse>
```

<Bytes containing the TokenResponse>

## 6.3. Finalization

Upon receipt, the Client handles the response and, if successful, processes the content as follows:

```

authenticator =
    Finalize(pkI, PrepareIdentity(token_input), blind_sig, blind_inv)

```

The Finalize function is defined in Section 4.4 of [BLINDRSA]. If this succeeds, the Client then constructs a token as described in [AUTHSCHEME] as follows:

```

struct {
    uint16_t token_type = 0x0002; /* Type Blind RSA (2048-bit) */
    uint8_t nonce[32];
    uint8_t challenge_digest[32];
    uint8_t token_key_id[32];
    uint8_t authenticator[Nk];
} Token;

```

The Token.nonce value is the value that was sampled according to Section 6.1. If the Finalize function fails, the Client aborts the protocol.

#### 6.4. Token Verification

Verifying a token requires checking that Token.authenticator is a valid signature over the remainder of the token input using the Issuer Public Key. The function RSASSA-PSS-VERIFY is defined in Section 8.1.2 of [RFC8017], using SHA-384 as the hash function, MGF1 with SHA-384 as the Probabilistic Signature Scheme (PSS) mask generation function (MGF), and a 48-byte salt length (sLen).

```

token_authenticator_input =
    concat(Token.token_type,
           Token.nonce,
           Token.challenge_digest,
           Token.token_key_id)
valid = RSASSA-PSS-VERIFY(pkI,
                          token_authenticator_input,
                          Token.authenticator)

```

#### 6.5. Issuer Configuration

Issuers are configured with Issuer Private Keys and Public Keys, each denoted skI and pkI, respectively, used to produce tokens. Each key SHALL be generated securely -- for example, as specified in FIPS 186-5 [DSS]. These keys MUST NOT be reused in other protocols.

The key identifier for an Issuer Private Key and Public Key (skI, pkI), denoted token\_key\_id, is computed as SHA256(encoded\_key), where encoded\_key is a DER-encoded SubjectPublicKeyInfo (SPKI) object [RFC5280] carrying pkI as a DER-encoded RSAPublicKey value [RFC5756] in the subjectPublicKey field. Additionally, (1) the SPKI object MUST use the id-RSASSA-PSS object identifier in the algorithm field within the SPKI object and (2) the parameters field MUST contain an RSASSA-PSS-params value and MUST include the hashAlgorithm, maskGenAlgorithm, and saltLength values. The saltLength MUST match the output size of the hash function associated with the public key and token type.

An example sequence of the SPKI object (in ASN.1 format, with the actual public key bytes truncated) for a 2048-bit key is shown below:

```

$ cat spki.bin | xxd -r -p | openssl asn1parse -dump -inform DER
    0:d=0  hl=4  l= 338 cons: SEQUENCE
    4:d=1  hl=2  l=  61 cons: SEQUENCE
    6:d=2  hl=2  l=   9 prim: OBJECT              :rsassaPss
   17:d=2  hl=2  l=  48 cons: SEQUENCE
   19:d=3  hl=2  l=  13 cons: cont [ 0 ]

```

```

21:d=4 hl=2 l= 11 cons: SEQUENCE
23:d=5 hl=2 l= 9 prim: OBJECT           :sha384
34:d=3 hl=2 l= 26 cons: cont [ 1 ]
36:d=4 hl=2 l= 24 cons: SEQUENCE
38:d=5 hl=2 l= 9 prim: OBJECT           :mgf1
49:d=5 hl=2 l= 11 cons: SEQUENCE
51:d=6 hl=2 l= 9 prim: OBJECT           :sha384
62:d=3 hl=2 l= 3 cons: cont [ 2 ]
64:d=4 hl=2 l= 1 prim: INTEGER          :30
67:d=1 hl=4 l= 271 prim: BIT STRING
... truncated public key bytes ...

```

Since Clients truncate `token_key_id` in each `TokenRequest`, Issuers SHOULD ensure that the truncated forms of new key IDs do not collide with other truncated key IDs in rotation. Collisions can cause the Issuer to use the wrong Issuer Private Key for issuance, which will in turn cause the resulting tokens to be invalid. There is no known security consequence of using the wrong Issuer Private Key. A possible exception to this constraint would be a colliding key that is still in use but is in the process of being rotated out, in which case the collision cannot reasonably be avoided; however, this situation is expected to be transient.

## 7. Security Considerations

This document outlines how to instantiate the issuance protocol based on the VOPRF defined in [OPRF] and the blind RSA protocol defined in [BLINDRSA]. All security considerations described in the VOPRF and blind RSA documents also apply in the Privacy Pass use case. Considerations related to broader privacy and security concerns in a multi-Client and multi-Issuer setting are covered in the architecture document [ARCHITECTURE]. In particular, Sections 4 and 5 of [ARCHITECTURE] discuss relevant privacy considerations influenced by the Privacy Pass deployment models, and Section 6 of [ARCHITECTURE] discusses privacy considerations that apply regardless of deployment model. Notable considerations include those pertaining to Issuer Public Key rotation and consistency -- where consistency is as described in [CONSISTENCY] -- and Issuer selection.

## 8. IANA Considerations

### 8.1. Well-Known "private-token-issuer-directory" URI

IANA has updated the "Well-Known URIs" registry [WellKnownURIs] with the following values.

URI Suffix	Change Controller	Reference	Status	Related Information
private-token-issuer-directory	IETF	RFC 9578	permanent	None

Table 3: "private-token-issuer-directory" Well-Known URI

### 8.2. Privacy Pass Token Types

IANA has updated the "Privacy Pass Token Types" registry [PrivPassTokenTypes] with the entries below.

#### 8.2.1. Token Type VOPRF(P-384, SHA-384)

```

Value: 0x0001
Name:  VOPRF(P-384, SHA-384)

```

Token Structure: As defined in Section 2.2 of [AUTHSCHEME].  
Token Key Encoding: Serialized using SerializeElement (Section 2.1 of [OPRF]).  
TokenChallenge Structure: As defined in Section 2.1 of [AUTHSCHEME].  
Publicly Verifiable: N  
Public Metadata: N  
Private Metadata: N  
Nk: 48  
Nid: 32  
Change controller: IETF  
Reference: RFC 9578, Section 5  
Notes: None

#### 8.2.2. Token Type Blind RSA (2048-bit)

Value: 0x0002  
Name: Blind RSA (2048-bit)  
Token Structure: As defined in Section 2.2 of [AUTHSCHEME].  
Token Key Encoding: Serialized as a DER-encoded SubjectPublicKeyInfo (SPKI) object using the RSASSA-PSS OID [RFC5756].  
TokenChallenge Structure: As defined in Section 2.1 of [AUTHSCHEME].  
Publicly Verifiable: Y  
Public Metadata: N  
Private Metadata: N  
Nk: 256  
Nid: 32  
Change controller: IETF  
Reference: RFC 9578, Section 6  
Notes: The RSABSSA-SHA384-PSS-Deterministic and RSABSSA-SHA384-PSSZERO-Deterministic variants are supported.

#### 8.3. Media Types

IANA has added the following entries to the "Media Types" registry [MediaTypes]:

- \* "application/private-token-issuer-directory"
- \* "application/private-token-request"
- \* "application/private-token-response"

The templates for these entries are listed below. The reference is this RFC.

##### 8.3.1. "application/private-token-issuer-directory" Media Type

Type name: application

Subtype name: private-token-issuer-directory

Required parameters: N/A

Optional parameters: N/A

Encoding considerations: binary

Security considerations: See Section 7 of RFC 9578.

Interoperability considerations: N/A

Published specification: RFC 9578

Applications that use this media type: Services that implement the Privacy Pass Issuer role, and Client applications that interact with the Issuer for the purposes of issuing or redeeming tokens.

Fragment identifier considerations: N/A

Additional information:

Deprecated alias names for this type: N/A

Magic number(s): N/A

File extension(s): N/A

Macintosh file type code(s): N/A

Person & email address to contact for further information: See the  
Authors' Addresses section of RFC 9578.

Intended usage: COMMON

Restrictions on usage: N/A

Author: See the Authors' Addresses section of RFC 9578.

Change controller: IETF

#### 8.3.2. "application/private-token-request" Media Type

Type name: application

Subtype name: private-token-request

Required parameters: N/A

Optional parameters: N/A

Encoding considerations: binary

Security considerations: See Section 7 of RFC 9578.

Interoperability considerations: N/A

Published specification: RFC 9578

Applications that use this media type: Applications that want to  
issue or facilitate issuance of Privacy Pass tokens, including  
Privacy Pass Issuer applications themselves.

Fragment identifier considerations: N/A

Additional information:

Deprecated alias names for this type: N/A

Magic number(s): N/A

File extension(s): N/A

Macintosh file type code(s): N/A

Person & email address to contact for further information: See the  
Authors' Addresses section of RFC 9578.

Intended usage: COMMON

Restrictions on usage: N/A

Author: See the Authors' Addresses section of RFC 9578.

Change controller: IETF

#### 8.3.3. "application/private-token-response" Media Type

Type name: application

Subtype name: private-token-response

Required parameters: N/A

Optional parameters: N/A

Encoding considerations: binary

Security considerations: See Section 7 of RFC 9578.

Interoperability considerations: N/A

Published specification: RFC 9578

Applications that use this media type: Applications that want to issue or facilitate issuance of Privacy Pass tokens, including Privacy Pass Issuer applications themselves.

Fragment identifier considerations: N/A

Additional information:

Deprecated alias names for this type: N/A

Magic number(s): N/A

File extension(s): N/A

Macintosh file type code(s): N/A

Person & email address to contact for further information: See the Authors' Addresses section of RFC 9578.

Intended usage: COMMON

Restrictions on usage: N/A

Author: See the Authors' Addresses section of RFC 9578.

Change controller: IETF

## 9. References

### 9.1. Normative References

#### [ARCHITECTURE]

Davidson, A., Iyengar, J., and C. A. Wood, "The Privacy Pass Architecture", RFC 9576, DOI 10.17487/RFC9576, June 2024, <<https://www.rfc-editor.org/info/rfc9576>>.

#### [AUTHSCHEME]

Pauly, T., Valdez, S., and C. A. Wood, "The Privacy Pass HTTP Authentication Scheme", RFC 9577, DOI 10.17487/RFC9577, June 2024, <<https://www.rfc-editor.org/info/rfc9577>>.

[BLINDRSA] Denis, F., Jacobs, F., and C. A. Wood, "RSA Blind Signatures", RFC 9474, DOI 10.17487/RFC9474, October 2023, <<https://www.rfc-editor.org/info/rfc9474>>.

[HTTP] Fielding, R., Ed., Nottingham, M., Ed., and J. Reschke, Ed., "HTTP Semantics", STD 97, RFC 9110, DOI 10.17487/RFC9110, June 2022, <<https://www.rfc-editor.org/info/rfc9110>>.

#### [MediaTypes]

IANA, "Media Types", <<https://www.iana.org/assignments/media-types/>>.



- [OPRF] Davidson, A., Faz-Hernandez, A., Sullivan, N., and C. A. Wood, "Oblivious Pseudorandom Functions (OPRFs) Using Prime-Order Groups", RFC 9497, DOI 10.17487/RFC9497, December 2023, <<https://www.rfc-editor.org/info/rfc9497>>.
- [PrivPassTokenTypes] IANA, "Privacy Pass Token Types", <<https://www.iana.org/assignments/privacy-pass/>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC4648] Josefsson, S., "The Base16, Base32, and Base64 Data Encodings", RFC 4648, DOI 10.17487/RFC4648, October 2006, <<https://www.rfc-editor.org/info/rfc4648>>.
- [RFC5756] Turner, S., Brown, D., Yiu, K., Housley, R., and T. Polk, "Updates for RSAES-OAEP and RSASSA-PSS Algorithm Parameters", RFC 5756, DOI 10.17487/RFC5756, January 2010, <<https://www.rfc-editor.org/info/rfc5756>>.
- [RFC5861] Nottingham, M., "HTTP Cache-Control Extensions for Stale Content", RFC 5861, DOI 10.17487/RFC5861, May 2010, <<https://www.rfc-editor.org/info/rfc5861>>.
- [RFC8017] Moriarty, K., Ed., Kaliski, B., Jonsson, J., and A. Rusch, "PKCS #1: RSA Cryptography Specifications Version 2.2", RFC 8017, DOI 10.17487/RFC8017, November 2016, <<https://www.rfc-editor.org/info/rfc8017>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC8259] Bray, T., Ed., "The JavaScript Object Notation (JSON) Data Interchange Format", STD 90, RFC 8259, DOI 10.17487/RFC8259, December 2017, <<https://www.rfc-editor.org/info/rfc8259>>.
- [RFC9111] Fielding, R., Ed., Nottingham, M., Ed., and J. Reschke, Ed., "HTTP Caching", STD 98, RFC 9111, DOI 10.17487/RFC9111, June 2022, <<https://www.rfc-editor.org/info/rfc9111>>.
- [TIMESTAMP] Mizrahi, T., Fabini, J., and A. Morton, "Guidelines for Defining Packet Timestamps", RFC 8877, DOI 10.17487/RFC8877, September 2020, <<https://www.rfc-editor.org/info/rfc8877>>.
- [TLS13] Rescorla, E., "The Transport Layer Security (TLS) Protocol Version 1.3", RFC 8446, DOI 10.17487/RFC8446, August 2018, <<https://www.rfc-editor.org/info/rfc8446>>.
- [WellKnownURIs] IANA, "Well-Known URIs", <<https://www.iana.org/assignments/well-known-uris/>>.

## 9.2. Informative References

- [CONSISTENCY] Davidson, A., Finkel, M., Thomson, M., and C. A. Wood, "Key Consistency and Discovery", Work in Progress,

Internet-Draft, draft-ietf-privacypass-key-consistency-01, 10 July 2023, <<https://datatracker.ietf.org/doc/html/draft-ietf-privacypass-key-consistency-01>>.

[DSS] National Institute of Standards and Technology, "Digital Signature Standard (DSS)", NIST FIPS Publication 186-5, DOI 10.6028/NIST.FIPS.186-5, February 2023, <<https://doi.org/10.6028/nist.fips.186-5>>.

[RFC5280] Cooper, D., Santesson, S., Farrell, S., Boeyen, S., Housley, R., and W. Polk, "Internet X.509 Public Key Infrastructure Certificate and Certificate Revocation List (CRL) Profile", RFC 5280, DOI 10.17487/RFC5280, May 2008, <<https://www.rfc-editor.org/info/rfc5280>>.

## Appendix A. Test Vectors

This section includes test vectors for the two basic issuance protocols specified in this document. Appendix A.1 contains test vectors for token issuance protocol 1 (0x0001), and Appendix A.2 contains test vectors for token issuance protocol 2 (0x0002).

### A.1. Issuance Protocol 1 - VOPRF(P-384, SHA-384)

The test vectors below list the following values:

skI: The Issuer Private Key, serialized using `SerializeScalar` ([OPRF], Section 2.1) and represented as a hexadecimal string.

pkI: The Issuer Public Key, serialized according to the encoding in Section 8.2.1.

token\_challenge: A randomly generated `TokenChallenge` structure, represented as a hexadecimal string.

nonce: The 32-byte Client nonce generated according to Section 5.1, represented as a hexadecimal string.

blind: The blind used when computing the OPRF blinded message, serialized using `SerializeScalar` ([OPRF], Section 2.1) and represented as a hexadecimal string.

token\_request: The `TokenRequest` message constructed according to Section 5.1, represented as a hexadecimal string.

token\_response: The `TokenResponse` message constructed according to Section 5.2, represented as a hexadecimal string.

token: The output token from the protocol, represented as a hexadecimal string.

// Test vector 1

skI: 39b0d04d3732459288fc5edb89bb02c2aa42e06709f201d6c518871d518114910bee3c919bed1bbffe3fclb87d53240a

pkI: 02d45bf522425cdd2227d3f27d245d9d563008829252172d34e48469290c21dala46d42ca38f7beabdf05c074aee1455bf

token\_challenge: 0001000e6973737565722e6578616d706c65205de58a52fcdaef25ca3f65448d04e040fb1924e8264acfcfc6c5ad451d582b3000e6f726967696e2e6578616d706c65

nonce:

6aa422c41b59d3e44a136dd439df2454e3587ee5f3697798cdc05fafa73073b8

blind: 8e7fd80970b8a00b0931b801a2e22d9903d83bd5597c6a4dc1496ed2b17ef820445ef3bd223f3ab2c4f54c5d1c956909

token\_request: 0001f4030ab3e23181d1e213f24315f5775983c678ce22eff9427610832ab3900f2cd12d6829a07ec8a6813cf0b5b886f4cc4979

token\_response: 036bb3c5c397d88c3527cf9f08f1fe63687b867e85c930c49

ee2c222408d4903722a19ff272ac97e3725b947c972784ebfe86eb9ea54336e43  
34ea9660212c0c85fbadfbf491a1ce2446fc3379337fccd45c1059b2bc760110e  
e1ec227d8e01c9f482c00c47ffa0dbe2fb58c32dde2b1dbe69fff920a528e68dd  
9b3c2483848e57c30542b8984fa6bfecd6d71d54d53eda  
token: 00016aa422c41b59d3e44a136dd439df2454e3587ee5f3697798cdc05f  
afe73073b8501370b494089dc462802af545e63809581ee6ef57890a12105c283  
68169514bf260d0792bf7f46c9866a6d37c3032d8714415f87f5f6903d7fb071e  
253be2f4e0a835d76528b8444f73789ee7dc90715b01c17902fd87375c00a7a9d  
3d92540437f470773be20f71e721da3af40edeb

// Test vector 2

skI: 39efed331527cc4ddff9722ab5cd35aeafe7c27520b0cfa2eedbdc298dc3  
b12bc8298afcc46558af1e2eeacc5307d865  
pkI: 038017e005904c6146b37109d6c2a72b95a183aaa9ed951b8d8fb1ed9033  
f68033284d175e7df89849475cd67a86bfbf4e  
token\_challenge: 0001000e6973737565722e6578616d706c6500000e6f7269  
67696e2e6578616d706c65  
nonce:  
7617bc802cfdb5d74722ef7418bdbb4f2c88403820e55fe7ec07d3190c29d665  
blind: 6492ee50072fa18d035d69c4246362dffe2621afb95a10c033bb0109e0  
f705b0437c425553272e0aa5266ec379e7015e  
token\_request: 000133033a5fe04a39da1bbfb68ccdeecd1917474dd525462e  
5a90a6ba53b42aaa1486fe443a2e1c7f3fd5ff028a1c7cf1aeac5d  
token\_response: 023bf8cd624880d669c5cc6c88b056355c6e8e1bcbf3746cf  
b9ab9248a4c056f23a4876ef998a8b6b281d50f852c6fa868fc4fa135c79ccb5f  
bdf8bf3c926e10c7c12f934a887d86da4a4e5be70f5a169aa75720887bb690536  
92a8f11f9cda7a72f281e4e3568e848225367946c70db09e718e3cba16193987b  
c10bede3ef54c4d036c17cd4015bb113be60d7aa927e0d  
token: 00017617bc802cfdb5d74722ef7418bdbb4f2c88403820e55fe7ec07d3  
190c29d665c994f7d5cdc2fb970b13d4e8eb6e6d8f9dcdaa65851fb091025dfe1  
34bd5a62a116477bc9e1a205cca95d0c92335ca7a3e71063b2ac020bdd231c660  
97f12333ef438d00801bca5ace0fab8eb483dc04cd62578b95b5652921cd2698c  
45ea74f6c8827b4e19f01140fa5bd039866f562

// Test vector 3

skI: 2b7709595b62b784f14946ae828f65e6caeba6eefe732c86e9ae50e818c0  
55b3d7ca3a5f2beecaa859a62ff7199d35cc  
pkI: 03a0delbf3fd0a73384283b648884ba9fa5dee190f9d7ad4292c2fd49d8b  
4d64db674059df67f5bd7e626475c78934ae8d  
token\_challenge: 0001000e6973737565722e6578616d706c65000017666f6f  
2e6578616d706c652c6261722e6578616d706c65  
nonce:  
87499b5930918d2d83ecef92d25ca0722aa11b80dbbfd950537c28aa7d3a9df  
blind: 1f659584626ba15f44f3d887b2e5fe4c27315b185dfbfaea4253ebba30  
610c4d9b73c78714c142360e85a00942c0fcff  
token\_request: 0001c8024610a9f3aac21090f3079d6809437a2b94b4403c7e  
645f849bc6c505dade154c258c8ecd4d2bdcf574daca65db671908  
token\_response: 03c2ab925d03e7793b4a4df6eb505210139f620359e142449  
1b8143c06a3e5298b25b662c33256411be7277233e1a34570f7a4d142d931e4b5  
ff8829e27aaf7eb2cc7f9ab655477d71c01d5da5aef44dd076b5820b4710ef025  
a9e6c6b50a95af6105c5987c1b834d615008cf6370556ed00c6671e69776c09a9  
2b5ac84804750dd867c78817bdf69f1443002b18ae7a52  
token: 000187499b5930918d2d83ecef92d25ca0722aa11b80dbbfd950537c2  
8aa7d3a9df1949fd455872478ba87e2e6c513c3261cddbe57220581245e4c9c91  
1dd1c0bb865785bfff8f3cfe08ccbb3a7b8e41d23a172871be4828cc54582d87b  
c7cfc5c8bcdcd1868ebc845b000c317ed75312274a42b10be6db23bd8a168fd2f  
021c23925d72c4d14cd7588c03845da0d41a326

// Test vector 4

skI: 22e237b7b983d77474e4495aff2fc1e10422b1d955192e0fbf2b7b618fba  
625fcb94b599da9113da49c495a48fbf7f7f  
pkI: 028cd68715caa20d19b2b20d017d6a0a42b9f2b0a47db65e5e763e23744f  
e14d74e374bbc93a2ec3970eb53c8aa765ee21  
token\_challenge: 0001000e6973737565722e6578616d706c65000000  
nonce:  
02f0a206752d555a24924f2da5942a1bb4cb2d83ff473aa8b2bc3a89e820cd43

```

blind: af91d1dbcf6b46baecde70eb305b8fe75629199cca19c7f9344b8607b9
0def27bc53e0345ade32c9fd0a1efda056d1c0
token_request: 0001a503632ebb003ed15b6de4557c047c7f81a58688143331
2ad3ad7f9416f2dfc940d3f439ad1e8cd677d94ae7c05bc958d134
token_response: 032018bc3f180d9650e27f72de76a90b47e336ae9cb058548
d851c7046fa0875d96346c15cb39d8083cc6fb57216544c6a815c37d792769e12
9c0513ce2034c3286cb212548f4aed1b0f71b28e219a71874a93e53ab2f473282
71d1e9cbefc197a4f599a6825051fa1c6e55450042f04182b86c9cf12477a9f16
849396c051fa27012e81a86e6c4a9204a063f1e1722dd7
token: 000102f0a206752d555a24924f2da5942a1bb4cb2d83ff473aa8b2bc3a
89e820cd43085cb06952044c7655b412ab7d484c97b97c48c79c568140b8d49a0
2ca47a9cfb0a5cfb861290c4dbd8fd9b60ee9b1a1a54cf47c98531fe253f1ed6d
875de5a58f42db12b540b0d11bc5d6b42e6d17c2b73e98631e54d40fd2901ebec
4268668535b03cbf76f7f15a29d623a64cab0c4

// Test vector 5
skI: 46f3d4f562002b85ffcfdb4d06835fb9b2e24372861ecaa11357fd1f29f9
ed26e44715549ccedeb39257f095110f0159
pkI: 02fbe9da0b7cabe3ec51c36c8487b10909142b59af030c728a5e87bb3b30
f54c06415d22e03d9212bd3d9a17d5520d4d0f
token_challenge: 0001000e6973737565722e6578616d706c65205de58a52fc
daef25ca3f65448d04e040fb1924e8264acfcfc6c5ad451d582b30000
nonce:
9ee54942d8a1604452a76856b1bfaf1cd608e1e3fa38acfd9f13e84483c90e89
blind: 76e0938e824b6cda6c163ff55d0298d539e222ed3984f4e31bbb654a8c
59671d4e0a7e264ca758cd0f4b533e0f60c5aa
token_request: 0001e10202bc92ac516c867f39399d71976018db52fcab5403
f8534a65677ba9e1e7d9b1d01767d137884c86cf5fe698c2f5d8e9
token_response: 0322ea3856a71533796393229b33d33c02cd714e40d5aa4e0
71f056276f32f89c09947eca8ff119d940d9d57c2fcbd83d2da494ddeb37dc1f6
78e5661a8e7bcc96b3477eb89d708b0ce10e0ealb5ce0001f9332f743c0cc3d47
48233fea6d3152fae7844821268eb96ba491f60b1a3a848849310a39e9ef59121
669aa5d5dbb4b4deb532d2f907a01c5b39efaf23985080
token: 00019ee54942d8a1604452a76856b1bfaf1cd608e1e3fa38acfd9f13e8
4483c90e89d4380df12a1727f4e2calee0d7abea0d0fb1e9506507a4dd618f9b8
7e79f9f3521a7c9134d6722925bf622a994041cdbl082cdf1309af32f0ce00ca
1dab63elb603747a8a5c3b46c7c2853de5ec7af8cac7cf3e089cecdc9ed3ff05c
d24504fe4f6c52d24ac901471267d8b63b61e6b

```

## A.2. Issuance Protocol 2 - Blind RSA (2048-bit)

The test vectors below list the following values:

skI: The PEM-encoded PKCS #8 RSA Issuer Private Key used for signing tokens, represented as a hexadecimal string.

pkI: The Issuer Public Key, serialized according to the encoding in Section 8.2.2.

token\_challenge: A randomly generated TokenChallenge structure, represented as a hexadecimal string.

nonce: The 32-byte Client nonce generated according to Section 6.1, represented as a hexadecimal string.

blind: The blind used when computing the blind RSA blinded message, represented as a hexadecimal string.

salt: The randomly generated 48-byte salt used when encoding the blinded TokenRequest message, represented as a hexadecimal string.

token\_request: The TokenRequest message constructed according to Section 6.1, represented as a hexadecimal string.

token\_response: The TokenResponse message constructed according to Section 6.2, represented as a hexadecimal string.

token: The output token from the protocol, represented as a hexadecimal string.

```
// Test vector 1
skI: 2d2d2d2d2d424547494e2050524956415445204b45592d2d2d2d2d0a4d49
4945765149424144414e42676b71686b6947397730424151454641415343424b6
3776767536a41674541416f49424151444c4775317261705831736334420a4f6b
7a38717957355379356b6f6a41303543554b66717444774e38366a424b5a4f764
57245526b49314c527876734d6453327961326333616b4745714c756b440a556a
35743561496b3172417643655844644e44503442325055707851436e6969396e6
b492b6d67725769744444494871386139793137586e6c5079596f784f530a646f
6558563835464f314a752b62397336356d586d34516a755139455961497138337
1724450567a50335758712b524e4d636379323269686763624c766d42390a6a41
355334475666325a6c74785954736f4c364872377a58696a4e394637486271656
76f753967654b524d584645352f2b4a3956595a634a734a624c756570480a544f
72535a4d4948502b5358514d4166414f454a4547426d6d4430683566672f43473
475676a79486e4e51383733414e4b6a55716d3676574574413872514c620a4530
742b496c706641674d4241414543676745414c7a4362647a69316a506435384d6
b562b434c6679665351322b7266486e7266724665502f566344787275690a3270
316153584a596962653645532b4d622f4d4655646c485067414c7731785134576
57266366336444373686c6c784c57535638477342737663386f364750320a6359
366f777042447763626168474b556b5030456b62395330584c4a5763475347356
1556e484a585237696e7834635a6c666f4c6e7245516536685578734d710a6230
644878644844424d644766565777674b6f6a4f6a70532f39386d4555793756422
f3661326c7265676c766a632f326e4b434b7459373744376454716c47460a787a
414261577538364d435a342f5131334c762b426566627174493973715a5a776a7
264556851483856437872793251564d515751696e57684174364d7154340a5342
5354726f6c5a7a7772716a65384d504a393175614e4d6458474c63484c4932367
3587a76374b53514b42675144766377735055557641395a325a583958350a6d49
784d54424e6445467a56625550754b4b413179576e31554d444e63556a71682b7
a652f376b337946786b68305146333162713630654c393047495369414f0a354b
4f574d39454b6f2b7841513262614b314d664f5931472b386a7a4258557042733
9346b353353383879586d4b366e796467763730424a385a6835666b55710a5732
306f5362686b686a5264537a48326b52476972672b5553774b426751445a4a4d6
e7279324578612f3345713750626f737841504d69596e6b354a415053470a7932
7a305a375455622b7548514f2f2b78504d376e433075794c494d44396c61544d4
8776e3673372f4c62476f455031575267706f59482f4231346b2f526e360a6675
77524e3632496f397463392b41434c745542377674476179332b6752775974534
33262356564386c4969656774546b6561306830754453527841745673330a6e35
6b796132513976514b4267464a75467a4f5a742b7467596e576e5155456757385
0304f494a45484d45345554644f637743784b7248527239334a6a7546320a4533
77644b6f546969375072774f59496f614a5468706a50634a62626462664b792b6
e735170315947763977644a724d6156774a6376497077563676315570660a5674
4c61646d316c6b6c7670717336474e4d386a6e4d30587833616a6d6d6e6665573
9794758453570684d727a4c4a6c394630396349324c416f4742414e58760a7567
5658727032627354316f6b6436755361427367704a6a5065774e526433635a4b3
97a306153503144544131504e6b7065517748672f2b36665361564f487a0a7941
7844733968355272627852614e6673542b7241554837783153594456565159564
d68555262546f5a6536472f6a716e544333664e6648563178745a666f740a306c
6f4d4867776570362b53494d436f6565325a6374755a5633326c6349616639726
2484f633764416f47416551386b3853494c4e4736444f413331544535500a6d30
31414a49597737416c5233756f2f524e61432b78596450553354736b75414c787
86944522f57734c455142436a6b46576d6d4a41576e51554474626e594e0a5363
77523847324a36466e72454374627479733733574156476f6f465a6e636d504c5
0386c784c79626c534244454c79615a762f624173506c4d4f39624435630a4a2b
4e534261612b6f694c6c31776d4361354d43666c633d0a2d2d2d2d2d454e44205
0524956415445204b45592d2d2d2d2d0a
pkI: 30820152303d06092a864886f70d01010a3030a00d300b06096086480165
03040202a11a301806092a864886f70d010108300b0609608648016503040202a
2030201300382010f003082010a0282010100cblaed6b6a95f5b1ce013a4cfcab
25b94b2e64a23034e4250a7eab43c0df3a8c12993af12b111908d4b471bec31d4
b6c9ad9cdda90612a2ee903523e6de5a224d6b02f09e5c374d0cfe01d8f529c50
0a78a2f67908fa682b5a2b430c81eaf1af72d7b5e794fc98a3139276879757ce4
53b526ef9bf6ceb99979b8423b90f4461a22af37aab0cf5733f7597abe44d31c7
32db68a181c6cbb607d8c0e52e0655fd9996dc584eca0be87afbcd78a337d17b
```

1dba9e828bbd81e291317144e7ff89f55619709b096cbb9ea474cead264c2073f  
e49740c01f00e109106066983d21e5f83f086e2e823c879cd43cef700d2a352a9  
babd612d03cad02db134b7e225a5f0203010001  
token\_challenge: 0002000e6973737565722e6578616d706c65208e7acc900e  
393381e8810b7c9e4a68b5163f1f880ab6688a6ffe780923609e88000e6f72696  
7696e2e6578616d706c65  
nonce:  
aa72019d1f951df197021ce63876fe8b0a02dc1c31a12b0a2dd1508d07827f05  
blind: 425421de54c7381864ce36473abfb988c454fe6c27de863de702a6a2ad  
ca153fa2de47bd8fcd62734caa8cel1f920b77d980ab58c32d16dde54873f28ca9  
68e8c125b8363514be68972f553655bcc7f80a284cc327e47e804a47333c5b3cd  
f773312cc7ad9fda748aed0baa7e19c5a2d1dafda718f086d7fc0a4bc02d488e0  
f20812daee335af7177b7a8369bd617066aed7a58f659f295c36b418827f67972  
5b81ca14ea16fb82df21ad76da1ac38dcf24bf6252f8510e2308608ac9197f6cb  
54fdcb19db17837302a2b87d659c5605f35f3709a130f0c3d50e172f0cae36cbc  
9467f9914895a215a9e32443bcaffff795273ccf8965a7eaa8c0b2184763e3e5c  
salt: 3d980852fa570c064204feb8d107098db976ef8c2137e8641d234bbd88a  
986fdb306a7af220cfadade08f51e1ef61766  
token\_request: 0002086a95be84b63cfed0993bb579194a72a95057e1548ac4  
63a9a5b33b011f2b2011d59487f01862f1d8e4d5ea42e73a660fbc3d010b944a5  
4da3a4e0942f8894c0884589b438cb902e9a34278970f33c16f351f7dae58d273  
c3ab66ef368da36f785e89e24d1d983d5c34311cd21f290f9e89e8646ab0d0a48  
988fcd46230de5e7603cd12cc95c7ec5002e5e26737aa7eb69c626476e6c8d465  
10ee404a3d7daf3a23b7c66735d363ca13676925c6ed0117f60d165cel1f8ba616  
d041b6384baf6da3e2f757cb18e879a4f8595c2dc895ddf1f4279c75768d108b5  
c47f95f94e81e2d8b9c8b74476924ab3b7c45243fc99ac5466e8a3680ad37fa15  
c96010b274094  
token\_response: 675d84b751d9e593330ec4b6d7ab69c9a61517e98971f4b73  
6150508174b4335761464f237be2d72bbae4b94dfffc6143413f6351f1aa4efde6  
c32d4d6d9392a008290d56d1222f9b77a1336213e01934f7d972f3bf9ea5a5786  
c321352f103b3667e605379a55f0fb925fbb09b8a9f85e7dd4b388a3b49d06fd7  
0ba28f6a780e3bc8f6421554fd6c38b63ef19f84ccfcf14709dd0b4d72213c1f0  
60893854eba0ea1a147e275da320db5e9849882d5f9179efa8a2d8d3b803f9d14  
45ef5c1f660be08883ce9b29a0a992fc035d2938cbb61c440044438dbb8b3ce71  
58a8f9827d230482f622d291406ab236b32b122627ae0fd36bd0d6b7607b8044a  
ce404d44  
token: 0002aa72019d1f951df197021ce63876fe8b0a02dc1c31a12b0a2dd150  
8d07827f055969f643b4cfda5196d4aa86aeb5368834f4f06de46950ed435b3b8  
1bd036d44ca572f8982a9ca248a3056186322d93ca147266121ddeb5632c07f1f  
71cd2708bc6a21b533d07294b5e900faf5537dd3eb33cee4e08c9670d1e5358fd  
184b0e00c637174f5206b14c7bb0e724ebf6b56271e5aa2ed94c051c4a433d302  
b23bc52460810d489fb050f9de5c868c6c1b06e3849fd087629f704cc724bc0d0  
984d5c339686fcd75f9a9cdd25f37f855f6f4c584d84f716864f546b696d620c  
5bd41a811498de84ff9740ba3003ba2422d26b91eb745c084758974642a420782  
01543246ddb58030ea8e722376aa82484dca9610a8fb7e018e396165462e17a03  
e40ea7e128c090a911ecc708066cb201833010c1ebd4e910fc8e27a1be467f786  
71836a508257123a45e4e0ae2180a434bd1037713466347a8ebe46439d3da1970

// Test vector 2

skI: 2d2d2d2d2d424547494e2050524956415445204b45592d2d2d2d0a4d49  
4945765149424144414e42676b71686b6947397730424151454641415343424b6  
3776767536a1674541416f49424151444c4775317261705831736334420a4f6b  
7a38717957355379356b6f6a41303543554b66717444774e38366a424b5a4f764  
57245526b49314c527876734d6453327961326333616b4745714c756b440a556a  
35743561496b3172417643655844644e44503442325055707851436e6969396e6  
b492b6d67725769744444494871386139793137586e6c5079596f784f530a646f  
6558563835464f314a752b62397336356d586d34516a755139455961497138337  
1724450567a50335758712b524e4d636379323269686763624c766d42390a6a41  
355334475666325a6c74785954736f4c364872377a58696a4e394637486271656  
76f753967654b524d58464532f2b4a3956595a634a734a624c756570480a544f  
72535a4d4948502b5358514d4166414f454a4547426d6d4430683566672f43473  
475676a79486e4e51383733414e4b6a55716d3676574574413872514c620a4530  
742b496c706641674d4241414543676745414c7a4362647a69316a506435384d6  
b562b434c6679665351322b7266486e7266724665502f566344787275690a3270  
316153584a596962653645532b4d622f4d4655646c485067414c7731785134576  
57266366336444373686c6c784c57535638477342737663386f364750320a6359

366f777042447763626168474b556b5030456b62395330584c4a5763475347356  
1556e484a585237696e7834635a6c666f4c6e7245516536685578734d710a6230  
644878644844424d644766565777674b6f6a4f6a70532f39386d4555793756422  
f3661326c7265676c766a632f326e4b434b7459373744376454716c47460a787a  
414261577538364d435a342f5131334c762b426566627174493973715a5a776a7  
264556851483856437872793251564d515751696e57684174364d7154340a5342  
5354726f6c5a7a7772716a65384d504a393175614e4d6458474c63484c4932367  
3587a76374b53514b4267514476637773505557641395a325a583958350a6d49  
784d54424e6445467a56625550754b4b413179576e31554d444e63556a71682b7  
a652f376b337946786b68305146333162713630654c393047495369414f0a354b  
4f574d39454b6f2b7841513262614b314d664f5931472b386a7a4258557042733  
9346b353353383879586d4b366e796467763730424a385a6835666b55710a5732  
306f5362686b686a5264537a48326b52476972672b5553774b426751445a4a4d6  
e7279324578612f3345713750626f737841504d69596e6b354a415053470a7932  
7a305a375455622b7548514f2f2b78504d376e433075794c494d44396c61544d4  
8776e3673372f4c62476f455031575267706f59482f4231346b2f526e360a6675  
77524e3632496f397463392b41434c745542377674476179332b6752775974534  
33262356564386c4969656774546b6561306830754453527841745673330a6e35  
6b796132513976514b4267464a75467a4f5a742b7467596e576e5155456757385  
0304f494a45484d4534554644f637743784b7248527239334a6a7546320a4533  
77644b6f546969375072774f59496f614a5468706a50634a62626462664b792b6  
e735170315947763977644a724d6156774a6376497077563676315570660a5674  
4c61646d316c6b6c7670717336474e4d386a6e4d30587833616a6d6d6e6665573  
9794758453570684d727a4c4a6c394630396349324c416f4742414e58760a7567  
5658727032627354316f6b6436755361427367704a6a5065774e526433635a4b3  
97a306153503144544131504e6b7065517748672f2b36665361564f487a0a7941  
7844733968355272627852614e6673542b7241554837783153594456565159564  
d68555262546f5a6536472f6a716e544333664e6648563178745a666f740a306c  
6f4d4867776570362b53494d436f6565325a6374755a5633326c6349616639726  
2484f633764416f47416551386b3853494c4e4736444f413331544535500a6d30  
31414a49597737416c5233756f2f524e61432b78596450553354736b75414c787  
86944522f57734c455142436a6b46576d6d4a41576e51554474626e594e0a5363  
77523847324a36466e72454374627479733733574156476f6f465a6e636d504c5  
0386c784c79626c534244454c79615a762f624173506c4d4f39624435630a4a2b  
4e534261612b6f694c6c31776d4361354d43666c633d0a2d2d2d2d2d454e44205  
0524956415445204b45592d2d2d2d2d0a

pkI: 30820152303d06092a864886f70d01010a3030a00d300b06096086480165  
03040202a11a301806092a864886f70d010108300b0609608648016503040202a  
2030201300382010f003082010a0282010100cblaed6b6a95f5b1ce013a4cfcab  
25b94b2e64a23034e4250a7eab43c0df3a8c12993af12b111908d4b471bec31d4  
b6c9ad9cdda90612a2ee903523e6de5a224d6b02f09e5c374d0cfe01d8f529c50  
0a78a2f67908fa682b5a2b430c81eaf1af72d7b5e794fc98a3139276879757ce4  
53b526ef9bf6ceb99979b8423b90f4461a22af37aab0cf5733f7597abe44d31c7  
32db68a181c6cbb6e607d8c0e52e0655fd9996dc584eca0be87afbcd78a337d17b  
1dba9e828bbd81e291317144e7ff89f55619709b096cbb9ea474cead264c2073f  
e49740c01f00e109106066983d21e5f83f086e2e823c879cd43cef700d2a352a9  
babd612d03cad02db134b7e225a5f0203010001

token\_challenge: 0002000e6973737565722e6578616d706c6500000e6f7269  
67696e2e6578616d706c65

nonce:

98c1345ff38a554b429b428b0f206cfe4f3892f8041995f2c24873d90e84488d  
blind: 7bb85f89c9b83a0e2b02938b3396f06f8f3df0018a91f1a2cc5416aaa5  
52994d063f634d50bea13bffe8d5e01431e646e2e384549cefd695ac3affff665  
alebf0113df2520006bd66e468d37a58266daa8a3a75692535elfc46d0c1d6fb6  
f37c949808172e20c0b77a48570a1fcb474325bdd23cdbce52b5d6a9e39f7aec7  
3b09004eae8c8bfff2b4b533ea63bcf467a4cd95ccfb0cb4e43bc4992c1fd0be7  
a77a4475dbf8094cf25125ece901abbcea607a9050ad9f8ec3d0d66341f6eab40  
ee9c9c22c0b560b8377f8543d8878c7458885fd285c7556cc88fc6021617075b4  
2c83a86005169a6f13352e789b28fdbbe3d0288eldd7c801497573893146aea3  
salt: b6b4378421ab0ea677ce3f4036fd0489dee458ad81ea519c3e8bde3fcd5  
ec1505d28e110d7b44dcac5e04ecedd54d11a

token\_request: 00020892d26a271c0104657ba10c0b5cb2827bb209d86e8002  
7f96bfb861e0f40cb897f0fc426498433141ce9bc8b4a95914fefe4e40bdd3802  
a121cb0b59a4ae7e03255275c4abf071d991c82ead402606c0ef912178b0a0f68  
d303e06a966079230592827b84979dbcb5f21ab8904e9908638ddf705c4f8af8a  
053c19a66090726b60c6b4063976e4c66eab33522dd3f9d64828441db4aa82d55

adcc3d3920592884cd1e5a3f490d5c81f1306705dcc5c61d82373f1dbd7d2ae4b  
2fea0f7339f5d868415f59312766e3074ee4a7305f5f053da82673ee6747a727a  
26d8d10ealb1a3491d26b0c38b962c02a774ac78932153aae9dcc98a9b1db1f53  
89644682f7727

token\_response: 113a5124c1aef6fc230d9fc42b789226f45ca941aad4da3f4  
8cf37c7744a8d7fd1dcfd71cd39d09e9324760180ea0bade3360efaf7322a1fa1  
5f41247be3857fde8c5c92ec6d67a7ee33be8fdadf8b27bb0db706117448e55bc  
e9927cb6bfb1f87f9edb054181a4558af0c0d3973d7033b9599e674c20cf08a7b  
bcf0da815a2edaab7c4fb80dee4ea2cc53576a9691e857da931c6c592d2c69dd2  
1afda8ea653dd90157adfe80e2375c08e75beb497df8b7b73192fbbd4e80359d9  
bbaecea14e0acebdda92596f71ec1d57e26b6497b3152976bc07a4409148cb843  
89eb207fb8e841106012408c6e19b4f964008b6a909aaab767a661a061c97da16  
43040455

token: 000298c1345fff38a554b429b428b0f206cfe4f3892f8041995f2c24873  
d90e84488d11e15c91a7c2ad02abd66645802373db1d823bea80f08d452541fb2  
b62b5898bca572f8982a9ca248a3056186322d93ca147266121ddeb5632c07f1f  
71cd27083350a206c5e9b7c0898f97611ce0bb8d74d310bb194ab67e094e32ff6  
da90886924b1b9e7b569402c1101d896d2fc3a7371ef77f02310db1dc9f81c853  
5828c2d0e9d9051720d182cd54e1c2c3bf417da2fc7aa72bb70ccc834ef274a2e  
809c9821b3d395d6535423f7428b3f29175d6eb840b4b7685336e57e2b6afeaab  
c0c17ea4f557e8a9cc2f624e245c6ccd7cbdd6c32c97c5c6974e802f688e2d25f  
0aba4215f609f692244517d5d3407e0172273982c001c158f5fcbelb5d2447c26  
a87e89f5a9e72b498b0c59ce749823d2cf253d3cf6cd4e64fa0e434d95e488789  
247a9ceed756ff4ff33a8d2402c0db381236d331092838b608a42002552092897

// Test vector 3

skI: 2d2d2d2d2d424547494e2050524956415445204b45592d2d2d2d2d0a4d49  
4945765149424144414e42676b71686b6947397730424151454641415343424b6  
3776767536a41674541416f49424151444c4775317261705831736334420a4f6b  
7a38717957355379356b6f6a41303543554b66717444774e38366a424b5a4f764  
57245526b49314c527876734d6453327961326333616b4745714c756b440a556a  
35743561496b3172417643655844644e44503442325055707851436e6969396e6  
b492b6d67725769744444494871386139793137586e6c5079596f784f530a646f  
6558563835464f314a752b62397336356d586d34516a755139455961497138337  
1724450567a50335758712b524e4d636379323269686763624c766d42390a6a41  
355334475666325a6c74785954736f4c364872377a58696a4e394637486271656  
76f753967654b524d584645352f2b4a3956595a634a734a624c756570480a544f  
72535a4d4948502b5358514d4166414f454a4547426d6d4430683566672f43473  
475676a79486e4e51383733414e4b6a55716d3676574574413872514c620a4530  
742b496c706641674d4241414543676745414c7a4362647a69316a506435384d6  
b562b434c6679665351322b7266486e7266724665502f566344787275690a3270  
316153584a596962653645532b4d622f4d4655646c485067414c7731785134576  
57266366336444373686c6c784c57535638477342737663386f364750320a6359  
366f777042447763626168474b556b5030456b62395330584c4a5763475347356  
1556e484a585237696e7834635a6c666f4c6e7245516536685578734d710a6230  
644878644844424d644766565777674b6f6a4f6a70532f39386d4555793756422  
f3661326c7265676c766a632f326e4b434b7459373744376454716c47460a787a  
414261577538364d435a342f5131334c762b426566627174493973715a5a776a7  
264556851483856437872793251564d515751696e57684174364d7154340a5342  
5354726f6c5a7a7772716a65384d504a393175614e4d6458474c63484c4932367  
3587a76374b53514b42675144766377735055557641395a325a583958350a6d49  
784d54424e6445467a56625550754b4b413179576e31554d444e63556a71682b7  
a652f376b337946786b68305146333162713630654c393047495369414f0a354b  
4f574d39454b6f2b7841513262614b314d664f5931472b386a7a4258557042733  
9346b353353383879586d4b366e796467763730424a385a6835666b55710a5732  
306f5362686b686a5264537a48326b52476972672b5553774b426751445a4a4d6  
e7279324578612f3345713750626f737841504d69596e6b354a415053470a7932  
7a305a375455622b7548514f2f2b78504d376e433075794c494d44396c61544d4  
8776e3673372f4c62476f455031575267706f59482f4231346b2f526e360a6675  
77524e3632496f397463392b41434c745542377674476179332b6752775974534  
33262356564386c4969656774546b6561306830754453527841745673330a6e35  
6b796132513976514b4267464a75467a4f5a742b7467596e576e5155456757385  
0304f494a45484d45345554644f637743784b7248527239334a6a7546320a4533  
77644b6f546969375072774f59496f614a5468706a50634a62626462664b792b6  
e735170315947763977644a724d6156774a6376497077563676315570660a5674  
4c61646d316c6b6c7670717336474e4d386a6e4d30587833616a6d6d6e6665573



9794758453570684d727a4c4a6c394630396349324c416f4742414e58760a7567  
5658727032627354316f6b6436755361427367704a6a5065774e526433635a4b3  
97a306153503144544131504e6b7065517748672f2b36665361564f487a0a7941  
7844733968355272627852614e6673542b7241554837783153594456565159564  
d68555262546f5a6536472f6a716e544333664e6648563178745a666f740a306c  
6f4d4867776570362b53494d436f6565325a6374755a5633326c6349616639726  
2484f633764416f47416551386b3853494c4e4736444f413331544535500a6d30  
31414a49597737416c5233756f2f524e61432b78596450553354736b75414c787  
86944522f57734c455142436a6b46576d6d4a41576e51554474626e594e0a5363  
77523847324a36466e72454374627479733733574156476f6f465a6e636d504c5  
0386c784c79626c534244454c79615a762f624173506c4d4f39624435630a4a2b  
4e534261612b6f694c6c31776d4361354d43666c633d0a2d2d2d2d2d454e44205  
0524956415445204b45592d2d2d2d2d0a

pkI: 30820152303d06092a864886f70d01010a3030a00d300b06096086480165  
03040202a11a301806092a864886f70d010108300b0609608648016503040202a  
2030201300382010f003082010a0282010100cblaed6b6a95f5b1ce013a4cfcab  
25b94b2e64a23034e4250a7eab43c0df3a8c12993af12b111908d4b471bec31d4  
b6c9ad9cdda0612a2ee903523e6de5a224d6b02f09e5c374d0cfe01d8f529c50  
0a78a2f67908fa682b5a2b430c81eaf1af72d7b5e794fc98a3139276879757ce4  
53b526ef9bf6ceb99979b8423b90f4461a22af37aab0cf5733f7597abe44d31c7  
32db68a181c6cbb607d8c0e52e0655fd9996dc584eca0be87afbcd78a337d17b  
1dba9e828bbd81e291317144e7ff89f55619709b096cbb9ea474cead264c2073f  
e49740c01f00e109106066983d21e5f83f086e2e823c879cd43cef700d2a352a9  
babd612d03cad02db134b7e225a5f0203010001

token\_challenge: 0002000e6973737565722e6578616d706c65000017666f6f  
2e6578616d706c652c6261722e6578616d706c65

nonce:

9e7a22bdc5d715682434cebc07eb5fa53f622f776a17a6d91757af1592df0e71  
blind: c52cab5e4e131e0f5860cc4c486c5ee8a5fa8ae59484446121f87b0d8  
ccd037f161a99ebcc57f79d05a2ffc852656ad2d0894fab8d1b0f998e6e678254  
ed5778da98b137371320314d06c24276e35435bccffa49d257687f270f9ce1792  
6a074737546d5415a4bb9e624a6302562b395856632efb6992f6593a4f95fb342  
002efebc3046ca96bbc26edb2f1a1454a24ce7b9a7ec8e44fb9e99c8144d409d8  
cd8a5903c0a3c0acbd9f82573ed1fc4a296e3eaf4867ade30110794678f422d36  
bd103ea4617d2472cf58da3381e52e5be60f4acbf685e280648cef21211a796ec  
d005ecbdaa1046c40950afca4c4e7dd4b8c19e504088489a15667b45895b6e92  
salt: c847b5d0fa9101a1e09954ac9f3eed6600af58936295ad2e54274e13e64  
0d59f732d07530c94c19c20668f03470c77ac

token\_request: 0002080f6bd84fba1822c577c8cd670f1136cca107f84ddd9d  
405d5ed22ad15da975538f031433bad4a2688999732927efe2928d4c132389a12  
2f40b639b083d6fcbbed7a55fb18db536d2dcbaefe6dc0a70730e6565b08a7dfd  
783913a59f37d798de0cfc262c9e90a7ee884a3ec355eacbd44e5f6779fea6a78  
5b05ac352fdd51a116cf2be1d8e38b0bfacd6a3d53a88c99f747cce908f86b335  
62691f540e3e88562092cd17cc2f78ce0fb53312a5f2dc918bdb1dc90d9d65091  
c7ba9080ccc1755cb5437989364dc92f0e8fea18f66d631451feb02a3d68af41d  
e1a3f9be925dda5c4ca0706fc4ca28b3317e939f6573442c6d03be17cd141fa82  
60d382d134c6b

token\_response: 2dd08ce89cf4f62bc236ab7b75266e13c57c750345e328e0b  
eal07537c4cb5ea5bfc990716950440628ea2e37dbc5c9c6d84f9a965cbf0cbff  
fb89516b1fd19a90d69cc52a28890bbdcf782f56aefadad85b6e861a74170ce91  
0891c89e4293f37978dbd41cc8b5c68802de3d86d9f0326b9c22b809512245896  
6a6ddd1aeb3828d239c3b359efc9b375390eb19050d5656c2b084304d9bd8a816  
14f631bf82a7e4588413b44a0cb6d94e942fa134790b396cb71e3ed33b557b5bd  
0734e726fa79abdca8694703b81d0e289b749801d4383e0d4f825dcde0dd98c43  
d3ba81c028dd8833a4fc24961f60e118d4421dce5b611d53e9ca96156a52509bf  
a9afeb7e

token: 00029e7a22bdc5d715682434cebc07eb5fa53f622f776a17a6d91757af  
1592df0e710042ee45ac4dd5acb8f6e65c4d8dd47504f73f7463507ef96a4d72  
27d2774f35a72f8982a9ca248a3056186322d93ca147266121ddeb5632c07f1f  
71cd270815b010bbcd0d5f55e9c856d2e9ffaefba007d33c2d5452fbeb0b15919b  
973e0dc9180aaeb18242043758d9fb0ac9ac5e04da9ff74ec93644ae6cdb7068e  
a76ce2295b9b95e383ed3a9856e9f618dafdf4cec5d2b53ea4297c2f3990babca  
71e3ccd6c07a437daae7ed27b6b81178fb7ce5fa5dd63781cc64ac1e410f441c0  
34b0a5cc873a2ce875e8b38c92bab563635c4f8f4fa35d1f582ef19edf7da75aa  
11a503a82e32a12bd4da41e0ca7ec7f451caf586f5b910003fcbbb9ff5ffa2408  
c28d6807737d03da651ea9bfafcc2747a6830e19ald160fcd5c25d2f79dad86a8

b3de8e926e08caladdced72977f7b56398ef59c26e725df0a976a08f2a936ca42

// Test vector 4

skI: 2d2d2d2d2d424547494e2050524956415445204b45592d2d2d2d2d0a4d49  
4945765149424144414e42676b71686b6947397730424151454641415343424b6  
3776767536a41674541416f49424151444c4775317261705831736334420a4f6b  
7a38717957355379356b6f6a41303543554b66717444774e38366a424b5a4f764  
57245526b49314c527876734d6453327961326333616b4745714c756b440a556a  
35743561496b3172417643655844644e44503442325055707851436e6969396e6  
b492b6d67725769744444494871386139793137586e6c5079596f784f530a646f  
6558563835464f314a752b62397336356d586d34516a755139455961497138337  
1724450567a50335758712b524e4d636379323269686763624c766d42390a6a41  
355334475666325a6c74785954736f4c364872377a58696a4e394637486271656  
76f753967654b524d584645352f2b4a3956595a634a734a624c756570480a544f  
72535a4d4948502b5358514d4166414f454a4547426d6d4430683566672f43473  
475676a79486e4e51383733414e4b6a55716d3676574574413872514c620a4530  
742b496c706641674d4241414543676745414c7a4362647a69316a506435384d6  
b562b434c6679665351322b7266486e7266724665502f566344787275690a3270  
316153584a596962653645532b4d622f4d4655646c485067414c7731785134576  
57266366336444373686c6c784c57535638477342737663386f364750320a6359  
366f777042447763626168474b556b5030456b62395330584c4a5763475347356  
1556e484a585237696e7834635a6c666f4c6e7245516536685578734d710a6230  
644878644844424d644766565777674b6f6a4f6a70532f39386d4555793756422  
f3661326c7265676c766a632f326e4b434b7459373744376454716c47460a787a  
414261577538364d435a342f5131334c762b426566627174493973715a5a776a7  
264556851483856437872793251564d515751696e57684174364d7154340a5342  
5354726f6c5a7a7772716a65384d504a393175614e4d6458474c63484c4932367  
3587a76374b53514b42675144766377735055557641395a325a583958350a6d49  
784d54424e6445467a56625550754b4b413179576e31554d444e63556a71682b7  
a652f376b337946786b68305146333162713630654c393047495369414f0a354b  
4f574d39454b6f2b7841513262614b314d664f5931472b386a7a4258557042733  
9346b353353383879586d4b366e796467763730424a385a6835666b55710a5732  
306f5362686b686a5264537a48326b52476972672b5553774b426751445a4a4d6  
e7279324578612f3345713750626f737841504d69596e6b354a415053470a7932  
7a305a375455622b7548514f2f2b78504d376e433075794c494d44396c61544d4  
8776e3673372f4c62476f455031575267706f59482f4231346b2f526e360a6675  
77524e3632496f397463392b41434c745542377674476179332b6752775974534  
33262356564386c4969656774546b6561306830754453527841745673330a6e35  
6b796132513976514b4267464a75467a4f5a742b7467596e576e5155456757385  
0304f494a45484d45345554644f637743784b7248527239334a6a7546320a4533  
77644b6f546969375072774f59496f614a5468706a50634a62626462664b792b6  
e735170315947763977644a724d6156774a6376497077563676315570660a5674  
4c61646d316c6b6c7670717336474e4d386a6e4d30587833616a6d6d6e6665573  
9794758453570684d727a4c4a6c394630396349324c416f4742414e58760a7567  
5658727032627354316f6b6436755361427367704a6a5065774e526433635a4b3  
97a306153503144544131504e6b7065517748672f2b36665361564f487a0a7941  
784473396835527627852614e667354423b7241554837783153594456565159564  
d68555262546f5a6536472f6a716e544333664e6648563178745a666f740a306c  
6f4d4867776570362b53494d436f6565325a6374755a5633326c6349616639726  
2484f633764416f47416551386b3853494c4e4736444f413331544535500a6d30  
31414a49597737416c5233756f2f524e61432b78596450553354736b75414c787  
86944522f57734c455142436a6b46576d6d4a41576e51554474626e594e0a5363  
77523847324a36466e72454374627479733733574156476f6f465a6e636d504c5  
0386c784c79626c534244454c79615a762f624173506c4d4f39624435630a4a2b  
4e534261612b6f694c6c31776d4361354d43666c633d0a2d2d2d2d2d454e44205  
0524956415445204b45592d2d2d2d2d0a  
pkI: 30820152303d06092a864886f70d01010a3030a00d300b06096086480165  
03040202a11a301806092a864886f70d010108300b0609608648016503040202a  
2030201300382010f003082010a0282010100cblaed6b6a95f5b1ce013a4cfcab  
25b94b2e64a23034e4250a7eab43c0df3a8c12993af12b111908d4b471bec31d4  
b6c9ad9cdda90612a2ee903523e6de5a224d6b02f09e5c374d0cfe01d8f529c50  
0a78a2f67908fa682b5a2b430c81eaf1af72d7b5e794fc98a3139276879757ce4  
53b526ef9bf6ceb99979b8423b90f4461a22af37aab0cf5733f7597abe44d31c7  
32db68a181c6cbb607d8c0e52e0655fd9996dc584eca0be87afbcd78a337d17b  
1dba9e828bbd81e291317144e7ff89f55619709b096cbb9ea474cead264c2073f  
e49740c01f00e109106066983d21e5f83f086e2e823c879cd43cef700d2a352a9

babd612d03cad02db134b7e225a5f0203010001  
token\_challenge: 0002000e6973737565722e6578616d706c65000000  
nonce:  
494dae41fc7e300c2d09990afcd5d5e1fc95305337dc12f78942c45340bfe8e6  
blind: 097cb17bcedecfe058dff5c4e517d1e36d7ab8f46252blac1933ba378c  
32625c0dbc69f5655c2003bf39e75810796cd63675b223cf3162c57108d56e058  
4cfce6cad829e74369ada38a095eb3012c912b31ccde7425f93464e353fb17552  
be3a8df2913daca61543a33ae45058f218c471dfbc12fb304158e29b6ed35bc07  
9e23f1e6173c5dec4545840bbe58e5ad37cbea0a10dca5d9df2781589d27c3410  
8477b52c0d32a1370c17f703941fbb1a007a6794e7de2758709c9bbf80f21eec7  
922b9bb491eb6aac8c1a14764e648e6be4fff0ae913797067aa0826f366c3103e  
103b05653c73b52d7f825a185dccfb806da700db9f53abb848554b7d4f7c28f3  
salt: 49912979f1bf528e5b8228ab1328df74319dce7bdaf45821ceb1100dcf0  
42a2dfe852fc9db59b64a5f6493c282504240  
token\_request: 000208244840027ca8c620f8b14caded9a198ba388ccd8541e  
962f68a0071535d958d18494afd0bc11da4da8c8b33864f5a8f623b697cd56348  
594e11a75479048a72c0ed179b070506c09a7eb6ed3582f572df38cf60fcde11a  
52c5ce6d7b23435b60200ad9f66d21f40f323c9aa54307d0b966d4457c37542b6  
6bb183ddeafca914fc74831698b5d52f498ee3d165685f49a8d86e39fe6c4b7ec  
678f5250908d25e5b873c69b422368121aa4210cadd6fc640907d3cb9a7a3e827  
a0e742470f00c2f49dc6c0e8cc9470dbfd73df0ccbb96c10b02af0dd7dee719ec  
a11ff8e1b4929e59f3cf319de9bda29a6d968b43083b5d4242f3448d76ada08b8  
014f70b97e719  
token\_response: c2746ff644cfff28a2c19395fa19dfb61fd135daa837844fb  
f9fbe06c253e64e69f53aefddc0fb4833b1b5e58f571134a34f245499c3e73419  
549c2c9111cf94f2f68fea3996d47f71e8d8d6fc5b1c074bf74fa59de4cbf32f5  
f08d45ea45492f0279c3b1a8d852698edbe1651eb8e09eb223a27386c0feb2f6a  
8260235edb36cf433da518100829b63166284b325d87fc941ea3baf7b6761b70  
82e09397837f74b4f0fc838bce8af7242089dd5561f57735926bcbad219fc9fee  
85ae49a8e8951f63ca194b7ff018c06ee02267e7267bb996432dc76973819da80  
e3e86947b0a4b36d3a972dafaaa3db0e1044b325f02c679996d9bcd3ce51390d5  
4bc10b8c  
token: 0002494dae41fc7e300c2d09990afcd5d5e1fc95305337dc12f78942c4  
5340bfe8e6b741ec1b6fd05f1e95f8982906aec1612896d9ca97d53eef94ad3c9  
fe023f7a4ca572f8982a9ca248a3056186322d93ca147266121ddeb5632c07f1f  
71cd2708a55c83dc04292b5d92add1a87b37e54f22f61c58840586f390c50b231  
824423378ddcf50e69dc817d45bfad06c7f2a0ac35d2acd7f26b0bc9954c192b0  
a0ef28a2a5650e390098dd3cb1166a7cb1716d3dd2d19dc5ca3b1ea6206359de0  
002d82bc4fa7e69fb07214b06addcbdd2203d1e17f57fc580bcc5a13e0ac15cf94  
2182cc2b5d6eaa737a712704114e357e2ec2f10047463ded02a1a0766dc346dd7  
212b9711e03ac95eb258ac1164104dc9a0d3e738ae742ab5ed8c5139fc07145a7  
88b9f891741ee68f0a66782b7b84a9bb4cb4b3d1b26b67106f397b35b641d882d  
7b0185168946de898ef72349a44a47dbdd6d46e9ba9ba543d5701b65c63d645c2

// Test vector 5

skI: 2d2d2d2d2d424547494e2050524956415445204b45592d2d2d2d2d0a4d49  
4945765149424144414e42676b71686b6947397730424151454641415343424b6  
3776767536a41674541416f49424151444c4775317261705831736334420a4f6b  
7a38717957355379356b6f6a41303543554b66717444774e38366a424b5a4f764  
57245526b49314c527876734d6453327961326333616b4745714c756b440a556a  
35743561496b3172417643655844644e44503442325055707851436e6969396e6  
b492b6d67725769744444494871386139793137586e6c5079596f784f530a646f  
6558563835464f314a752b62397336356d586d34516a755139455961497138337  
1724450567a50335758712b524e4d636379323269686763624c766d42390a6a41  
355334475666325a6c74785954736f4c364872377a58696a4e394637486271656  
76f753967654b524d584645352f2b4a3956595a634a734a624c756570480a544f  
72535a4d4948502b5358514d4166414f454a4547426d6d4430683566672f43473  
475676a79486e4e51383733414e4b6a55716d3676574574413872514c620a4530  
742b496c706641674d4241414543676745414c7a4362647a69316a506435384d6  
b562b434c6679665351322b7266486e7266724665502f566344787275690a3270  
316153584a596962653645532b4d622f4d4655646c485067414c7731785134576  
57266366336444373686c6c784c57535638477342737663386f364750320a6359  
366f777042447763626168474b556b5030456b62395330584c4a5763475347356  
1556e484a585237696e7834635a6c666f4c6e7245516536685578734d710a6230  
644878644844424d644766565777674b6f6a4f6a70532f39386d4555793756422  
f3661326c7265676c766a632f326e4b434b7459373744376454716c47460a787a

414261577538364d435a342f5131334c762b426566627174493973715a5a776a7  
264556851483856437872793251564d515751696e57684174364d7154340a5342  
5354726f6c5a7a7772716a65384d504a393175614e4d6458474c63484c4932367  
3587a76374b53514b42675144766377735055557641395a325a583958350a6d49  
784d54424e6445467a56625550754b4b413179576e31554d444e63556a71682b7  
a652f376b337946786b68305146333162713630654c393047495369414f0a354b  
4f574d39454b6f2b7841513262614b314d664f5931472b386a7a4258557042733  
9346b353353383879586d4b366e796467763730424a385a6835666b55710a5732  
306f5362686b686a5264537a48326b52476972672b5553774b426751445a4a4d6  
e7279324578612f3345713750626f737841504d69596e6b354a415053470a7932  
7a305a375455622b7548514f2f2b78504d376e433075794c494d44396c61544d4  
8776e3673372f4c62476f455031575267706f59482f4231346b2f526e360a6675  
77524e3632496f397463392b41434c745542377674476179332b675277594534  
33262356564386c4969656774546b6561306830754453527841745673330a6e35  
6b796132513976514b4267464a75467a4f5a742b7467596e576e5155456757385  
0304f494a45484d45345554644f637743784b7248527239334a6a7546320a4533  
77644b6f546969375072774f59496f614a5468706a50634a62626462664b792b6  
e735170315947763977644a724d6156774a6376497077563676315570660a5674  
4c61646d316c6b6c7670717336474e4d386a6e4d30587833616a6d6d6e6665573  
9794758453570684d727a4c4a6c394630396349324c416f4742414e58760a7567  
5658727032627354316f6b6436755361427367704a6a5065774e526433635a4b3  
97a306153503144544131504e6b7065517748672f2b36665361564f487a0a7941  
7844733968355272627852614e6673542b7241554837783153594456565159564  
d68555262546f5a6536472f6a716e544333664e6648563178745a666f740a306c  
6f4d4867776570362b53494d436f6565325a6374755a5633326c6349616639726  
2484f633764416f47416551386b3853494c4e4736444f413331544535500a6d30  
31414a49597737416c5233756f2f524e61432b78596450553354736b75414c787  
86944522f57734c455142436a6b46576d6d4a41576e51554474626e594e0a5363  
77523847324a36466e72454374627479733733574156476f6f465a6e636d504c5  
0386c784c79626c534244454c79615a762f624173506c4d4f39624435630a4a2b  
4e534261612b6f694c6c31776d4361354d43666c633d0a2d2d2d2d454e44205  
0524956415445204b45592d2d2d2d2d0a  
pkI: 30820152303d06092a864886f70d01010a3030a00d300b06096086480165  
03040202a11a301806092a864886f70d010108300b0609608648016503040202a  
2030201300382010f003082010a0282010100cblaed6b6a95f5b1ce013a4cfcab  
25b94b2e64a23034e4250a7eab43c0df3a8c12993af12b111908d4b471bec31d4  
b6c9ad9cdda90612a2ee903523e6de5a224d6b02f09e5c374d0cfe01d8f529c50  
0a78a2f67908fa682b5a2b430c81eaf1af72d7b5e794fc98a3139276879757ce4  
53b526ef9bf6ceb99979b8423b90f4461a22af37aab0cf5733f7597abe44d31c7  
32db68a181c6cbb6e607d8c0e52e0655fd9996dc584eca0be87afbcd78a337d17b  
1dba9e828bbd81e291317144e7ff89f55619709b096cbb9ea474cead264c2073f  
e49740c01f00e109106066983d21e5f83f086e2e823c879cd43cef700d2a352a9  
babd612d03cad02db134b7e225a5f0203010001  
token\_challenge: 0002000e6973737565722e6578616d706c65208e7acc900e  
393381e8810b7c9e4a68b5163f1f880ab6688a6ffe780923609e880000  
nonce:  
alaa8b371c37c9a8ddbd7342ab4f9dd5227d5b1600dca6517b60f63143cd43a3  
blind: ad7a32elac31b91daefd7042cc23d5621ab3e870d87297bbfelee8a518  
ffc5b84770d3b77775c485b2d219954834868842d2f11877ac4bceb5da88944cc  
a043a9afa52f9c9998a5dea7ab7c1f82662d0d327e29705a269ad221ae74a7c11  
72ff89c48997a9fda08886d3998bb538868396c0ace71d260cc71f768001939b2  
4d80d88979f0244a3dbc004eadfac81e138d430b9fa51c1aad21b957ff96b3123  
c91c2ffff362a386f0f99a3f9fc906ca626fd9107648f87532b44c4fe3856ecae1  
f46d8ebf5d2f46e52034478e5e883015666574dd80bd5c036c4b55ebcc8b66068  
8d23944cc1932d075b559dcdc269fae3511761f71c113634e60d67accc8875fb  
salt: 35c04710ce866d879447b6230ce098a49e81be5c067881cce7bd5f92c1e  
5bd9b3c7d4d795cfad134fdfe916d735a624a  
token\_request: 0002083d6495c72529bbc4f5c0b49e94e4561baec1ca638a93  
b2940ea9e37b838db7b1a91ec1f257d49b45c4f75119c2ab9eb5578541ad2b9ba  
clbd627abc709097f503f83d98fed6db6b615c3be9bf09cbf8ea25ea8026c1b8b  
alc704ff516ed87c3d7d85342fd00111d8a80492d4b8fdbb092a282f74f13901e  
5edc1b3b02cfe24c950affe6130fbb57c1482d674db3c6944812ba081c2235a16  
d01eeec0932a8619d85732fc3e36179f0b50377bf9cb7a50ce3abeb3f31ed5f0f  
3deec7aae7290f5397cec61318357d652b029a0fda0f100a78e36c4ef56ba3779  
963e8745fdf4e347763c63d825836878e249833a0f4bd315392cc06ccca2c955e  
921efbc4f941d

token\_response: 8db727000018a98a2fe9fda8bbde5b8e9cedc31efbcaed695  
0eb1e0f8d9af9db632def52f74f07cdab304bbde40519080dd0388fb2b8900528  
b4791d2bca40aa2c2a6d1b92f010c1849bfb781cc813cc204855dd05e8a2dd31e  
a5220981b8ab6b008e153083dc8f594206440d66286fea9c21b56807be8655506  
ab7818bb9c8c69489dda56fe6390a5397268c8b5711f9d2df6f2584740cccf034  
5fd67f93f345426f33c078a0aceb90845df9eef74f6248d06c36d19e191da325b  
721ddc12ea78ed37b0c3b6170590536e3aee7eb0efc7d11a2c9d072a394f12ffa  
67ecf316c49efd8f31723b11fe46740636bd89ad4f7ef96bc38b2cb4916d9dc04  
balb2fc6  
token: 0002a1aa8b371c37c9a8ddb7342ab4f9dd5227d5b1600dca6517b60f6  
3143cd43a3bb8a8cf1c59e7a251358ed76fe0ccff61044bc79dd261f16020324d  
22f2d43acca572f8982a9ca248a3056186322d93ca147266121ddeb5632c07f1f  
71cd27082899f4bc385b4147a650a3e7efc7d23a743cb944bb53e2ed8b88ee03a  
9c0b1cf1f73fd7f15c1bd1f850a5a96a34d4ee9f295543f30ac920825e9a0ce26  
e924f2c145583019dd14408c565b660e8b702fbea559908b1a8c8f9d21ef22f7c  
c6a4641c57c146e6c5497d2890ca230a6749f5f83a8fdd79eba0722f10dff9e81  
a2fb2d05fa4d989acc2e93f595ae69c98c3daa3b169efcdd6e59596b2f049f16b  
a49528761f661032da65a3ee0fe8a22409766e90daf8c60323c16522818c49273  
c795f26bbab306dc63cfc16fel1702af2464028cf819cc647d6f9b8a8f54d7d658  
5a268fdb8c75f76618c64aba266836a3b2db7cdd739815a021d7ff2b36ef91f23

## Acknowledgements

The authors of this document would like to acknowledge the helpful feedback and discussions from Benjamin Schwartz, Joseph Salowey, and Tara Whalen.

## Authors' Addresses

Sofa Celi  
Brave Software  
Lisbon  
Portugal  
Email: [cherenkov@riseup.net](mailto:cherenkov@riseup.net)

Alex Davidson  
NOVA LINCS, Universidade NOVA de Lisboa  
Largo da Torre  
Caparica  
Portugal  
Email: [alex.davidson92@gmail.com](mailto:alex.davidson92@gmail.com)

Steven Valdez  
Google LLC  
Email: [svaldez@chromium.org](mailto:svaldez@chromium.org)

Christopher A. Wood  
Cloudflare  
101 Townsend St  
San Francisco, CA 94107  
United States of America  
Email: [caw@heapingbits.net](mailto:caw@heapingbits.net)