

Internet Engineering Task Force (IETF)
Request for Comments: 9876
Updates: 7252
Category: Standards Track
ISSN: 2070-1721

T. Fossati
Linaro
E. Dijk
IoTconsultancy.nl
November 2025

Updates to the IANA Registration Procedures for Constrained Application Protocol (CoAP) Content-Formats

Abstract

This document updates RFC 7252 by modifying the registration procedures for the "CoAP Content-Formats" IANA registry, within the "Constrained RESTful Environments (CoRE) Parameters" registry group. This document also introduces a new column, "Media Type", to the registry. Furthermore, this document reserves Content-Format identifiers 64998 and 64999 for use in documentation.

Status of This Memo

This is an Internet Standards Track document.

This document is a product of the Internet Engineering Task Force (IETF). It represents the consensus of the IETF community. It has received public review and has been approved for publication by the Internet Engineering Steering Group (IESG). Further information on Internet Standards is available in Section 2 of RFC 7841.

Information about the current status of this document, any errata, and how to provide feedback on it may be obtained at <https://www.rfc-editor.org/info/rfc9876>.

Copyright Notice

Copyright (c) 2025 IETF Trust and the persons identified as the document authors. All rights reserved.

This document is subject to BCP 78 and the IETF Trust's Legal Provisions Relating to IETF Documents (<https://trustee.ietf.org/license-info>) in effect on the date of publication of this document. Please review these documents carefully, as they describe your rights and restrictions with respect to this document. Code components extracted from this document must include Revised BSD License text as described in Section 4.e of the Trust Legal Provisions and are provided without warranty as described in the Revised BSD License.

Table of Contents

1. Introduction
2. Conventions and Definitions
3. Security Considerations
4. IANA Considerations
 - 4.1. CoAP Content-Formats Registry
 - 4.1.1. Temporary Content-Format Registrations
 - 4.1.2. Addition of the Media Type Column to the Registry
 - 4.1.3. Expert Review Procedure
 - 4.1.4. Preferred Format for the Content Type Field
 - 4.1.5. Examples of Invalid Registration Requests
 - 4.2. New Note and Reference Additions
 - 4.3. Reserving Content-Format Identifiers 64998 and 64999 for

Documentation

5. References

5.1. Normative References

5.2. Informative References

Acknowledgments

Authors' Addresses

1. Introduction

Section 12.3 of [RFC7252] describes the registration procedures for the "CoAP Content-Formats" IANA registry within the "Constrained RESTful Environments (CoRE) Parameters" registry group [IANA.core-params]. (Note that the columns of this registry have been revised according to [Err4954].) In particular, it defines the rules for obtaining Constrained Application Protocol (CoAP) Content-Format identifiers from the "IETF Review or IESG Approval" range of the registry (256-9999) as well as from the "First Come First Served" (FCFS) range of the registry (10000-64999). For the FCFS range, these rules do not involve the designated expert and are managed solely by IANA personnel to finalize the registration.

Unfortunately, the rules do not explicitly require checking that the combination of Content-Type (i.e., Media Type with optional parameters) and Content Coding associated with the requested CoAP Content-Format is semantically valid. This task is generally non-trivial, requires knowledge from multiple documents and technologies, and should not be solely demanded from the registrar. This lack of guidance may engender confusion in both the registering party and the registrar, and it has already led to erroneous registrations.

This document updates [RFC7252] by modifying the registration procedures for the "CoAP Content-Formats" registry to mitigate the risk of unintentional or malicious errors. These updates amend the different ranges of the registry, introduce a review procedure to be performed for most ranges of the registry, and allow the registration of temporary Content-Format identifiers. This document also introduces a new column, "Media Type", to the registry. Furthermore, this document reserves Content-Format identifiers 64998 and 64999 for use in documentation.

2. Conventions and Definitions

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in BCP 14 [RFC2119] [RFC8174] when, and only when, they appear in all capitals, as shown here.

This document uses the terms "Media Type", "Content Coding", "Content-Type", and "Content Format" as defined in Section 2 of [RFC9193]. In this document, those terms are fully capitalized.

3. Security Considerations

This document updates the registration procedures of CoAP Content-Formats to reduce the chances of malicious manipulation of the associated registry.

Otherwise, it does not change the Security Considerations of [RFC7252].

4. IANA Considerations

This document updates the IANA procedures defined in [RFC7252] for registering CoAP Content-Formats as described in Section 4.1. It also adds a new note concerning temporary registrations (Section 4.2)

and reserves Content-Format IDs 64998 and 64999 for documentation (Section 4.3).

4.1. CoAP Content-Formats Registry

This section and its subsections replace Section 12.3 of [RFC7252].

Internet Media Types are identified by a string, such as "application/xml" [RFC2046]. In order to minimize the overhead of using Media Types to indicate the format of payloads, [RFC7252] has defined a registry for a subset of Internet Media Types to be used in CoAP and assigned each, in combination with a Content Coding, a numeric identifier. The name of the registry is "CoAP Content-Formats", within the "Constrained RESTful Environments (CoRE) Parameters" registry group.

Each entry in the registry must include the Content Type, the Content Coding (if any), the Media Type registered with IANA, the numeric identifier in the range 0-65535 to be used for that Media Type in CoAP, and a reference to a document describing what a payload with that Media Type means semantically.

CoAP does not include a separate way to convey Content Coding information with a request or response; for that reason, the Content Coding (if any) is also specified for each identifier. If multiple Content Codings will be used with a Media Type, then a separate Content-Format identifier for each is to be registered. Similarly, other parameters related to an Internet Media Type can be defined for a CoAP Content-Format entry.

The registration procedures for CoAP Content-Formats are described in Table 1.

Range	Registration Procedures	Note
0-255	Expert Review	Review procedure described in RFC 9876, Section 4.1.3.
256-9999	IETF Review with Expert Review or IESG Approval with Expert Review	Review procedure described in RFC 9876, Section 4.1.3.
10000-19999	Expert Review	Review procedure described in RFC 9876, Section 4.1.3.
20000-32999	First Come First Served	FCFS is allowed if the registration has no parameters, the registration has an empty Content Coding, the Media Type is not yet used in this registry, and the Media Type is registered (or approved for registration) in the "Media Types" registry [IANA.media-types].
33000-64997	Expert Review	Review procedure described in RFC 9876, Section 4.1.3.
64998-64999	Reserved for Documentation	

65000-65535	Experimental Use	No operational use
-------------	---------------------	--------------------

Table 1: Registration Procedures for CoAP Content-Formats

Because the namespace of single-byte identifiers is so small, the IANA policy for additions in the range 0-255 inclusive to the registry is "Expert Review" as described in Section 4.5 of RFC 8126 [BCP26]. For the handling of temporary allocations within the 0-255 range, see also Section 4.1.1, Paragraph 6.

The 256-9999 range has registration procedures requiring "IETF Review with Expert Review" or "IESG Approval with Expert Review". In particular:

- * All assignments according to "IETF Review with Expert Review" are made on an "IETF Review" basis per Section 4.8 of RFC 8126 [BCP26] with "Expert Review" additionally required per Section 4.5 of RFC 8126 [BCP26].

The procedure for early IANA allocation of Standards Track code points defined in [RFC7120] also applies. When such a procedure is used, IANA will ask the designated expert(s) to approve the early allocation before registration. In addition, working group chairs are encouraged to consult the expert(s) early during the process outlined in Section 3.1 of [RFC7120].

- * All assignments according to "IESG Approval with Expert Review" are made on an "IESG Approval" basis per Section 4.10 of RFC 8126 [BCP26] with "Expert Review" additionally required per Section 4.5 of RFC 8126 [BCP26].

The registration policy for the 10000-19999 and 33000-64997 ranges is "Expert Review", following the procedure described in Section 4.1.3.

The registration policy for the 20000-32999 range is FCFS. A registration request for this range must consist solely of a registered Media Type name in the "Content Type" field, without any parameter names or "Content Coding", and the Media Type must not have been used in this registry yet. If the criteria do not apply, a registration for a different range (which requires "Expert Review") can be requested.

The identifiers between 65000 and 65535 inclusive are reserved for experiments. They are not meant for vendor-specific use of any kind and MUST NOT be used in operational deployments.

In machine-to-machine (M2M) applications, it is not expected that generic Internet Media Types such as text/plain, application/xml, or application/octet-stream are useful for real applications in the long term. It is recommended that M2M applications making use of CoAP request new Internet Media Types from IANA indicating semantic information about how to create or parse a payload. For example, a Smart Energy application payload carried as Concise Binary Object Representation (CBOR) might request a more specific type like application/se+cbor.

4.1.1. Temporary Content-Format Registrations

This section clarifies that the "CoAP Content-Formats" registry allows temporary registrations within the 0-64997 range.

A temporary registration may be created, for example, by an IANA early allocation action [RFC7120]. If the referenced Media Type is provisional (that is, included in the "Provisional Standard Media

Type Registry" [IANA.prov-media-types]), then a created registration is always temporary.

A temporary registration is marked as such by IANA in the corresponding registry entry. Once the required registration procedure (defined in Table 1) for the temporary ID has successfully completed, and the referenced Media Type is included in the "Media Types" registry [IANA.media-types], IANA must remove any indication about the temporary nature of the registration so that the entry becomes permanent.

If a temporary registration does not successfully complete the registration procedure, IANA must remove the entry and set the Content-Format ID value back to "Unassigned". This may happen, for example, when an Internet-Draft requesting a Content-Format ID is abandoned. If a temporary registration (in any range) refers to a provisional Media Type that is abandoned, IANA must remove the entry and set the Content-Format ID value back to "Unassigned".

Note that in the 10000-64997 range, the abandonment of a document requesting a Content-Format ID does not cause an entry to be removed. That is because the required registration procedure for this range does not require completion of any standards process, nor does it require a registering document.

Temporary registrations within the 0-255 range are exempt from the formal renewal process outlined in [RFC7120]. Specifically, IANA will not monitor the removal of registrations in this range. Instead, the designated experts direct IANA to carry out this task.

4.1.2. Addition of the Media Type Column to the Registry

To assist users of the "CoAP Content-Formats" registry in finding detailed information about the Media Type associated with each CoAP Content-Format, and to ensure that a Media Type exists before a new entry can be registered, IANA has added the new column "Media Type" to the registry. This new column is placed to the right of the existing "Content Type" column.

The "Media Type" field for each entry lists the (base) Media Type name and provides a hyperlink to registration information for that Media Type as recorded by IANA. If the Media Type is provisional, the hyperlink points to the "Provisional Standard Media Type Registry" [IANA.prov-media-types]. If a provisional Media Type becomes a permanent Media Type, IANA must update the "Media Type" field in the associated registry entries to ensure the hyperlink directs to the registration information for that Media Type.

In a registration request, the requester does not need to fill out the "Media Type" field separately, as the necessary information is already provided in the "Content Type" field of the request.

4.1.3. Expert Review Procedure

The designated expert is instructed to perform the "Expert Review", as described by the following checklist:

1. The combination of Content-Type and Content Coding for which the registration is requested must not be already present in the "CoAP Content-Formats" registry.
2. The Media Type associated with the requested Content-Format must be either registered in the "Media Types" registry [IANA.media-types] or approved for registration. Alternatively, it may be listed in the "Provisional Standard Media Type Registry" [IANA.prov-media-types]. The use of provisional

standard Media Types is only permitted for Content-Format identifiers within the ranges of 0-255 and 256-9999.

3. The optional parameter names must have been defined in association with the Media Type, and any parameter values associated with such parameter names must be as permitted.
4. The Content Type must be in the preferred format defined in Section 4.1.4.
5. If a Content Coding is specified, it must exist (or must have been approved for registration) in the "HTTP Content Coding Registry" within the "Hypertext Transfer Protocol (HTTP) Parameters" registry group [IANA.http-params].

For the 0-255 range, in addition to the checks described above, the designated expert is instructed to also evaluate the requested code point concerning the limited availability of the 1-byte code point space. For the ranges 256-9999, 10000-19999, and 33000-64997, a similar criterion may also apply where combinations of Media Type parameters and Content Coding choices consume considerable code point space.

4.1.4. Preferred Format for the Content Type Field

This section defines the preferred string format for including a requested Content Type in the "CoAP Content-Formats" registry. During the review process, the designated expert(s) or IANA may rewrite a requested Content Type into this preferred string format before approval.

The preferred string format is as defined in Section 8.3.1 of [RFC9110] and follows these rules:

1. For any case-insensitive elements, lowercase characters are used.
2. Parameter values are only quoted if the value is such that it requires use of a quoted-string per Section 5.6.6 of [RFC9110]. Otherwise, a parameter value is included unquoted.
3. A single semicolon character without any adjacent whitespace characters is used as the separator between the Media Type and parameters.

4.1.5. Examples of Invalid Registration Requests

This section provides examples of registration requests for the "CoAP Content-Formats" registry that are invalid but would be approved under the procedure defined in Section 12.3 of [RFC7252]. The checklist defined in Section 4.1.3 should prevent any of these attempts from succeeding. These examples serve as a representative, but not exhaustive, sample to train the designated expert's eye on invalid registration attempts.

All the example registration requests use two CoAP Content-Format identifiers: 64998 and 64999.

4.1.5.1. The Media Type is Unknown

The registrant requests an FCFS Content-Format ID for an unknown Media Type:

Content Type	Content Coding	ID
application/unknown+cbor	-	64999

+-----+-----+-----+

Table 2: Attempt at Registering Content-Format
for an Unknown Media Type

4.1.5.2. The Media Type Parameter is Unknown

The registrant requests an FCFS Content-Format ID for an existing Media Type with an unknown parameter:

Content Type	Content Coding	ID
application/cose;unknown-parameter=1	-	64999

Table 3: Attempt at Registering Content-Format for a Media
Type with an Unknown Parameter

4.1.5.3. The Media Type Parameter Value is Invalid

The registrant requests an FCFS Content-Format ID for an existing Media Type with an invalid parameter value:

Content Type	Content Coding	ID
application/cose;cose-type=invalid	-	64999

Table 4: Attempt at Registering Content-Format for a Media
Type with an Invalid Parameter Value

4.1.5.4. The Content Coding is Unknown

The registrant requests an FCFS Content-Format ID for an existing Media Type with an unknown Content Coding:

Content Type	Content Coding	ID
application/senml+cbor	inflate	64999

Table 5: Attempt at Registering Content-Format
with Unknown Content Coding

4.1.5.5. Duplicate Entry with Default Media Type Parameters

The registrant requests an FCFS Content-Format ID for a Media Type that includes a parameter set to its default value, while a (hypothetical) Content-Format ID 64998 is already registered for this Media Type without that parameter. As a result, this could lead to the creation of two separate Content-Format IDs for the same "logical" entry.

Content Type	Content Coding	ID
application/my	-	64998
application/my;parameter=default	-	64999

Table 6: Attempt at Registering an Equivalent Logical
Entry with a Different Content-Format ID (1)

4.1.5.6. Duplicate Entry with Default Content Coding

The registrant requests an FCFS Content-Format ID for the "identity" Content Coding, which is the default coding. If accepted, this request would duplicate an entry with (hypothetical) Content-Format ID 64998 where the "Content Coding" field is left empty.

Content Type	Content Coding	ID
application/my	-	64998
application/my	identity	64999

Table 7: Attempt at Registering an Equivalent Logical Entry with a Different Content-Format ID (2)

4.1.5.7. Duplicate Entry with Equivalent Parameter

The registrant requests an FCFS Content-Format ID for a Media Type that includes a parameter. The value of this parameter appears distinct from that of a (hypothetical) previously registered Content-Format ID 64998 that also includes this parameter. However, the semantics of the parameter value are identical to the existing registration.

In this example, the `eat_profile` parameter value (which can be any URI) is set as a Uniform Resource Name (URN) [RFC8141]. Since the Namespace Identifier (example, in this case) for URNs is defined as case insensitive, the two registrations are semantically identical.

Content Type	Content Coding	ID
application/ eat+cwt;eat_profile="urn:example:1"	-	64998
application/ eat+cwt;eat_profile="urn:EXAMPLE:1"	-	64999

Table 8: Attempt at Registering an Equivalent Logical Entry with a Different Content-Format ID (3)

4.2. New Note and Reference Additions

IANA has added the following note to the registry:

Note: As per RFC 9876, temporary registrations within the 0-255 range are approved by designated experts. These registrations are not subject to the formal renewal process in [RFC7120].

IANA has also listed this document as an additional reference for the registry.

4.3. Reserving Content-Format Identifiers 64998 and 64999 for Documentation

IANA has reserved Content-Format identifiers 64998 and 64999 for use in documentation.

5. References

5.1. Normative References

- [BCP26] Best Current Practice 26,
<<https://www.rfc-editor.org/info/bcp26>>.
At the time of writing, this BCP comprises the following:
- Cotton, M., Leiba, B., and T. Narten, "Guidelines for Writing an IANA Considerations Section in RFCs", BCP 26, RFC 8126, DOI 10.17487/RFC8126, June 2017,
<<https://www.rfc-editor.org/info/rfc8126>>.
- [IANA.core-params] IANA, "Constrained RESTful Environments (CoRE) Parameters",
<<https://www.iana.org/assignments/core-parameters>>.
- [IANA.http-params] IANA, "Hypertext Transfer Protocol (HTTP) Parameters",
<<https://www.iana.org/assignments/http-parameters>>.
- [IANA.media-types] IANA, "Media Types",
<<https://www.iana.org/assignments/media-types>>.
- [IANA.prov-media-types] IANA, "Provisional Standard Media Type Registry",
<<https://www.iana.org/assignments/provisional-standard-media-types>>.
- [RFC2119] Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997,
<<https://www.rfc-editor.org/info/rfc2119>>.
- [RFC7120] Cotton, M., "Early IANA Allocation of Standards Track Code Points", BCP 100, RFC 7120, DOI 10.17487/RFC7120, January 2014, <<https://www.rfc-editor.org/info/rfc7120>>.
- [RFC7252] Shelby, Z., Hartke, K., and C. Bormann, "The Constrained Application Protocol (CoAP)", RFC 7252, DOI 10.17487/RFC7252, June 2014,
<<https://www.rfc-editor.org/info/rfc7252>>.
- [RFC8174] Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<https://www.rfc-editor.org/info/rfc8174>>.
- [RFC9110] Fielding, R., Ed., Nottingham, M., Ed., and J. Reschke, Ed., "HTTP Semantics", STD 97, RFC 9110, DOI 10.17487/RFC9110, June 2022,
<<https://www.rfc-editor.org/info/rfc9110>>.
- [RFC9193] Kernén, A. and C. Bormann, "Sensor Measurement Lists (SenML) Fields for Indicating Data Value Content-Format", RFC 9193, DOI 10.17487/RFC9193, June 2022,
<<https://www.rfc-editor.org/info/rfc9193>>.

5.2. Informative References

- [Err4954] RFC Errata, Erratum ID 4954, RFC 7252,
<<https://www.rfc-editor.org/errata/eid4954>>.
- [RFC2046] Freed, N. and N. Borenstein, "Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types", RFC 2046, DOI 10.17487/RFC2046, November 1996,
<<https://www.rfc-editor.org/info/rfc2046>>.

[RFC8141] Saint-Andre, P. and J. Klensin, "Uniform Resource Names (URNs)", RFC 8141, DOI 10.17487/RFC8141, April 2017, <<https://www.rfc-editor.org/info/rfc8141>>.

Acknowledgments

Thank you Amanda Baber, Carsten Bormann, Christer Holmberg, ric Vyncke, Francesca Palombini, Ketan Talaulikar, Marco Tiloca, Mohamed Boucadair, Paul Wouters, Renzo Navas, and Rich Salz for your reviews, comments, suggestions, and fixes.

Authors' Addresses

Thomas Fossati
Linaro
Email: thomas.fossati@linaro.org

Esko Dijk
IoTconsultancy.nl
Email: esko.dijk@iotconsultancy.nl